

References

- ACKIL, J. E., MELLGREN, R. L., HALGREN, C., and FROMMER, G. P. (1969). Effects of CS pre-exposures on avoidance learning in rats with hippocampal lesions. *J. comp. physiol. Psychol.* **69**, 739-47.
- ACREDOLO, L. P. (1977). Developmental changes in the ability to coordinate perspectives of a large-scale space. *Development. Psychol.* **13**, 1-8.
- ADEY, W. R. (1951). An experimental study of the hippocampal connections of the cingulate cortex in the rabbit. *Brain* **74**, 233-47.
- (1962). EEG studies of hippocampal system in the learning process. In *Physiologie de l'hippocampe* (ed. P. Passouant), pp. 203-24. Editions du Centre National de la Recherche Scientifique, Paris.
- (1967). Hippocampal states and functional relations with corticosubcortical systems in attention and learning. In *Progress in brain research* (eds. W. R. Adey and T. Tokizane), Vol. **27**, pp. 228-45. Elsevier, Amsterdam.
- ADEY, W. R., DUNLOP, C. W., and HENDRIX, C. E. (1960). Hippocampal slow waves: distribution and phase relations in the course of approach learning. *Arch. Neurol.* **3**, 74-90.
- ADEY, W. R., DUNLOP, C. W., and SUNDERLAND, S. (1958). A survey of rhinencephalic interconnections with the brainstem. *J. comp. Neurol.* **110**, 173-203.
- ADEY, W. R. and MEYER, M. (1952). An experimental study of hippocampal afferent pathways from prefrontal and cingulate areas in the monkey. *J. Anat.* **86**, 58-74.
- ADEY, W. R., SEGUNDO, J. P., and LIVINGSTON, R. B. (1957). Corticofugal influences on intrinsic brainstem conduction in cat and monkey. *J. Neurophysiol.* **20**, 1-16.
- ADEY, W. R., SUNDERLAND, S., and DUNLOP, C. W. (1957). The entorhinal area: Electrophysiological studies of the interrelations with rhinencephalic structures and the brainstem. *Electroencephalogr. clin. Neurophysiol.* **9**, 309-24.
- ADEY, W. R., WALTER, D. O., and LINDSLEY, D. F. (1962). Subthalamic lesions: Effects on learned behaviour and correlated hippocampal and subcortical slow-wave activity. *Arch. Neurol.* **6**, 194-207.
- AKERT, K., and GERNANDT, B. E. (1962). Neurophysiological study of vestibular and limbic influences upon vagal outflow. *Electroencephalogr. clin. Neurophysiol.* **14**, 904-914.
- ALBINO, R. C., and CAIGER, K. (1971). Hippocampal slow rhythms in ongoing behaviour and during classical conditioning. *S. Afr. med. J.* **45**, 135-40.
- ALEXANDER, G. B., BROOME, B., and MEANS, L. W. (1974). The effects of an irrelevant intertrial task on pattern discrimination in rats with hippocampal damage. *Bull. psychon. Soc.* **3**, 459-61.
- ALEXANDER, H. G. (1956). *The Leibniz-Clarke correspondence*. University Press, Manchester.
- ALKSNE, J. F., and BLACKSTAD, T. W. (1965). Use of the electron microscope in mapping the terminal area of a nervous pathway. *J. ultrastruct. Res.* **12**, 236.

- ALLEN, W. F. (1940). Effect of ablating the frontal lobes, hippocampi, and occipitoparieto-temporal (excepting pyriform areas) lobes on positive and negative olfactory conditioned reflexes. *Am. J. Physiol.* **128**, 754-71.
- (1944). Degeneration in the dog's mammillary body and Ammon's horn following transection of the fornix. *J. comp. Neurol.* **80**, 283-91.
- ALTMAN, J. (1966). Autoradiographic and histological studies of postnatal neurogenesis. II. A longitudinal investigation of the kinetics, migration and transformation of cells incorporating tritiated thymidine in infant rats, with special reference to postnatal neurogenesis in some brain regions. *J. comp. Neurol.* **128**, 431-74.
- ALTMAN, J., BRUNNER, R. L., and BAYER, S. A. (1973). The hippocampus and behavioural maturation. *Behav. Biol.* **8**, 557-96.
- ALTMAN, J., and DAS, G. D. (1965). Autoradiographic and histological studies of postnatal neurogenesis I. A longitudinal investigation of the kinetics, migration and transformation of cells incorporating tritiated thymidine in neonate rats, with special reference to postnatal neurogenesis in some brain regions. *J. comp. Neurol.* **126**, 337-390.
- ALVAREZ-PELAEZ, R. (1973). Effects of fimbria-formix lesion on avoidance conditioning in the rat. *Physiol. Behav.* **11**, 603-7.
- AMES, A., JR. (1953). Reconsideration of the origin and nature of perception. In *Vision and action* (ed. S. Ratner). Rutgers University Press, New Brunswick, N.J.
- AMSEL, A. (1958). The role of frustrative nonreward in noncontinuous reward situations. *Psychol. Bull.* **55**, 102-19.
- (1972). Behavioural habituation, counterconditioning and a general theory of persistence. In *Classical conditioning II: Current research and theory* (eds A. H. Black and W. F. Prokasy), pp. 409-26. Appleton-Century-Crofts, New York.
- AMSEL, A., GLAZER, H., LAKEY, J. R., MCCULLER, T., and WONG, P. T. P. (1973). Introduction of acoustic stimulation during acquisition and resistance to extinction in the normal and hippocampally damaged rat. *J. comp. physiol. Psychol.* **84**, 176-86.
- AMSEL, A., and ROUSSEL, J. (1952). Motivational properties of frustration: I. Effect on a running response of the addition of frustration to the motivational complex. *J. exp. Psychol.* **43**, 363-8.
- ANCHEL, H., and LINDSLEY, D. B. (1972). Differentiation of two reticulo-hypothalamic systems regulating hippocampal activity. *Electroencephalogr. clin. Neurophysiol.* **32**, 209-26.
- ANDEN, N-E., DAHLSTROM, FUXE, K., LARSSON, K., OLSON, L., and UNGERSTEDT, U. (1966). Ascending monoamine neurons to the telencephalon and diencephalon. *Acta. Physiol. Scand.* **67**, 313-26.
- ANDERSEN, P. (1959). Interhippocampal impulses. I. Origin, course and distribution in cat, rabbit and rat. *Acta Physiol. Scand.* **47**, 63-90.
- (1960a) Interhippocampal impulses. II. Apical dendritic activation of CA1 neurons. *Acta Physiol. Scand.* **48**, 178-208.
- (1960b) Interhippocampal impulses. III. Basal dendritic activation of CA3 neurons. *Acta Physiol. Scand.* **48**, 209-30.
- (1960c) Interhippocampal impulses. IV. A correlation of some functional and structural properties of the interhippocampal fibres in cat, rabbit and rat. *Acta Physiol. Scand.* **48**, 329-51.
- ANDERSEN, P., BLACKSTAD, T. W., and LOMO, T. (1966). Location and identification of excitatory synapses on hippocampal pyramidal cells. *Exp. Brain Res.* **1**, 236-48.
- ANDERSEN, P., BLAND, B. H., and DUDAR, J. D. (1973). Organization of the hippocampal output. *Exp. Brain Res.* **17**, 152-68.
- ANDERSEN, P., BLISS, T. V. P., and SKREDE, K. (1971). Lamellar organization of hippocampal excitatory pathways. *Ex p. Brain Res.* **13**, 222-38.
- ANDERSEN, P., BRULAND, H., and KAADA, B. R. (1961a). Activation of the dentate area

- by septal stimulation. *Acta Physiol. Scand.* **51**, 17-28.
- (1961b). Activation of the field CAI of the hippocampus by septal stimulation. *Acta Physiol. Scand.* **51**, 29-40.
- ANDERSEN, P., and ECCLES, J. C. (1962). Inhibitory phasing of neuronal discharge. *Nature, Lond.* **196**, 645-7.
- ANDERSEN, P., ECCLES, J. C., and LOYNING, Y. (1964a). Location of postsynaptic inhibitory synapses on hippocampal pyramids. *J. Neurophysiol.* **27**, 592-607.
- (1964b). Pathway of postsynaptic inhibition in the hippocampus. *J. Neurophysiol.* **27**, 608-19.
- ANDERSEN, P., GROSS, G. N., Lomo, T., and SVEEN, O. (1969). Participation of inhibitory and excitatory interneurones in the control of hippocampal cortical output. In *The interneuron* (ed. M. A. Brazier), pp. 415-32. University of California Press, Los Angeles.
- ANDERSEN, P., HOLMQVIST, B., and VOORHOEVE, P. E. (1966a). Entorhinal activation of dentate granule cells. *Acta Physiol. Scand.* **66**, 448-60.
- (1966b). Excitatory synapses on hippocampal apical dendrites activated by entorhinal stimulation. *Acta Physiol. Scand.* **66**, 461-72.
- ANDERSON, J. R. (1972). Recognition confusions in sentence memory. Unpublished manuscript, Stanford University.
- ANDERSON, J. R., and BOWER, G. H. (1973). *Human associative memory*. Winston, Washington, D.C.
- ANDERSON, L. S., BLACK, R. G., ABRAHAM, J., and WARD, A. A. (1971). Neuronal hyperactivity in experimental trigeminal deafferentation. *J. Neurosurg.* **35**, 444-52.
- ANDY, O. J., PEELER, D. F., JR., and FOSHEE, D. P. (1967). Avoidance and discrimination learning following hippocampal ablation in the cat. *J. comp. physiol. Psychol.* **64**, 516-19.
- ANDY, O. J., PEELER, D. F., MITCHELL, J., FOSHEE, D. P., and KOSHINO, K. (1968). The hippocampal contribution to 'learning and memory'. *Cond. Reflex* **3**, 217-33.
- ANDY, O. J., and STEPHAN, H. (1966). Phylogeny of the primate septum telencephali. In *Evolution of the forebrain* (eds R. Hassler and H. Stephan), pp. 389-99. Georg Thieme Verlag, Stuttgart.
- ANDY, O. J., WEBSTER, C. L., MUKAWA, J., and BONN, P. (1962). Electrophysiological comparisons of the dorsal and ventral hippocampus. In *Physiologie de Phippocampe* (ed. P. Passouant), pp. 411-27. Editions du Centre National de la Recherche Scientifique, Paris.
- ANGEVINE, J. B., JR. (1965). Time of neuron origin in the hippocampal region, an autoradiographic study in the mouse. *Exp. Neurol. Suppl.* **2**, 1-70.
- ANISMAN, H., and WALLER, T. G. (1973). Effects of inescapable shock on subsequent avoidance performance: Role of response repertoire changes. *Behav. Biol.* **9**, 331-55.
- ANTELMAN, S. M., and BROWN, T. S. (1972). Hippocampal lesions and shuttlebox avoidance behaviour: A fear hypothesis. *Physiol. Behav.* **9**, 15-20.
- ANTON, B. S., and BENNETT, T. L. (1974). Hippocampal lesions during rearing and transfer of perceptual learning in rats. *Physiol. Psychol.* **2**, 523-8.
- APOSTOL, G., and CREUTZFELDT, O. D. (1974). Cross-correlation between the activity of septal units and hippocampal EEG during arousal. *Brain Res.* **67**, 65-75.
- ARIENS KAPPERS, C. U., HUBER, G. C., and CROSBY, E. C. (1936). *The comparative anatomy of the nervous system of vertebrates including man*, Vol. 2. Macmillan Co., New York.
- ARNOLDS, D., LÓPES DA SILVA, F. H., KAMP, A., and AITINK, W. (1975). Motor acts and firing of reticular neurones correlated with operantly reinforced hippocampus theta shifts. *Brain Res.* **85**, 194.
- ARTEMENKO, D. P. (1972). Role of hippocampal neurons in theta-wave generation. *Nerofiziologiya* **4**, 531-9.

- ASSO, D., and WYKE, M. (1970). Visual discrimination and verbal comprehension of spatial relations by young children. *Br. J. Psychol.* **61**, 99-107.
- AVIS, H., and CARLTON, P. L. (1968). Retrograde amnesia produced by hippocampal spreading depression. *Science* **161**, 73-5.
- AZZARONI, A., and PARMEGGIANI, P. (1968). Papez circuit and regulation of the hippocampal theta rhythm in the cat. *Electroencephalogr. clin. Neurophysiol.* **25**, 84-5.
- BABB, T. L., CARR, E., and CRANDALL, P. H. (1973). Analysis of extracellular firing patterns of deep temporal lobe structures in man. *Electroencephalogr. clin. Neurol.* **34**, 247-57.
- BADDELEY, A. D., and DALE, H. C. A. (1966). The effect of semantic similarity on retroactive interference in long- and short-term memory. *J. verbal Learn. & verbal Behav.* **5**, 417-20.
- BADDELEY, A. D., and WARRINGTON, E. (1970). Amnesia and the distinction between long- and short-term memory. *J. verbal Learn. verbal Behav.* **9**, 176-89.
- (1973). Memory coding and amnesia. *Neuropsychologia* **11**, 159-65.
- BAGSHAW, M. H., KIMBLE, D. P., and PRIBRAM, K. H. (1965). The GSR of monkeys during orienting and habituation and after ablation of the amygdala, hippocampus and inferotemporal cortex. *Neuropsychologia* **3**, 111-19.
- BANKS, R. K. (1966). Persistence to continuous punishment and nonreward following training with intermittent punishment and non-reward. *Psychon. Sci.* **5**, 105-6.
- BARBER, R. P., VAUGHN, J. E., WIMER, R. E., and WIMER, C. E. (1974). Genetically associated variations in the distribution of dentate granule cell synapses upon the pyramidal cell dendrites in mouse hippocampus. *J. comp. Neurol.* **156**, 417-34.
- BARCIK, J. D. (1970). Hippocampal after-discharges and conditioned emotional response. *Psychon. Sci.* **20**, 297-9.
- BARNETT, S. A. (1958). Experiments on 'neophobia' in wild and laboratory rats. *Br. J. Psychol.* **49**, 195-201.
- BARTLETT, F. L. (1932). *Remembering*. Cambridge University Press, Cambridge.
- BAUER, R. H. (1974). Brightness discrimination of pretrained and nonpretrained hippocampal rats reinforced for choosing brighter or dimmer alternatives. *J. comp. physiol. Psychol.* **87**, 987-96.
- BAYER, S. A., and ALTMAN, J. (1974). Hippocampal development in the rat: cyogenesis and morphogenesis examined with autoradiography and low-level X-irradiation. *J. comp. Neurol.* **158**, 55-80.
- (1975). The effects of X-irradiation on the postnatally-forming granule cell populations in the olfactory bulb, hippocampus, and cerebellum of the rat. *Exp. Neurol.* **48**, 167-74.
- BAYER, S. A., BRUNNER, R. L., HINE, R., and ALTMAN, J. (1973). Behavioural effects of interference with the postnatal acquisition of hippocampal granule cells. *Nature (Lond.) New Biol.* **242**, 222-4.
- BEACH, F. A., HEBB, D. O., MORGAN, C. T., and NISSEN, H. W. (eds) (1960). *The neuropsychology of Lashley*. McGraw-Hill, New York.
- BEATTY, W. W., and SCHWARTZBAUM, J. S. (1968). Commonality and specificity of behavioural dysfunctions following septal and hippocampal lesions in rats. *J. comp. physiol. Psychol.* **66**, 60-8.
- BEGG, I. (1971). Recognition memory for sentence meaning and wording. *J. verb. Learn. verb. Behav.* **10**, 176-81.
- BENDER, R. M., HOSTETTER, G., and THOMAS, G. J. (1968). Effects of lesions in hippocampus-entorhinal cortex on maze performance and activity in rats. *Psychon. Sci.* **10**, 13-14.
- BENDIX, E. H. (1966). *Componential analysis of general vocabulary*. Publ. 41, Indiana University Research Center in Anthropology, Folklore and Linguistics, Bloomington, Indiana.

- (1971). The data of semantic description. In *Semantics* (eds D. D. Steinberg and L. A. Jakobovits), pp. 393-409. Cambridge University Press, Cambridge.
- BENNETT, T. L. (1969). Evidence against the theory that hippocampal theta is a correlate of voluntary movement. *Commun. behav. Biol.* **4**, 165-9.
- (1970). Hippocampal EEG correlates of behaviour. *Electroencephalogr. clin. Neurophysiol.* **28**, 17-23.
- (1975). The electrical activity of the hippocampus and processes of attention. In *The hippocampus* (eds R. L. Isaacson and K. Pribram), pp. 71-99. Plenum Press, New York.
- BENNETT, T. L., and GOTTFRIED, J. (1970). Hippocampal theta activity and response inhibition. *Electroencephalogr. clin. Neurophysiol.* **29**, 196-200.
- BENNETT, T. L., HEBERT, P. N., and MOSS, D. E. (1973). Hippocampal theta activity and the attention component of discrimination learning. *Behav. Biol.* **8**, 173-81.
- BENSON, F. D., GARDNER, H., and MEADOWS, J. C. (1976). Reduplicative paramnesia. *Neurology* **26**, 147-51.
- BENTON, A. L. (1969). Disorders of spatial orientation. In *Handbook of clinical neurology*, vol. 3 (eds P. J. Vinken and G. W. Bruyn), pp. 212-28. North-Holland, Amsterdam.
- BERLYNE, D. E. (1966). Curiosity and exploration. *Science* **153**, 25-33.
- BERMANT, G., GLICKMAN, S. E., and DAVIDSON, J. M. (1968). Effects of limbic lesions on copulatory behaviour of male rats. *J. comp. physiol. Psychol.* **65**, 118-25.
- BERTALANFFY, L. VON (1971). *General system theory*. Penguin, Harmondsworth, Middlesex.
- BEST, M. R., and BEST, P. J. (1975). Hippocampal unit activity during conditioning in the rat. *Neurosci. Abstr.* **1**, 545.
- BEST, P. J., and ORR, J. (1973). Effects of hippocampal lesions on passive avoidance and taste aversion conditioning. *Physiol. Behav.* **10**, 193-6.
- BEST, P. J., and RANCK, J. B., JR. (1975). Reliability of the relationship between hippocampal unit activity and behaviour in the rat. *Neurosci. Abstr.* **1**, 538.
- BICKFORD, R. G., MULDER, D. W., DODGE, H. W., JR., SVIEN, H. J., and ROME, H. P. (1958). Changes in memory function produced by electrical stimulation of the temporal lobe in man. *Res. Publ. Ass. Res. Nerv. Ment. Dis.* **36**, 227-43.
- BIEDERMAN, G. B., D'AMATO, M. F., and KELLER, D. M. (1964). Facilitation of discriminated avoidance learning by dissociation of CS and manipulandum. *Psychon. Sci.* **1**, 229-30.
- BINDRA, D. (1959). Motivation: a systematic reinterpretation. Ronald Press, New York.
- (1968). Neuropsychological interpretation of the effects of drive and incentive motivation on general activity and instrumental behaviour. *Psychol. Rev.* **75**, 1-22.
- BIRD, S. J., and AGHAJANIAN, G. K. (1975). Microiontophoretic study of the cholinergic pharmacology of hippocampal pyramidal cells. *Neurosci. Abstr.* **5**, 387.
- BISCOE, T. J., and STRAUGHAN, D. W. (1966). Micro-electrophoretic studies of neurones in the cat hippocampus. *J. Physiol. (Lond.)* **183**, 341-59.
- BLACK, A. H. (1972). The operant conditioning of central nervous system electrical activity. In *The psychology of learning and motivation*, vol. 6 (ed. G. H. Bower), pp. 47-95. Academic Press, New York.
- (1975). Hippocampal electrical activity and behaviour. In *The hippocampus: a comprehensive treatise* (eds R. L. Isaacson and K. H. Pribram), pp. 129-67. Plenum Press, New York.
- BLACK, A. H., and DE TOLEDO, L. (1972). The relationship among classically conditioned responses: heartrate and skeletal behaviour. In *Classical conditioning. II Current research and theory* (eds A. H. Black and W. F. Prokasy), pp. 290-311. Appleton-Century Crofts, New York.
- BLACK, A. H., NADEL, L., and O'KEEFE, J. (1977). Hippocampal function in avoidance learning and punishment. *Psychol. Bull.* **84**, 1107-29.
- BLACK, A. H., and YOUNG, G. A. (1972a). The electrical activity of the hippocampus and

- cortex in dogs operantly trained to move and to hold still. *J. comp. physiol. Psychol.* **79**, 128-41.
- (1972b). Constraints on the operant conditioning of drinking. In *Reinforcement: behaviour analyses* (eds R. M. Gilbert and J. R. Millenson). Academic Press, New York.
- BLACK, A. H., YOUNG, G. A., and BATENCHUK, C. (1970). Avoidance training of hippocampal theta waves in Flaxedilized dogs and its relation to skeletal movement. *J. comp. physiol. Psychol.* **70**, 15-24.
- BLACK, R. W. (1964). Heart rate response to auditory stimuli of varying duration. *Psychon. Sci.* **1**, 171-2.
- BLACKSTAD, T. W. (1956). Commissural connections of the hippocampal region in the rat, with special reference to their mode of reference. *J. comp. Neurol.* **105**, 417-537.
- (1958). On the termination of some afferents to the hippocampus and fascia dentata. *Acta Anat.* **35**, 202-14.
- (1963). Ultrastructural studies on the hippocampal region. In *Progress in brain research*, vol. 3 (eds W. Bargmann and J. P. Schade), pp. 122-48. Elsevier, Amsterdam.
- BLACKSTAD, T. W., BRINK, K., HEIM, J., and JEUNE, B. (1970). Distribution of hippocampal mossy fibres in the rat. An experimental study with silver impregnation methods. *J. comp. Neurol.* **138**, 433-50.
- BLACKSTAD, T. W., FUXE, K., and HOKFELT, T. (1967). Noradrenaline nerve terminals in the hippocampal region of the rat and the guinea pig. *Z. Zellforsch.* **78**, 463-73.
- BLACKSTAD, T. W., and KJARHEIM, A. (1961). Special axo-dendritic synapses in the hippocampal cortex: electron and light microscopic studies on the layer of mossy fibres. *J. comp. Neurol.* **117**, 133-59.
- BLAKEMORE, C., and COOPER, R. M. (1970). Development of the brain depends upon the visual environment. *Nature (Lond.)* **228**, 477-8.
- BLANCHARD, D. C., and BLANCHARD, R. J. (1972a). Innate and conditioned reactions to threat in rats with amygdaloid lesions. *J. comp. physiol. Psychol.* **81**, 281-90.
- BLANCHARD, R. J., and BLANCHARD, D. C. (1968b). Limbic lesions and reflexive fighting. *J. comp. physiol. Psychol.* **66**, 603-5.
- (1969a). Crouching as an index of fear. *J. comp. physiol. Psychol.* **67**, 370-5.
- (1969b). Passive and active reactions to fear-eliciting stimuli. *J. comp. physiol. Psychol.* **68**, 129-35.
- (1970a). Dual mechanisms in passive avoidance. I. *Psychon. Sci.* **19**, 1-2.
- (1970b). Dual mechanisms in passive avoidance. II. *Psychon. Sci.* **19**, 3-4.
- (1971). Defensive reactions in the albino rat. *Learn. Motiv.* **2**, 351-62.
- (1972b). Effects of hippocampal lesions on the rat's reaction to a cat. *J. comp. physiol. Psychol.* **78**, 77-82.
- BLANCHARD, R. J., BLANCHARD, D. C., and FIAL, R. A. (1970). Hippocampal lesions in rats and their effect on activity, avoidance and aggression. *J. comp. physiol. Psychol.* **71**, 92-102.
- BLANCHARD, R. J., DIELMAN, T. E., and BLANCHARD, D. C. (1968a). Prolonged after effects of a single foot shock. *Psychon. Sci.* **10**, 327-8.
- (1968b). Postshock crouching: Familiarity with the shock situation. *Psychon. Sci.* **10**, 371-2.
- BLANCHARD, R. J., and FIAL, R. A. (1968). Effects of limbic lesions on passive avoidance and reactivity to shock. *J. comp. physiol. Psychol.* **66**, 606-12.
- BLANCHARD, R. J., KELLEY, M. J., and BLANCHARD, D. C. (1974). Defensive reactions and exploratory behaviour in rats. *J. comp. physiol. Psychol.* **87**, 1129-33.
- BLANCHARD, R. J., MAST, M., and BLANCHARD, D. C. (1975). Stimulus control of defensive reactions in the albino rat. *J. comp. physiol. Psychol.* **88**, 81-8.
- BLANCHARD, R. J., SHELTON, V. F., and BLANCHARD, D. C. (1970). Historical effects of stimulus exposure: Readiness to eat and object exploration. *Learn. Motiv.* **1**, 432-44.

- BLAND, B. H., ANDERSEN, P., and GANES, T. (1975). Two generators of hippocampal activity in rabbits. *Brain Res.* **94**, 199-218.
- BLAND, B. H., KOSTOPOULOS, G. K., and PHILLIS, J. W. (1974). Acetylcholine sensitivity of hippocampal formation neurons. *Can. J. Physiol. Pharmacol.* **52**, 966-71.
- BLAND, B. H., and VANDERWOLF, C. H. (1972a). Dienccephalic and hippocampal mechanisms of motor activity in the rat: Effects of posterior hypothalamic stimulation on behaviour and hippocampal slow wave activity. *Brain Res.* **43**, 67-88.
- (1972b). Electrical stimulation of the hippocampal formation: Behavioural and bioelectric effects. *Brain Res.* **43**, 89-106.
- BLANK, A. A. (1959). The Luneberg theory of binocular space perception. In *Psychology: A study of a science*, vol. 1 (ed. S. Koch), pp. 395-426. McGraw-Hill, New York.
- BLAUT, J. M., MCCLEARY, G. S., JR., and BLAUT, A. S. (1970). Environmental mapping in young children. *Environ. Behav.* **2**, 335-49.
- BLISS, T. V. P., and CHUNG, S. H. (1974). An electrophysiological study of the hippocampus of the 'reeler' mutant mouse. *Nature (Lond.)* **252**, 153-5.
- BLISS, T. V. P., CHUNG, S. H., and STIRLING, R. V. (1974). Structural and functional development of the mossy fibre system in the hippocampus of the post-natal rat. *J. Physiol. (Lond.)* **239**, 92-4P.
- BLISS, T. V. P., and GARDNER-MEDWIN, A. R. (1971). Long-lasting increases of synaptic influence in the unanesthetised hippocampus. *J. Physiol. (Lond.)* **216**, 32-3P.
- (1973). Long-lasting potentiation of synaptic transmission in the dentate area of the unanaesthetised rabbit following stimulation of the perforant path. *J. Physiol. (Lond.)* **232**, 357-74.
- BLISS, T. V. P., and LØMO, T. (1970). Plasticity in a monosynaptic cortical pathway. *J. Physiol. (Lond.)* **207**, 61P.
- (1973). Long-lasting potentiation of synaptic transmission in the dentate area of the anaesthetised rabbit following stimulation of the perforant path. *J. Physiol. (Lond.)* **232**, 331-56.
- BLODGETT, H. C., and McCUTCHAN, K. (1947). Place versus response learning in the simple T maze. *J. exp. Psychol.* **37**, 412-22.
- BLOOM, J. M., and McFARLAIN, R. A. (1971). Hippocampal lesions and the partial reinforcement effect. *Psychol. Rep.* **29**, 831-7.
- BOARD, C. (1967). Maps as models. In *Models in geography* (eds R. J. Chorley and P. Haggett). Methuen, London.
- BOAST, C. A., ZORNETZER, S. F., and HAMRICK, M. R. (1975). Electrolytic lesions of various hippocampal subfields in the mouse: Differential effects on short- and long term memory. *Behav. Biol.* **14**, 85-94.
- BOBROW, D. G., and COLLINS, A. (1975). *Representation and understanding: Studies in cognitive science*. Academic Press, New York.
- BOHM, D. (1965). *The special theory of relativity*. W. A. Benjamin, New York.
- BOHUS, B. (1971). Adrenocortical hormones and central nervous function: The site and mode of their behavioural action in the rat. In *Hormonal steroids: Proceedings of the third international congress on hormonal steroids* (eds V. H. T. James and L. Martini), pp. 752-8. Excerpta Medica, Amsterdam.
- (1973). Pituitary-adrenal influences on avoidance and approach behaviour of the rat. In *Drug effects on neuroendocrine regulation* (eds E. Zimmerman, W. H. Gispen, B. H. Marks, and D. de Wied); *Prog. Brain Res.* **39**, 407-20.
- (1975). The hippocampus and the pituitary-adrenal system hormones. In *The hippocampus*, vol. 1 (eds R. L. Isaacson and K. H. Pribram), pp. 323-53. Plenum Press, New York.
- BOHUS, B., NYAKAS, Cs., and LISSAK, K. (1968). Involvement of suprathalamic structures in the hormonal feedback action of corticosteroids. *Acta Physiol. acad. Sci. Hung.* **34**, 1-8.

- BOITANO, J. J., ABEL, H. G., HEINE, G. J., and PATRISSI, G. A. (1973). Effects of hippocampal lesions on the water consumption of hooded and albino rats. *Bull. psychon. Soc.* **1**, 81-3.
- BOITANO, J. J., and ISAACSON, R. L. (1967). Effects of variation in shock-intensity on the behaviour of dorsal-hippocampectomized rats in two passive-avoidance situations. *Am. J. Psychol.* **80**, 73-80.
- BOITANO, J. J., LUBAR, J. F., AUER, J., and FURNALD, M. S. (1968). Effects of hippocampectomy on consummatory behaviour and movement-inhibition in rats. *Physiol. Behav.* **3**, 901-6.
- BOLLES, R. C. (1967). *Theory of motivation*. Harper and Row, New York.
- (1970). Species-specific defense reactions and avoidance learning. *Psychol. Rev.* **77**, 32-48.
- (1971). Species-specific defense reactions. In *Aversive conditioning and learning* (ed. F. R. Brush), pp. 183-233. Academic Press, New York.
- BOLLES, R. C., and GROSSEN, N. E. (1969). Effects of an informational stimulus on the acquisition of avoidance behaviour in rats. *J. comp. physiol. Psychol.* **68**, 90-9.
- BOLLES, R. C., and LORGE, J. DE (1962). Effect of hunger on exploration in a familiar locale. *Psychol. Rep.* **10**, 54.
- BOND, E. K. (1972). Perception of form by the human infant. *Psychol. Bull.* **77**, 225-45.
- BOOMER, D. S., and LAVER, J. D. M. (1968). Slips of the tongue. *Brit. J. Disorders Commun.* **3**, 2-12.
- BORING, E. G. (1942). *Sensation and perception in the history of experimental psychology*. Appleton, New York.
- BOWER, G. H. (1970). Analysis of a mnemonic device. *Am. Sci.* **58**, 496-510.
- BOWER, G. H., CLARK, M. C., LESGOLD, A. M., and WINZENZ, O. (1969). Hierarchical retrieval schemes in recall of categorized word lists. *J. verb. Learn. verb. Behav.* **8**, 323-43.
- BOWER, T. G. R. (1971). The object in the world of the infant. *Sci. Am.* **225**, 30-8.
- (1975). Infant perception of the third dimension and object concept development. In *Infant perception: From sensation to cognition*, Vol. 2. *Perception of space speech and sound* (eds L. B. Cohen and P. Salapatek) pp. 33-50. Academic Press, New York.
- BRADY, J. V. (1958). The paleocortex and behavioural motivation. In *Biological and biochemical bases of behaviour* (eds H. F. Harlow and C. N. Woolsey), pp. 193-235. University of Wisconsin Press, Madison.
- BRANCH, M. H., OLTON, D. S., and BEST, P. J. (1976). Spatial characteristics of hippocampal unit activity. *Neurosci. Abstr.* **2**, 368.
- BRANSFORD, J. D., BARCLAY, J. R., and FRANKS, J. J. (1972). Sentence memory: A constructive versus interpretative approach. *Cogn. Psychol.* **3**, 193-209.
- BRANSFORD, J. D., and FRANKS, J. J. (1971). The abstraction of linguistic ideas. *Cogn. psychol.* **2**, 331-50.
- BRANSFORD, J. D., and JOHNSON, M. K. (1973). Considerations of some problems of comprehension. In *Visual information processing* (ed. W. G. Chase), pp. 383-438. Academic Press, New York.
- BRANSFORD, J. D., and MCCARRELL, N. S. (1974). A sketch of a cognitive approach to comprehension: Some thoughts about understanding what it means to comprehend. In *Cognition and the symbolic processes* (eds W. B. Weimer and D. S. Palermo), pp. 189-229. Wiley-Interscience, New York.
- BREGMAN, A. S., and CAMPBELL, J. (1971). Primary auditory stream segregation and perception of order in rapid sequences of tones. *J. exp. Psychol.* **89**, 244-9.
- BREEN, T., and THOMPSON, R. (1966). Cortical and subcortical structures mediating a visual conditioned response motivated by thirst. *J. comp. physiol. Psychol.* **61**, 146-50.
- BREMNER, F. J. (1964). Hippocampal activity during avoidance behaviour in the rat. *J. comp. physiol. Psychol.* **58**, 16-22.

- (1968). Hippocampal electrical activity during classical conditioning. *J. comp. physiol. Psychol.* **66**, 35-9.
- BREMNER, F. J., and EDDY, D. R. (1970). The effect of ESB on hippocampal EEG. *Neuropsychologia* **8**, 179-83.
- BREMNER, F. J., and FORD, J. G. (1968). Habituation of neuro-electric responsesnegative results. *Neuropsychologia* **6**, 65-72.
- BREMNER, J. G. and BRYANT, P. E. (1977). Place versus response as the basis of spatial errors made by young infants. *J. exp. Child Psychol.* **23**, 162-71.
- BRENNER, J., and GOESLING, W. J. (1970). Avoidance conditioning of activity and immobility in rats. *J. comp. physiol. Psychol.* **70**, 276-80.
- BRESNAHAN, E. L., and RICCIO, D. C. (1970). Effects of variations in stimulus similarity and response requirement during pre-shock upon subsequent one-way active avoidance learning. *Can. J. Psychol.* **24**, 427-33.
- BRESNAHAN, E. L., and ROUTTENBERG, A. (1972). Memory disruption by unilateral low level, sub-seizure stimulation of the medial amygdaloid nucleus. *Physiol. Behav.* **9**, 513-25.
- BREWER, W. F. (1974). The problem of meaning and the interrelations of the higher mental processes. In *Cognition and the symbolic processes* (eds W. B. Weimer and D. S. Palermo), pp. 263-98. Wiley-Interscience, New York.
- BRIERLY, J. B. (1966). The neuropathology of amnesic states. In *Amnesia* (eds C. W. M. Whitty and O. L. Zangwill), pp. 150-80. Butterworths, London.
- BRIGGS, G. G., HAWKINS, S., and CROVITZ, H. F. (1970). Bizarre images in artificial memory. *Psychon. Sci.* **19**, 353-4.
- BRIGGS, R. (1973). On the relationship between cognitive and objective distance. In *Environmental design research*, Vol. 2, *Fourth International EDRA Conference* (ed. W. F. E. Preiser), pp. 186-92. Dowden, Hutchinson and Ross, Stroudsburg, Pa.
- BRODMANN, K. (1909). *Vergleichende Lokalisationslehre der Grosshirnrinde in ihren Prinzipien dargestellt auf Grund des Zellenbaues*. J. A. Barth, Leipzig.
- BROGGI, G., and PURPURA, D. P. (1969). Modes of dendritic spike generation in hippocampal neurons. *Physiologist* **12**, 185.
- BRONSON, G. W. (1968). The fear of novelty. *Psychol. Bull.* **69**, 350-8.
- BROOKS, L. R. (1968). Spatial and verbal components of the act of recall. *Can. J. Psychol.* **22**, 349-68.
- BROWN, B. B. (1968). Frequency and phase of hippocampal theta activity in the spontaneously behaving cat. *Electroencephalogr. clin. Neurophysiol.* **24**, 53-62.
- BROWN, B. B., and SHRYNE, J. E., JR. (1964). EEG theta activity and fast activity sleep in cats as related to behavioural traits. *Neuropsychologia* **2**, 311-26.
- BROWN, K. A., and BUCHWALD, J. S. (1973). Acoustic responses and plasticity of limbic units in cats. *Exp. Neurol.* **40**, 608-31.
- BROWN, R. J., and WINOCUR, G. (1973). The fornix as a reward pathway. *Physiol. Behav.* **11**, 47-52.
- BROWN, T. S., KAUFMANN, P. G., and MARCO, L. A. (1969). The hippocampus and response perseveration in the cat. *Brain Res.* **12**, 86-98.
- BROWN, T. S., and MURPHY, H. M. (1973). Factors affecting sucrose preference behaviour in rats with hippocampal lesions. *Physiol. Behav.* **11**, 833-44.
- BROWN, W. L. (1946). The effects of a common start-finish locus on orientation and behaviour in a multiple T-maze. *J. comp. Psychol.* **39**, 331-8.
- BRÜCKE, F., GOGOLAK, G., and STUMPF, CH. (1963). Mikroelektrodenuntersuchungen der Reizanwort und der Zeltaktivität im Hippokampus beim Septumreizung. *Pflügers Arch. Gesamte Physiol. Menschen Tiere* **276**, 456-70.
- BRUGGE, J. F. (1965). An electroencephalographic study of the hippocampus and neocortex in unrestrained rats following septal lesions. *Electroencephalogr. clin. Neurophysiol.* **18**, 36-44.
- BRUNNER, R. L., HAGGBLOOM, S. J., and GAZZARA, R. A. (1974). Effects of hippocampal

- X-irradiation-produced granule-cell agenesis on instrumental runway performance in rats. *Physiol. Behav.* **13**, 485-94.
- BRUNNER, R. L., and ROSSI, R. L. (1969). Hippocampal disruption and passive avoidance behaviour. *Psychon. Sci.* **15**, 228-9.
- BRUNNER, R. L., Rossi, R. L., STUTZ, R. M., and ROTH, T. G. (1970). Memory loss following post-trial electrical stimulation of the hippocampus. *Psychon. Sci.* **18**, 159-160.
- BRUSH, F. R. (1971). Retention of aversively motivated behaviour. In *Aversive conditioning and learning* (ed. F. R. Brush), pp. 401-65. Academic Press, New York.
- BRUST-CARMONA, H., ALVAREZ-LEEFMANS, F. J., and ARDITI, L. (1973). Differential projections of septal nuclei to ventral and dorsal hippocampus in rabbits. *Expl. Neurol.* **40**, 553-66.
- BUERGER, A. A. (1970). Effects of pre-operative training on re-learning a successive discrimination by cats with hippocampal lesions. *J. comp. Physiol. Psychol.* **72**, 462-6.
- BUGELSKI, B. R., KIDD, E., and SEGLEN, J. (1968). Image as a mediator in one-trial paired-associate learning. *J. exp. Psychol.* **76**, 69-73.
- BURES, J., BURESOVA, O., and WEISS, T. (1960). Functional consequences of hippocampal spreading depression. *Physiol. Bohemoslov.* **9**, 219-27.
- BUTTERS, N., and BARTON, M. (1970). Effect of parietal lobe damage on the performance of reversible operations in space. *Neuropsychologia* **8**, 208-14.
- BUTTERS, N., and CERMAK, L. S. (1974). Some comments on Warrington and Baddeley's report of normal short-term memory in amnesic patients. *Neuropsychologia* **12**, 283-5.
- (1975). Some analyses of amnesia syndromes in brain-damaged patients. In *The hippocampus*, Vol. 2 (eds R. L. Isaacson and K. H. Pribram), pp. 377-409. Plenum Press, New York.
- BUTTERS, N., LEWIS, R., CERMAK, L. S., and GOODGLASS, H. (1973). Material-specific memory deficits in alcoholic Korsakoff patients. *Neuropsychologia* **11**, 291-9.
- CAJAL, S. RAMON Y. (1955). *Histologie du système nerveux de l'homme et des vertébrés*, tome II (1917), pp. 772-9. Consejo superior de investigaciones científicas instituto Ramon y Cajal, Madrid.
- CAJORI, F. (1934). *Sir Isaac Newton's mathematical principles of natural philosophy and his system of the world*. Cambridge University Press, Cambridge.
- CALVERT, T. W., and MILLER, J. J. (1975). A computer simulation of mechanisms underlying synchronized and desynchronized activity in the septal area. *Neurosci. Abstr.* **5**, 655.
- CAMPBELL, B. A., BALLANTINE, P., and LYNCH, G. (1971). Hippocampal control of behavioural arousal: Duration of lesion effects and possible interactions with recovery after frontal cortical damage. *Exp. Neurol.* **33**, 159-70.
- CAMPBELL, B. A., and TEIGHTSOONIAN, R. (1958). Electrical and behavioural effects of different types of shock stimuli on the rat. *J. comp. physiol. Psychol.* **51**, 185-92.
- CAPALDI, E. J. (1963). Overlearning reversal effect in a spatial discrimination task. *Percept. mot. Skills* **16**, 335-6.
- (1966). Partial reinforcement: a hypothesis of sequential effects. *Psychol. Rev.* **73**, 459-77.
- CAPOBIANCO, S., and HAMILTON, L. W. (1973). Increased activity following fornix transection in the female rat. *Physiol. Behav.* **11**, 407-10.
- CAREY, R. J. (1969). Motivational and reinforcement scheduling factors in the effect of hippocampal injury on operant behaviour. *Physiol. Behav.* **4**, 959-61.
- CASEY, K. L., CUENOD, M., and MACLEAN, P. D. (1965). Unit analysis of visual input to posterior limbic cortex. II. Intracerebral stimuli. *J. Neurophysiol.* **28**, 1118-31.
- CAUL, W. F., JARRARD, L. E., MILLER, R. E., and KORN, J. H. (1969). Effects of hippocampal lesions on heart rate in aversive classical conditioning. *Physiol. Behav.* **4**, 917-22.

- CAZARD, P., and BUSER, P. (1958). Réponses sensorielles dans le cortex moteur pyramidal du lapin et leur facilitation prolongée par stimulation de l'hippocampe. *C. R. Séanc. Soc. Biol. (Paris)* **152**, 1062-6.
- (1963). Modification des réponses sensorielles corticales par stimulation de l'hippocampe dorsal chez le lapin. *Electroencephalogr. clin. Neurophysiol.* **15**, 413-25.
- CERMAK, L. S. (1975). Imagery as an aid to retrieval for Korsakoff patients. *Cortex* **11**, 163-9.
- CERMAK, L. S., and BUTTERS, N. (1972). The role of interference and encoding in the short-term memory deficits of Korsakoff patients. *Neuropsychologia* **10**, 89-95.
- CERMAK, L. S., BUTTERS, N., and GERREIN, J. (1973). The extent of the verbal encoding ability of Korsakoff patients. *Neuropsychologia* **11**, 85-94.
- CERMAK, L. S., BUTTERS, N., and GOODGLASS, H. (1971). The extent of memory loss in Korsakoff patients. *Neuropsychologia* **9**, 307-15.
- CERMAK, L. S., LEWIS, R., BITTERS, N., and GOODGLASS, H. (1973). Role of verbal mediation in performance of motor tasks by Korsakoff patients. *Percept. mot. Skills* **37**, 259-62.
- CHOMSKY, N. (1957). *Syntactic structures*. Mouton, The Hague.
- (1965). *Aspects of the theory of syntax*. M.I.T. Press, Cambridge, Mass.
- CHRONISTER, R. B., SIKES, R. W., and WHITE, L. E., JR. (1975). Post-commissural fornix: Origin and distribution in the rodent. *Neurosci. Lett.* **1**, 199-202.
- CHRONISTER, R. B., and WHITE, L. E., JR. (1975). Fiberarchitecture of the hippocampus formation: Anatomy, projections and structural significance. In *The hippocampus* (eds R. L. Isaacson and K. H. Pribram). Plenum Press, New York.
- CHRONISTER, R. B., ZORNETZER, S. F., BERNSTEIN, J. J., and WHITE, L. E., JR. (1974). Hippocampal theta rhythm: Intra-hippocampal formation contributions. *Brain Res.* **65**, 13-28.
- CLARK, C. V. H. (1970). Effect of hippocampal and neocortical ablation on scopolamine-induced activity in the rat. *Psychopharmacologia* **17**, 289-301.
- CLARK, C. V. H., and ISAACSON, R. L. (1965). Effects of bilateral hippocampal ablation on DRL performance. *J. comp. physiol. Psychol.* **59**, 137-40.
- COENEN, A. M. L. (1975). Frequency analysis of rat hippocampal electrical activity. *Physiol. Behav.* **14**, 391-4.
- COHEN, H. B., and DEMENT, W. C. (1965). Sleep: Changes in threshold to electroconvulsive shock in rats after deprivation of the 'paradoxical phase'. *Science* **150**, 1318-19.
- COHEN, H. D., and BARONDES, S. H. (1967). Puromycin effect on memory may be due to occult seizures. *Science* **157**, 333-4.
- COHEN, H. D., ERVIN, F., and BARONDES, S. H. (1966). Puromycin and cycloheximide: Different effects on hippocampal electrical activity. *Science* **154**, 1557-8.
- COHEN, J. S. (1970). Exploration in the hippocampal-ablated albino rat. *J. comp. physiol. Psychol.* **73**, 261-8.
- COHEN, J. S., and LAROCHE, J. P. (1972). The effect of obstructions on response perseveration in hippocampal lesioned rats. Paper presented at Southeastern Psychological Association Meetings (partly published in Cohen and LaRoche 1973).
- (1973). Effect of a physical barrier on response perseveration in hippocampal lesioned rats. *Physiol. Behav.* **10**, 485-90.
- COHEN, J. S., LAROCHE, J. P., and BEHARRY, E. (1971). Response perseveration in the hippocampal lesioned rat. *Psychon. Sci.* **23**, 221-3.
- COHEN, J. S., and SWENSON, L. C. (1970). The effect of hippocampectomy and prior experience in exploratory activity in the albino rat. *Psychon. Sci.* **18**, 275-7.
- COLE, M., and FANTINO, E. (1966). Temporal variables and trial discreteness in lever-press avoidance. *Psychon. Sci.* **6**, 217-18.
- COLEMAN, J. R., and LINDSLEY, D. B. (1975). Hippocampal electrical correlates of free

- behaviour and behaviour induced by stimulation of two hypothalamic-hippocampal systems in the cat. *Exp. Neurol.* **49**, 506-28.
- CONRAD, C. D., and STUMPF, W. E. (1975). Direct visual input to the limbic system: Crossed retinal projections to the nucleus anterodorsalis thalami in the tree shrew. *Exp. Brain Res.* **23**, 141-9.
- COOVER, G. D., GOLDMAN, L., and LEVINE, S. (1971a). Plasma corticosterone increases produced by extinction of operant behaviour in rats. *Physiol. Behav.* **7**, 261-3.
- (1971b). Plasma corticosterone levels during extinction of a lever-press response in hippocampectomized rats. *Physiol. Behav.* **7**, 727-32.
- COOVER, G. D., and LEVINE, S. (1972). Auditory startle response of hippocampectomized rats. *Physiol. Behav.* **9**, 75-7.
- COOVER, G. D., URSIN, H., and LEVINE, S. (1973). Plasma corticosterone levels during active-avoidance learning in rats. *J. comp. physiol. Psychol.* **82**, 170-4.
- CORAZZA, R., and PARMEGGIANI, P. L. (1963). Central course of the afferent system eliciting theta rhythm in the cat's hippocampus upon sciatic stimulation. *Helv. physiol. pharmacol. Acta* **21**, C10-12.
- CORKIN, S. (1965). Tactually-guided maze learning in man: Effects of unilateral cortical excisions and bilateral hippocampal lesions. *Neuropsychologia* **3**, 339-51.
- (1968). Acquisition of motor skill after bilateral medial temporal-lobe excision. *Neuropsychologia* **6**, 255-65.
- CORMAN, C. D., MEYER, P. M., and MEYER, D. R. (1967). Open-field activity and exploration in rats with septal and amygdaloid lesions. *Brain Res.* **5**, 469-76.
- CORMAN, C. D., and SHAFER, J. N. (1968). Open-field activity and exploration. *Psychon. Sci.* **13**, 55-6.
- CORRELL, R. E. (1957). The effect of bilateral hippocampal stimulation on the acquisition and extinction of an instrumental response. *J. comp. physiol. Psychol.* **50**, 624-9.
- CORRELL, R. E., and SCOVILLE, W. B. (1965). Effects of medial temporal lesions on visual discrimination performance. *J. comp. physiol. Psychol.* **60**, 175-81.
- (1967). Significance of delay in the performance of monkeys with medial temporal lobe resections. *Exp. Brain Res.* **4**, 85-96.
- CORSI, P. M. (1969). Verbal memory impairment after unilateral hippocampal excisions. Paper read at Experimental Psychology Association, Philadelphia, Pa. (unpublished).
- (1972). Human memory and the medial temporal regions of the brain. Ph.D. thesis, McGill University, Montreal.
- COSCINA, D. V., and LASH, L. (1969). The effects of differential hippocampal lesions on a shock versus shock conflict. *Physiol. Behav.* **4**, 227-33.
- COSTIN, A., BERGMANN, F., and CHAIMOVITZ, M. (1967). Influence of labyrinthine stimulation on hippocampal activity. In *Progress in brain research*, Vol. 27 (eds W. R. Adey and T. Tokizane), pp. 183-8. Elsevier, Amsterdam.
- COTMAN, C., TAYLOR, D., and LYNCH, G. (1973). Ultrastructural changes in synapses in the dentate gyrus of the rat during development. *Brain Res.* **63**, 205-13.
- Country Walks, Book I* (1971). London Transport, London.
- COURY, J. N. (1967). Neural correlates of food and water intake in the rat. *Science* **156**, 1763-5.
- COUSINS, D., and ABRAVANEL, E. (1971). Some findings relevant to the hypothesis that topological spatial features are differentiated prior to euclidean features during growth. *Br. J. Psychol.* **62**, 475-9.
- COWAN, P. E., and BARNETT, S. A. (1975). The new-object and new-place reactions of *Rattus rattus* (L.). *Zool. J. Linn. Soc.* **56**, 219-34.
- COWEY, A. (1968). Discrimination. In *Analysis of behavioural change* (ed. L. Weiskrantz), pp. 189-238. Harper and Row, New York.
- COX, C. B. (1975). A defence of Leibniz's spatial relativism. *Stud. Hist. Phil. Sci.* **6**, 87-111.
- CRAGG, B. G. (1960). Responses of the hippocampus to stimulation of the olfactory bulb

- and of various afferent nerves in five mammals. *Exp. Neurol.* **2**, 547-72.
- (1961). Olfactory and other afferent connections of the hippocampus in the rabbit, rat and cat. *Exp. Neurol.* **3**, 588-600.
- (1965). Afferent connexions of the allocortex. *J. Anat.* **99**, 339-57.
- CRAGG, B. G., and HAMLYN, L. H. (1955). Action potentials of the pyramidal neurons in the hippocampus of the rabbit. *J. Physiol. (Lond.)* **129**, 608-27.
- (1957). Some commissural and septal connections of the hippocampus in the rabbit. A combined histological and electrical study. *J. Physiol. (Lond.)* **135**, 460-85.
- (1959). Histologic connections and electrical and autonomic responses evoked by stimulation of the dorsal fornix in the rabbit. *Exp. Neurol.* **1**, 187-213.
- (1960). Histological connections and visceral actions of components of the fimbria on the rabbit. *Exp. Neurol.* **2**, 581-97.
- CRAIK, F. I. M. (1971). Primary memory. *Br. med. Bull.* **27**, 232-6.
- CRAIN, B., COTMAN, C. W., TAYLOR, D., and LYNCH, G. (1973). A quantitative electron microscopic study of synaptogenesis in the dentate gyrus of the rat. *Brain Res.* **63**, 195-204.
- CRAWFORD, I. L., and CONNOR, J. D. (1972). Zinc in maturing rat brain: Hippocampal concentration and localization. *J. Neurochem.* **19**, 1451-8.
- CRAWFORD, I. L., DULLER, H. J., and CONNOR, J. D. (1973). Diphenylthiocarbazone effects on evoked waves and zinc in the rat hippocampus. *Pharmacologist* **15** (2), 197.
- CRESPI, L. P. (1942). Quantitative variation in incentive and performance in the white rat. *Am. J. Psychol.* **5**, 467-517.
- CROSBY, E. C., DEJONG, R. N., and SCHNEIDER, R. C. (1966). Evidence for some of the trends in the phylogenetic development of the vertebrate telencephalon. In *Evolution of the Forebrain* (eds R. Hassler and H. Stephan), pp. 117-35. Georg Thieme Verlag, Stuttgart.
- CROVITZ, H. F. (1969). Memory loci in artificial memory. *Psychon. Sci.* **16**, 82-3.
- (1971). The capacity of memory loci in artificial memory. *Psychon. Sci.* **24**, 187-8.
- CROWDER, R. G., and MORTON, J. (1969). Precategorical acoustic storage (PAS). *Percept. Psychophys.* **5**, 365-73.
- CROWNE, D. P., and RIDDELL, W. I. (1969). Hippocampal lesions and the cardiac component of the orienting response in the rat. *J. comp. physiol. Psychol.* **69**, 748-55.
- CUENOD, M., CASEY, K. L., and MACLEAN, P. D. (1965). Unit analysis of visual input to posterior limbic cortex. I. Photic stimulation. *J. Neurophysiol.* **28**, 1101-17.
- CULBERSON, J. L., and BACH, L. M. N. (1973). Limbic projections to the ventromedial hypothalamus of the opossum. *Exp. Neurol.* **41**, 683-9.
- CURTIS, D. R., FELIX, D., and MCLENNAN, H. (1970). GABA and hippocampal inhibition. *Br. J. Pharmacol.* **40**, 881-3.
- DAFNY, N., PHILLIPS, M. I., TAYLOR, A. N., and GILMAN, S. (1973). Dose effects of cortisol on single unit activity in hypothalamus, reticular formation and hippocampus of freely behaving rats correlated with plasma steroid levels. *Brain Res.* **59**, 257-72.
- DAITZ, H. (1953). Note on fibre content of fornix system in man. *Brain* **76**, 509-12.
- DAITZ, H., and POWELL, T. P. S. (1954). Studies of the connexions of the fornix system. *J. Neurol. Neurosurg. Psychiat.* **17**, 75-82.
- DALLAND, T. (1970). Response and stimulus perseveration in rats with septal and dorsal hippocampal lesions. *J. comp. physiol. Psychol.* **71**, 114-18.
- DALLAND, T. (1976a). Response perseveration of rats with dorsal hippocampal lesions. *Behav. Biol.* **17**, 473-84.
- (1976b). Long-term activity and reactions to novelty of rats with septal and with dorsal hippocampal lesions in a residential maze. Unpublished.
- DALTON, A. J. (1969). Discrimination conditioning of hippocampal electrical activity in curarized dogs. *Commun. Behav. Biol.* **3**, 283-7.

- DALTON, A. J., and BLACK, A. H. (1968). Hippocampal electrical activity during the operant conditioning of movement and refraining from movement. *Commun. Behav. Biol.* **2**, 267-73.
- DANIELS, D. (1971). Acquisition, storage, and recall of memory for brightness discrimination by rats following intracerebral infusion of acetoxycycloheximide. *J. comp. Physiol. Psychol.* **76**, 110-18.
- DANSCHER, G., SHIPLEY, M. T., and ANDERSEN, P. (1975). Persistent function of mossy fibre synapses after metal chelation with DEDTC (antabuse). *Brain Res.* **85**, 522-6.
- DASHIELL, J. F. (1925). A quantitative demonstration of animal drive. *J. comp. Psychol.* **5**, 205-8.
- (1930). Direction orientation in maze running by the white rat. *Comp. Psychol. Monogr.* **7**, 1-72.
- DASHIELL, J. F., and HELMS, H. A. (1925). The learning by rats of an inclined plane maze. *J. comp. Psychol.* **5**, 397-405.
- DAVIDSON, J. M., and FELDMAN, S. (1967). Effects of extrahypothalamic dexamethasone implants on the pituitary-adrenal system. *Acta Endocrinol.* **55**, 240-6.
- DAMS, M. (1974). Signal-to-noise ratio as a predictor of startle amplitude and habituation in the rat. *J. comp. physiol. Psychol.* **86**, 812-25.
- DAWSON, R. G. (1973). Recovery of function: Implications for theories of brain function. *Behav. Biol.* **8**, 439-60.
- DAWSON, R. G., CONRAD, L., and LYNCH, G. (1973). Single and two-stage hippocampal lesions: A similar syndrome. *Exp. Neurol.* **40**, 263-77.
- DEADWYLER, S. A., DUDEK, F. E., COTMAN, C. W., and LYNCH, G. (1975). Intracellular responses of rat dentate granule cells *in vitro*: post-tetanic potentiation to perforant path stimulation. *Brain Res.* **88**, 80-85.
- DEADWYLER, S. A., WEST, J. R., COTMAN, C. W., and LYNCH, G. (1975). Physiological studies of the reciprocal connections between the hippocampus and entorhinal cortex. *Exp. Neurol.* **49**, 35-57.
- DE CASTRO, J. M. (1974). A selective spatial discrimination deficit after fornictomy in the rat. *Behav. Biol.* **12**, 373-83.
- DE CASTRO, J. M., and BALAGURA, S. (1975). Fornictomy: Effect on the primary and secondary punishment of mouse killing by LiCl poisoning. *Behav. Biol.* **13**, 483-9.
- DE CASTRO, J. M., and HALL, T. W. (1975). Fornix lesions: Effects on active and passive avoidance behaviour. *Physiol. Psychol.* **3**, 201-4.
- DE CASTRO, J. M., and MARRONE, B. L. (1974). Effect of fornix lesions on shock-induced aggression, muricine and motor behaviour in the albino rat. *Physiol. Behav.* **13**, 737-43.
- DE FRANCE, J. F., KITAI, S. T., HATADA, K., and CHRISTENSEN, C. (1973). Contrasting effects of fimbria stimulation in the septum of the cat. *Brain Res.* **58**, 240-4.
- DE FRANCE, J. F., KITAI, S. T., MCCREA, R. A., KOCSIS, J. D., and HATADA, K. (1973). Excitatory effects of 5-hydroxytryptamine in the hippocampal circuit. *Brain Res.* **58**, 245-50.
- DE FRANCE, J. F., KITAI, S. T., and SHIMONO, T. (1973a). Electrophysiological analysis of the hippocampal-septal projections: I. Response and topographical characteristics. *Exp. Brain Res.* **17**, 447-62.
- (1973b). Electrophysiological analysis of the hippocampal-septal projections: II. Functional characteristics. *Exp. Brain Res.* **17**, 463-76.
- DE FRANCE, J. F., MCCREA, R. A., and YOSHIHARA, H. (1975). Effects of certain indoleamines in the hippocampal-septal circuit. *Exp. Neurol.* **48**, 352-77.
- DE FRANCE, J. F., SHIMONO, T., and KITAI, S. T. (1971). Anatomical distribution of the hippocampal fibres afferent to the lateral septal nucleus. *Brain Res.* **34**, 176-80.
- (1972). Hippocampal inputs to the lateral septal nucleus: patterns of facilitation and inhibition. *Brain Res.* **37**, 333-9.
- DE FRANCE, J. F., and YOSHIHARA, H. (1975). Fimbria input to the nucleus accumbens septi. *Brain Res.* **90**, 159-63.

- DE FRANCE, J. F., YOSHIHARA, H., MCCREA, R. A., and KITAI, S. T. (1975). Pharmacology of the inhibition in the lateral septal region. *Exp. Neurol.* **48**, 502-23.
- DEJONG, R. N. (1973). The hippocampus and its role in memory. Clinical manifestations and theoretical considerations. *J. neurol. Sci.* **19**, 73-83.
- DE LUCA, D., CERMAK, L. S., and BUTTERS, N. (1975). An analysis of Korsakoff patients' recall following varying types of distractor activity. *Neuropsychologia* **13**, 271-9.
- (1976). The differential effects of semantic, acoustic, and non-verbal distraction on Korsakoff patients' verbal retention performance. *Intern. J. Neurosci.* **6**, 279-84.
- DEMBER, W. N. (1956). Response by the rat to environmental change. *J. comp. physiol. Psychol.* **49**, 93-5.
- DENNIS, W. (1931). The proprioceptive ability of the white rat. *J. comp. Psychol.* **12**, 379-392.
- DENNY, M. R. (1971). Relaxation theory and experiments. In *Aversive conditioning and learning* (ed. F. R. Brush), pp. 235-95. Academic Press, New York.
- DENNY, M. R., and WEISMAN, R. G. (1964). Avoidance behaviour as a function of the length of non-shock confinement. *J. comp. physiol. Psychol.* **58**, 252-7.
- DENNY, M. R., ZERBOLIO, D. J., JR., and WEISMAN, R. G. (1969). Avoidance learning in heterogeneous and homogeneous shuttle boxes. *J. comp. physiol. Psychol.* **68**, 370-2.
- DESTRADE, C., and CARDO, B. (1974). Effects of post-trail hippocampal stimulation on time-dependent improvement of performance in mice. *Brain Res.* **78**, 447-54.
- DEUTSCH, J. A., HAMBURG, M. D., and DAHL, H. (1966). Anticholinesterase induced amnesia and its temporal aspects. *Science* **151**, 221-3.
- DEUTSCH, J. A., and LEIBOWITZ, S. F. (1966). Amnesia or reversal of forgetting by anticholinesterase, depending simply on time of injection. *Science* **153**, 1017-18.
- DE VITO, J. L., and WHITE, L. E., JR. (1966). Projections from the fornix to the hippocampal formation in the squirrel monkey. *J. comp. Neurol.* **127**, 389-98.
- DEWSBURY, D. A., GOODMAN, E. D., SALTS, P. J., and BUNNELL, B. N. (1968). Effects of hippocampal lesions on the copulatory behaviour of male rats. *Physiol. Behav.* **3**, 651-6.
- DEWSON, J. H. III, DEMENT, W. C., WAGENER, T. E., and NOBEL, K. (1967). Rapid eye movement sleep deprivation: A central-neural change during wakefulness. *Science* **156**, 403-6.
- DODWELL, P. C. (1963). Children's understanding of spatial concepts. *Can. J. Psychol.* **17**, 141-61.
- DOINIKOW, B. (1908). Beitrag zur vergleichenden Histologie des Ammonshorns. *J. Psychol. Neurol. (Lpz.)* **13**, 166-202.
- DOMESICK, V. B. (1969). Projections from the cingulate cortex in the rat. *Brain Res.* **12**, 296-320.
- (1970). The fasciculus cinguli in the rat. *Brain Res.* **20**, 19-32.
- DONOSO, A. O. (1966). Effect of brain lesions on hypothalamic noradrenalin in rats. *Experientia* **22**, 191.
- DONOVICK, P. J. (1968). Effect of localized septal lesions on hippocampal EEG activity and behaviour in rats. *J. comp. physiol. Psychol.* **66**, 569-78.
- DONOVICK, P. J., and BURRIGHT, R. G. (1973). Diurnal drinking of rats with limbic system lesions maintained in an open vivarium. *Physiol. Behav.* **11**, 655-60.
- DOUGLAS, R. J. (1966). Transposition, novelty and limbic lesions. *J. comp. physiol. Psychol.* **62**, 354-7.
- (1972). Pavlovian conditioning and the brain. In *Inhibition and learning* (eds R. A. Boakes and M. S. Halliday), pp. 529-53. Academic Press, London.
- (1975). The development of hippocampal function: Implications for theory and for therapy. In *The hippocampus*, Vol. 2 (eds R. L. Isaacson and K. H. Pribram), pp. 327-11. Plenum Press, New York.
- DOUGLAS, R. J., BARRETT, T. W., PRIBRAM, K. H., and CERNY, M. C. (1969). Limbic lesions and error reduction. *J. comp. physiol. Psychol.* **68**, 437-41.

- DOUGLAS, R. J., and ISAACSON, R. L. (1964). Hippocampal lesions and activity. *Psychon. Sci.* **1**, 187-8.
- DOUGLAS, R. J., PETERSON, J., and DOUGLAS, D. (1973). The ontogeny of a hippocampus-dependent response in two rodent species. *Behav. Biol.* **8**, 27-37.
- DOUGLAS, R. J., and PRIBRAM, K. H. (1966). Learning and limbic lesions. *Neuropsychologia* **4**, 197-220.
- (1969). Distraction and habituation in monkeys with limbic lesions. *J. comp. physiol. Psychol.* **69**, 473-80.
- DOUGLAS, R. M., and GODDARD, G. V. (1975). Long-term potentiation of the perforant path-granule cell synapse in the rat hippocampus. *Brain Res.* **86**, 205-15.
- DOWNS, R. M., and STEA, D. (1973). *Image and environment: Cognitive mapping and spatial behaviour*. Aldine, Chicago.
- DRACHMAN, D. A., and ARBIT, J. (1966). Memory and the hippocampal complex. *Arch. Neurol.* **15**, 52-61.
- DUDAR, J. D. (1975). The effect of septal nuclei stimulation on the release of acetylcholine from the rabbit hippocampus. *Brain Res.* **83**, 123-33.
- DUNCAN, P. M., and DUNCAN, N. C. (1971). Free-operant and T-maze avoidance performance by septal and hippocampal-damaged rats. *Physiol. Behav.* **7**, 687-93.
- DUPONT, A., BASTARACHE, E., ENDROCZI, E., and FORTIER, C. (1972). Effects of hippocampal stimulation on the plasma thyrotropin (THS) and corticosterone responses to acute cold exposure in the rat. *Can. J. Physiol. Pharmacol.* **50**, 364-7.
- ECKERSFORF, B., GRALEWICZ, S., and BANASZKIEWICZ, A. (1973). Avoidance response after lesions of dorsal hippocampus in cats. *Acta Physiol. pol.* **24**, 315-24.
- EDINGER, H., SIEGEL, A., and TROCANO, R. (1973). Single unit analysis of the hippocampal projections to the septum in the cat. *Exp. Neurol.* **41**, 569-83.
- EDSTRÖM, A., and MATTSON, H. (1975). Small amounts of zinc stimulate rapid axonal transport *in vitro*. *Brain Res.* **86**, 162-7.
- EFROS, I. I. (1917). *The problem of space in Jewish medieval philosophy*. Columbia University Press, New York.
- EICHELMAN, B. S., JR. (1971). Effect of subcortical lesions on shock-induced aggression in the cat. *J. comp. physiol. Psychol.* **74**, 331-9.
- EIDELSERG, E., WHITE, J. C., and BRAZIER, M. A. B. (1959). The hippocampal arousal pattern in rabbits. *Exp. Neurol.* **1**, 483-90.
- ELAZAR, Z., and ADEY, W. R. (1967). Spectral analysis of low frequency components in the electrical activity of the hippocampus during learning. *Electroencephalogr. clin. Neurophysiol.* **23**, 225-40.
- ELLEN, P., andAITKEN, W. C., JR. (1970). Absence of over-responding on a DRL schedule by hippocampally-lesioned rats. *Physiol. Behav.* **5**, 489-95.
- ELLEN, P., AITKEN, W. C., JR., and WALKER, R. (1973). Pre-training effects on performance of rats with hippocampal lesions. *J. comp. physiol. Psychol.* **84**, 622-8.
- ELLEN, P., and BATE, G. (1970). Limbic lesions and cue utilization in the Dashiell maze. *Psychon. Sci.* **19**, 47-9.
- ELLEN, P., and DELOACHE, J. (1968). Hippocampal lesions and spontaneous alternation behaviour in the rat. *Physiol. Behav.* **3**, 857-60.
- ELLEN, P., and POWELL, E. W. (1962). Temporal discrimination in rats with rhinencephalic lesions. *Exp. Neurol.* **6**, 538-47.
- ELLEN, P., and WILSON, A. S. (1963). Perseveration in the rat following hippocampal lesions. *Exp. Neurol.* **8**, 310-17.
- ELLEN, P., WILSON, A. S., and POWELL, E. W. (1964). Septal inhibition and timing behaviour in the rat. *Exp. Neurol.* **10**, 120-32.

- ELLISON, G. D., HUMPHREY, G. L., and FEENEY, D. M. (1968). Some electrophysiological correlates of classical and instrumental behavior. *J. comp. physiol. Psychol.* **66**, 340-8.
- ELY, D. L., GREENE, E. G., and HENRY, J. P. (1976). Minicomputer monitored social behaviour of mice with hippocampal lesions. *Behav. Biol.* **16**, 1-29.
- ENILEN, S. T. (1975). The stellar-orientation system of a migratory bird. *Sci. Am.* **233**, 102-11.
- ENDRÖCZI, E. (1972). *Limbic system learning and pituitary-adrenal function*. Akadémiai Kiado, Budapest.
- ENDRÖCZI, E., and LISSAK, L. (1960). The role of the mesencephalon, diencephalon and archicortex in the activation and inhibition of the pituitary-adrenocortical system. *Acta physiol. hung.* **17**, 39-55.
- (1962). Interrelations between paleocortical activity and pituitary-adrenocortical function. *Acta physiol. hung.* **21**, 257-63.
- ENDRÖCZI, E., LISSAK, K., BOHUS, B., and KOVACS, S. (1959). The inhibitory influences of archicortical structures on pituitary-adrenal function. *Acta physiol. hung.* **16**, 17-22.
- ENDRÖCZI, E., and NYAKAS, Cs. (1971). Effect of septal lesion on exploratory activity, passive avoidance learning and pituitary-adrenal function in the rat. *Acta physiol. hung.* **39**, 351-60.
- ENTUS, A., and BINDRA, D. (1970). Common features of the 'repetition' and 'same-different' effects in reaction time experiments. *Percept. Psychophys.* **7**, 143-8.
- EPSTEIN, W. (1964). Experimental investigations of the genesis of visual space perception. *Psychol. Bull.* **61**, 115-28.
- EPSTEIN, W., and ROCK, I. (1960). Perceptual set as an artifact of recency. *Am. J. Psychol.* **73**, 214-28.
- ERICKSON, C. K., and CHALMERS, R. K. (1966). Hippocampal theta rhythm involvement in cholinergic-induced blockade of discriminated avoidance responding in rats. *Arch. Int. Pharmacodyn.* **163**, 70-8.
- ERICKSON, C. K., and PATEL, J. B. (1969). Facilitation of avoidance learning by posttrial hippocampal electrical stimulation. *J. comp. physiol. Psychol.* **68**, 400-6.
- ERIKSSON, E. S. (1973). Distance perception and the ambiguity of visual stimulation. A theoretical note. *Percept. Psychophys.* **13**, 379-81.
- (1974). A theory of veridical space perception. *Scand. J. Physiol.* **15**, 225-35.
- ESTES, W. K., and SKINNER, B. F. (1941). Some quantitative properties of anxiety. *J. exp. Psychol.* **29**, 390-400.
- EULER, C. VON (1962). On the significance of the high zinc content in the hippocampal formation. In *Physiologie de l'hippocampe* (ed. P. Passouant), pp. 135-46. Editions du Centre National de la Recherche Scientifique, Paris.
- EULER, C. VON, and GREEN, J. D. (1960a). Activity in single hippocampal pyramids. *Acta physiol. scand.* **48**, 95-109.
- (1960b). Excitation, inhibition and rhythmical activity in hippocampal pyramidal cells in rabbit. *Acta physiol. scand.* **48**, 110-25.
- EULER, C. VON, GREEN, J. D., and Ricci, G. (1958). The role of the hippocampal dendrites in evoked responses and after discharges. *Acta physiol. scand.* **42**, 87-111.
- EWERT, J-P., and INGLE, D. (1971). Excitatory effects following habituation of preycatching activity in frogs and toads. *J. comp. physiol. Psychol.* **77**, 369-74.
- FANTZ, R. L. (1965). Ontogeny of perception. In *Behaviour of nonhuman primates* (eds A. M. Schrier, H. F. Harlow and F. Stollnitz), Vol. 2, pp. 365-403. Academic Press, New York.
- FEDER, R., and RANCK, J. B., JR. (1973). Studies on single neurones in dorsal hippocampal formation and septum in unrestrained rats. II. Hippocampal slow waves and theta cell firing during bar pressing and other behaviours. *Exp. Neurol.* **41**, 532-55.

- FEHRER, E. (1956). The effects of hunger and familiarity of locale on exploration. *J. comp. physiol. Psychol.* **49**, 549-52.
- FELDMAN, S. (1962). Neurophysiological mechanisms modifying afferent hypothalamo-hippocampal conduction. *Exp. Neurol.* **5**, 296-91.
- FELDMAN, S., WAJSBORT, J., and BIRNBAUM, D. (1967). Effect of combined brain stimulation on gastric secretion, acidity and potassium concentration in cats. *Brain Res.* **4**, 103-6.
- FENDLER, K., KARMOS, GY., and TELEGYD, GY. (1961). The effect of hippocampal lesions on pituitary-adrenal function. *Acta physiol. hung.* **20**, 293-8.
- FIFKOVA, E. (1975). Two types of terminal degeneration in the molecular layer of the dentate fascia following lesions of the entorhinal cortex. *Brain Res.* **96**, 169-75.
- FILLMORE, C. J. (1968). The case for case. In *Universals in linguistic theory* (eds E. E. Bach and R. T. Harms), pp. 1-88. Holt, Rinehart and Winston, New York.
- (1971). Types of lexical information. In *Semantics* (eds D. D. Steinberg and L. A. Jakobovits), pp. 370-92. Cambridge University Press, Cambridge.
- FISHBEIN, H. D. (1976). Children's organization of spatial relations. Paper presented at the Psychonomic Society Meetings, St Louis, 1976.
- FISHER, A. E., and COURY, J. N. (1962). Cholinergic tracing of a central neural circuit underlying the thirst drive. *Science* **138**, 691-3.
- FISHER, G. H. (1965). Developmental features of behaviour and perception. I. Visual and tactile kinaesthetic shape perception. *Br. J. educ. Psychol.* **35**, 69-78.
- FJERDINGSTAD, E., DANSCHER, G., and FJERDINGSTAD, E. J. (1974a). Zinc content in hippocampus and whole brain of normal rats. *Brain Res.* **79**, 338-42.
- (1974b). Hippocampus: selective concentration of lead in the normal rat brain. *Brain Res.* **80**, 350-4.
- FLEMING, D. E., and BIGLER, E. D. (1974). Relationship between photically evoked afterdischarge occurrence and hippocampal EEG rhythms in restrained and unrestrained albino rats. *Physiol. Behav.* **13**, 757-61.
- FLESHLER, M. (1965). Adequate acoustic stimulus for startle reaction in the rat. *J. comp. physiol. Psychol.* **60**, 200-7.
- FLEXNER, L. B., FLEXNER, J. B., and STELLAR, E. (1965). Memory and cerebral protein synthesis in mice as affected by graded amounts of puromycin. *Exp. Neurol.* **13**, 264-272.
- FLYNN, J. P. (1960). Discussion: Papers by Reese, W. G. and Gantt, W. H. *Physiol. Rev. Suppl.* **4**, 292-4.
- FLYNN, J. P., and WASMAN, M. (1960). Learning and cortically evoked movement during propagated hippocampal after discharges. *Science* **131**, 1607-8.
- FODOR, J. A. (1965). Could meaning be an r_m ? *J. verb. Learn. verb. Behav.* **4**, 73-81.
- FORD, D. H., RHINES, R. K., and STEIG, C. (1971). Hormone localization in the nervous system. In *Influence of hormones on the nervous system* (ed. D. H. Ford), pp. 2-16; *Proc. Int. Soc. Psychoneuroendocrinology*, Brooklyn. Karger, Basel.
- FORDHAM, H. G. (1921). *Maps. Their history, characteristics and uses*. Cambridge University Press, Cambridge.
- FOX, S., LIEBESKIND, J. C., O'BRIEN, J., and DINGLE, R. D. (1967). Mechanism for limbic modification of cerebellar and cortical afferent information. *Prog. Brain Res.* **27**, 254-280.
- FOX, S. E., and RANCK, J. B., JR. (1975). Localization and anatomical identification of theta and complex spike cells in dorsal hippocampal formation of rats. *Exp. Neurol.* **49**, 299-313.
- FRANCHINA, J. J., and BROWN, T. S. (1970). Response patterning and extinction in rats with hippocampal lesions. *J. comp. physiol. Psychol.* **70**, 66-72.
- (1971). Reward magnitude shift effects in rats with hippocampal lesions. *J. comp. physiol. Psychol.* **76**, 365-70.

- FRANCHINA, J. J., BUSH, M. E., KASH, J. S., TROEN, D. M., and YOUNG, R. L. (1973). Similarity between shock and safe areas during acquisition, transfer, and extinction of escape behaviour in rats. *J. comp. physiol. Psychol.* **84**, 216-24.
- FRANKS, J. J. (1974). Toward understanding understanding. In *Cognition and the symbolic processes* (eds W. B. Weimer and D. S. Palermo), pp. 231-61. Wiley-Interscience, New York.
- FREDERICKSON, C. J. (1974a). *Hippocampal theta activity during learned and highly overtrained behaviour*. Preprint.
- (1974b). *An investigation of possible relationships between cellular activity of the fascia dentata and overt motor behaviour in the rat*. Preprint.
- FREDERICKSON, C. J., MICZEK, K. A., and ZURAWIN, R. (1974). *Hippocampal 'theta' activity during intraspecies-specific aggressive encounters in the rat*. Preprint.
- FREEMAN, F. G., and KRAMARCY, N. R. (1974). Stimulus control of behaviour and limbic lesions in rats. *Physiol. Behav.* **13**, 609-15.
- FREEMAN, F. G., KRAMARCY, N. R., and LEE, J. (1973). Discrimination learning and stimulus generalization in rats with hippocampal lesions. *Physiol. Behav.* **11**, 273-5.
- FREEMAN, F. G., MIKULKA, P. J., and D'AUTEUIL, P. (1974). Conditioned suppression of a licking response in rats with hippocampal lesions. *Behav. Biol.* **12**, 257-63.
- FRIED, P. A. (1970). Pre- and post-operative approach training and conflict resolution by septal and hippocampal lesioned rats. *Physiol. Behav.* **5**, 975-9.
- (1971). Limbic system lesions in rats: Differential effects in an approach-avoidance task. *J. comp. physiol. Psychol.* **74**, 349-53.
- (1972). Conflict resolution by septal, dorsal hippocampal or ventral hippocampal lesioned rats with pre- or post-operative approach training. *Br. J. Psychol.* **63**, 411-20.
- (1973). The interaction of intertrial interval, timing of surgery and differential hippocampal lesions. *Br. J. Psychol.* **64**, 115-26.
- FRIED, P. A., and GODDARD, G. V. (1967). The effects of hippocampal lesions at different stages of conflict in the rat. *Physiol. Behav.* **2**, 325-30.
- FUJITA, Y., and NAKAMURA, Y. (1961). Effect of fornical stimulation upon the CA1 and CA2 apical dendrite of rabbit's hippocampus. *Jpn. J. Physiol.* **11**, 357-68.
- FUJITA, Y., and SAKATA, H. (1962). Electrophysiological properties of CA1 and CA2 apical dendrites of rabbit hippocampus. *J. Neurophysiol.* **25**, 209-22.
- FUJITA, Y., and SATO, T. (1964). Intracellular records from hippocampal pyramidal cells in rabbit during theta rhythm activity. *J. Neurophysiol.* **27**, 1011-25.
- FUXE, K., HAMBERGER, B., and HOKFELT, T. (1968). Distribution of noradrenaline nerve terminals in cortical areas of the rat. *Brain Res.* **8**, 125-31.
- FUXE, K., and JONSSON, H. (1974). Further mapping of central 5-HT neurons: Studies with dihydroxytryptamines. In *Advances in biochemical pharmacology*, vol. 10 (eds E. Costa, G. L. Gessa, and M. Sandler), pp. 1-12. North-Holland, Amsterdam.
- GAFFAN, D. (1972). Loss of recognition memory in rats with lesions of the fornix. *Neuropsychologia* **10**, 327-41.
- (1973). Inhibitory gradients and behavioural contrast in rats with lesions of the fornix. *Physiol. Behav.* **11**, 215-20.
- (1974). Recognition impaired and association intact in the memory of monkeys after transection of the fornix. *J. comp. physiol. Psychol.* **86**, 1100-9.
- GALICICH, J. H., HALBERG, F., FRENCH, L. A., and UNGAR, F. (1965). Effect of cerebral ablation on a circadian rhythm of pituitary adreno-corticotropin in C mice. *Endocrinology* **76**, 895-901.
- GAMBARIAN, L. S., KOVAL, I. N., GARIBIAN, A. A., and SARKISIAN, J. S. (1972). Conditioned motor reflexes in cats with damage to the hippocampus. *Exp. Brain Res.* **15**, 15-28.
- GAMBARIAN, L. S., ROSTOMYAN, D. K., TATEVOSYAN, T. G., and SEFERYAN, E. S. (1973).

- Electrophysiological investigation of hippocampal-pallidal connections in cats. *Neurosci. Behav. Physiol.* 6, 333-40.
- GARDNER, H., BOLLER, F., MOREINES, J., and BUTTERS, N. (1973). Retrieving information from Korsakoff patients: effects of categorical cues and reference to the task. *Cortex* 9, 165-75.
- GARNETT, C. B., JR. (1939). *The Kantian philosophy of space*. Columbia University Press, New York.
- GAZZANIGA, M. S. (1970). *The bisected brain*. Appleton-Century-Crofts, New York.
- GENTNER, D. (1975). Evidence for the psychological reality of semantic components: The verbs of possession. In *Explorations in cognition* (eds D. A. Norman and D. E. Rumelhart), pp. 211-46. W. H. Freeman, San Francisco.
- GENTON, C. (1969). Etude, par la technique de Nauta des degenerescences consecutive a une lesion electrolytique de la region septale chez le mulot sylvestre (*Apodemus sylvaticus*). *Brain Res.* 14, 1-23.
- GEORGE, G., and MELLANBY, J. (1974). A further study on the effect of physostigmine on memory in rats. *Brain Res.* 81, 133-44.
- GERGEN, J. A. (1967). Functional properties of the hippocampus in the sub-human primate. In *Progress in brain research*, Vol. 27 (eds W. R. Adey and T. Tokizane). Amsterdam, Elsevier.
- GERGEN, J. A., and MACLEAN, P. D. (1961). Hippocampal seizures in squirrel monkeys. *Electroencephalogr. clin. Neurophysiol.* 13, 316-17.
- GERLACH, J. L., and MCEWEN, B. S. (1972). Rat brain binds adrenal steroid hormone: Radioautography of hippocampus with corticosterone. *Science* 175, 1133-6.
- GIBSON, E. J. (1969). *Principles of perceptual learning and development*. Appleton-Century-Crofts New York.
- (1970). The development of perception as an adaptive process. *Am. Sci.* 58, 98-107.
- GIBSON, J. J. (1950). *The perception of the visual world*. Houghton Mifflin, Boston.
- (1963). The useful dimensions of sensitivity. *Am. Psychol.* 18, 1-16.
- (1966). *The senses considered as perceptual systems*. Houghton Mifflin, Boston.
- GLADWIN, T. (1970). *East is a big bird*. Harvard University Press, Cambridge, Mass.
- GLANZER, M. (1953a). The role of stimulus satiation in spontaneous alternation. *J. exp. Psychol.* 45, 387-93.
- (1953b). Stimulus satiation: An explanation of spontaneous alternation and related phenomena. *Psychol. Rev.* 60, 257-68.
- (1961). Changes and interrelations in exploratory behaviour. *J. comp. physiol. Psychol.* 54, 433-8.
- GLAZER, H. I. (1974a). Instrumental conditioning of hippocampal theta and subsequent response persistence. *J. comp. physiol. Psychol.* 86, 267-73.
- (1974b). Instrumental response persistence following induction of hippocampal theta frequency during fixed-ratio responding in rats. *J. comp. physiol. Psychol.* 86, 1156-62.
- GLEES, P., and GRIFFITH, H. B. (1952). Bilateral destruction of the hippocampus (cornu ammonis) in a case of dementia. *Monatsschr. Psychiat. Neurol.* 123, 193-204.
- GLICK, S. D., and GREENSTEIN, S. (1973). Comparative learning and memory deficits following hippocampal and caudate lesions in mice. *J. comp. physiol. Psychol.* 82, 188-194.
- GLICK, S. D., MARSHALICO, R. G., and GREENSTEIN, S. (1974). Differential recovery of function following caudate, hippocampal and septal lesions in mice. *J. comp. physiol. Psychol.* 86, 787-92.
- GLICKMAN, S. E., HIGGINS, T. J., and ISAACSON, R. L. (1970). Some effects of hippocampal lesions on the behaviour of Mongolian Gerbils. *Physiol. Behav.* 5, 931-8.
- GLICKMAN, S. E., and MORRISON, B. J. (1969). Some behavioural and neural correlates of predation susceptibility in mice. *Commun. Behav. Biol. A.* 4, 261-7.
- GLOOR, P. (1960). The amygdala. In *Handbook of Physiology*, sect. 1, *Neurophysiology II*

- (ed. J. Field), pp. 1395-420. American Psychological Society, Washington, D.C.
- GLOOR, P., SPERTI, L., and VERA, C. L. (1963). Electrophysiological studies of hippocampal neurons. II. Secondary postsynaptic events and single cell unit discharges. *Electroencephalogr. clin. Neurophysiol.* 15, 379-402.
- GLOOR, P., VERA, C. L., and SPERTI, L. (1963). Electrophysiological studies of hippocampal neurons. I. Configuration and laminar analysis of the 'resting' potential gradient, of the main-transient response to perforant path, fimbrial and mossy fibre volleys, and of 'spontaneous' activity. *Electroencephalogr. clin. Neurophysiol.* 15, 353-378.
- GLOTZBACH, S. F. (1975). Correlation of hippocampal theta activity and movement during slow-wave sleep in cats. *Behav. Biol.* 15, 485-90.
- GLOWINSKI, H. (1973). Cognitive deficits in temporal lobe epilepsy. *J. nerv. ment. Dis.* 157, 129-37.
- GODDARD, G. V. (1964). Functions of the amygdala. *Psychol. Bull.* 62, 89-109.
- GODDARD, G. V., MCINTYRE, D. C., and LEECH, C. K. (1969). A permanent change in brain function resulting from daily electrical stimulation. *Exp. Neurol.* 25, 295-330.
- GOGOLAK, G., PETSCHE, H., STERC, J., and STUMPF, CH. (1967). Septum cell activity in the rabbit under reticular stimulation. *Brain Res.* 5, 508-10.
- GOGOLAK, G., STUMPF, C., PETSCHE, H., and STERC, J. (1968). The firing pattern of septal neurons and the form of the hippocampal theta wave. *Brain Res.* 7, 201-7.
- GOL, A., KELLAWAY, P., SHAPIRO, M., and HURST, C. M. (1963). Studies of hippocampectomy in the monkey, baboon and cat. *Neurology* 13, 1031-41.
- GOLDEN, G. H., and LUBAR, J. F. (1971). Effect of septal and fimbrial stimulation on auditory and visual cortical evoked potentials in the cat. *Exp. Neurol.* 30, 389-402.
- GOLDMAN-EISLER, F. (1968). *Psycholinguistics: Experiments in spontaneous speech*. Academic Press, London.
- GOLDOWITZ, D., WHITE, W. F., STEWARD, O., LYNCH, G., and COTMAN, C. (1975). Anatomical evidence for a projection from the entorhinal cortex to the contralateral dentate gyrus of the rat. *Exp. Neurol.* 47, 433-42.
- GOLDSTEIN, M. L. (1965). Effects of hippocampal, amygdala, hypothalamic, and parietal lesions on a classically conditioned fear response. *Psychol. Rep.* 6, 211-19.
- GOODGLASS, H., and PECK, E. A. (1972). Dichotic ear order effects in Korsakoff and normal subjects. *Neuropsychologia* 10, 211-17.
- GOODMAN, E. D., DYAL, J. A., ZINSER, O., and GOLUB, A. (1966). UCR morphology and shock intensity. *Psychon. Sci.* 5, 431-2.
- GOTSICK, J. E. (1969). Factors affecting spontaneous activity in rats with limbic system lesions. *Physiol. Behav.* 4, 587-93.
- GOTTLIEB, D., and COWAN, W. (1972). Evidence for a temporal factor in the occupation of available synaptic sites during development of the dentate gyrus. *Brain Res.* 41, 452-6.
- (1973). Autoradiographic studies of the commissural and ipsilateral association connections of the hippocampus and dentate gyrus of the rat. *J. comp. Neurol.* 149, 393-422.
- GOULD, J., and MORGAN, C. T. (1942). Auditory sensitivity in the rat. *J. comp. Psychol.* 34, 321-9.
- GOULD, P., and WHITE, R. (1974). *Mental maps*. Penguin, Harmondsworth, Middx.
- GOUREVITCH, G., and HACK, M. H. (1966). Audibility in the rat. *J. comp. physiol. Psychol.* 62, 289-91.
- GRALEWICZ, S., and ZDANKIEWICZ, M. (1973). The effect of ventral hippocampal lesions on a conditioned alimentary response in cats, in conditions of satiation and starvation. *Acta physiol. pol.* 24, 297-304.
- GRALEWICZ, S., and STRUMILLO, E. (1971). The effect of lesions in the dorsal part of the hippocampus on a conditioned alimentary response in cats under conditions of satiation and hunger (in Polish). *Acta physiol. pol.* 22, 583-96.

- GRANT, L. D., and JARRARD, L. E. (1968). Functional dissociation within hippocampus. *Brain Res.* **10**, 392-401.
- GRANTYN, A. (1970). An intracellular study of hippocampal responses to reticular stimulation. *Brain Res.* **22**, 409-12.
- GRANTYN, A., BROGGI, G., MANCIA, M., and MARGNELLI, M. (1972). Post-synaptic responses of brainstem reticular neurons induced by hippocampal stimulation. *Brain Res.* **36**, 441-3.
- GRANTYN, A., and GRANTYN, R. (1970). Die Beeinflussung der Entladung hippocampaler Neuronen durch activation unspezifischer aszendierender Systeme des Hirnstamms. *Acta biol. Med. ger.* **25**, 813-29.
- (1971). On functional heterogeneity of extracellularly recorded hippocampal units. *Acta biol. Med. ger.* **26**, 671-80.
- (1973a). Postsynaptic responses of hippocampal neurons to subcortical stimulation: differentiation of ascending pathways. *Acta physiol. hung.* **43**, 329-45.
- GRANTYN, R., and GRANTYN, A. A. (1973b). Postsynaptic responses of hippocampal neurons to mesencephalic stimulation: depolarizing potentials and discharge patterns. *Brain Res.* **53**, 55-69.
- GRANTYN, A., GRANTYN, R., and HANG, TH. (1971). Hippokampale Einzelzellantworten auf mesenzephal Reizungen nach septumlasion. *Acta biol. Med. ger.* **26**, 985-96.
- GRASTYAN, E., CZOPF, J., ANGYAN, L., and SZABO, I. (1965). The significance of subcortical motivational mechanisms in the organization of conditional connections. *Acta physiol. hung.* **26**, 9-46.
- GRASTYAN, E., KARMOS, G., VERECZKEY, L., and KELLENYI, E. E. (1966). The hippocampal electrical correlates of the homeostatic regulation of motivation. *Electroencephalogr. clin. Neurophysiol.* **21**, 34-53.
- GRASTYAN, E., LISSAK, K., MADARASZ, I., and DONHOFFER, H. (1959). Hippocampal electrical activity during the development of conditioned reflexes. *Electroencephalogr. clin. Neurophysiol.* **11**, 409-30.
- GRASTYAN, E., SZABO, I., MOLNAR, P., and KOLTA, P. (1968). Rebound, reinforcement and self-stimulation. *Commun. Behav. Biol. A.* **2**, 235-66.
- GRASTYAN, E., and VERECZKEI, L. (1974). Effects of spatial separation of the conditioned signal from the reinforcement: a demonstration of the conditioned character of the orienting response or the orientational character of conditioning. *Behav. Biol.* **10**, 121-146.
- GRAY, J. A. (1970). Sodium amobarbital, the hippocampal theta rhythm, and the partial reinforcement extinction effect. *Psychol. Rev.* **77**, 465-80.
- (1971). Medial septal lesions, hippocampal theta rhythm and the control of vibrissal movement in the freely-moving rat. *Electroencephalogr. clin. Neurophysiol.* **30**, 189-97.
- (1972). Effects of septal driving of the hippocampal theta rhythm on resistance to extinction. *Physiol. Behav.* **8**, 481-90.
- GRAY, J. A., ARANJO-SILVA, M. T., and QUINTAO, L. (1972). Resistance to extinction after partial reinforcement training with blocking of the hippocampal theta rhythm by septal stimulation. *Physiol. Behav.* **8**, 497-502.
- GRAY, J. A., and BALL, G. G. (1970). Frequency-specific relation between hippocampal theta rhythm, behaviour and amobarbital. *Science* **168**, 1246-8.
- GRAY, J. A., MCNAUGHTON, N., JAMES, D. T. D., and KELLY, P. H. (1975). Effect of minor tranquillisers on hippocampal theta rhythm mimicked by depletion of forebrain noradrenaline. *Nature (Lond.)* **258**, 424-5.
- GREEN, J. D., and ARDUINI, A. (1954). Hippocampal electrical activity in arousal. *J. Neurophysiol.* **17**, 533-57.
- GREEN, J. D., and MACHNE, X. (1955). Unit activity of rabbit hippocampus. *Am. J. Physiol.* **181**, 219-24.
- GREEN, J. D., MAXWELL, D. S., and PETSCHE, H. (1961). Hippocampal electrical activity.

- III. Unitary events and genesis of slow waves. *Electroencephalogr. clin. Neurophysiol.* **13**, 854-67.
- GREEN, J. D., MAXWELL, D. S., SCHINDLER, W. J., and STUMPF, C. (1960). Rabbit EEG 'Theta' rhythm: its anatomical source and relation to activity in single neurones. *J. Neurophysiol.* **23**, 403-20.
- GREEN, J. D., and PETSCHE, H. (1961). Hippocampal electrical activity. II. Virtual generators. *Electroencephalogr. clin. Neurophysiol.* **13**, 847-53.
- GREEN, R. H., BEATTY, W. W., and SCHWARTZBAUM, J. S. (1967). Comparative effects of septo-hippocampal and caudate lesions on avoidance behaviour in rats. *J. comp. physiol. Psychol.* **64**, 444-52.
- GREENE, E. (1971). Comparison of hippocampal depression and hippocampal lesion. *Exp. Neurol.* **31**, 313-25.
- GREENE, E., and LOMAX, P. (1970). Impairment of alternation learning in rats following microinjection of carbachol into the hippocampus. *Brain Res.* **18**, 355-9.
- GREENE, E., SAPORTA, S., and WALTERS, J. (1970). Choice bias from unilateral hippocampal or frontal lesions in the rat. *Exp. Neurol.* **29**, 534-45.
- GREENE, E., and STAUFF, C. (1974). Behavioural role of hippocampal connections. *Exp. Neurol.* **45**, 141-60.
- GREENE, E., STAUFF, C., and WALTERS, J. (1972). Recovery of function with two-stage fornix lesions. *Exp. Neurol.* **37**, 14-22.
- GREENFIELD, J. G., BLACKWOOD, W., McMENEMEY, W. H., MEYER, A., and NORMAN, R. M. (1961). *Neuropathology*. Edward Arnold, London.
- GREGG, F. M. (1939). Are motor accompaniments necessary to orientational perception? *J. Psychol.* **8**, 63-97.
- GREGORY R. (1959). Models and the localization of function in the central nervous system. In *Mechanisation of thought processes*, Vol. 2. Her Majesty's Stationery Office, London.
- GRiffin, D. R. (1955). Bird navigation. In *Recent studies in avian biology* (ed. A. Wolfson), pp. 154-97. University of Illinois Press, Urbana, Ill.
- GRiffin, J. P. (1970). Neurophysiological studies in habituation. In *Short-term changes in neural activity and behavior* (eds G. Horn and R. A. Hinde), pp. 141-79. Cambridge University Press, Cambridge.
- GRILLO, S. A. (1971). The effect of hippocampus on distraction. *Can. J. Physiol. Pharmacol.* **49**, 873-8.
- GROSS, C. G., BLACK, P., and CHOROVER, S. L. (1968). Hippocampal lesions: effects on memory in rats. *Psychon. Sci.* **12**, 165-6.
- GROSS, C. G., CHOROVER, S. L., and COHEN, S. M. (1965). Caudate, cortical, hippocampal and dorsal thalamic lesions in rats: alternation and Hebb-Williams maze performance. *Neuropsychologia* **3**, 53-68.
- GROSSMAN, S. P. (1969). Facilitation of learning following intracranial injections of pentylenetetrazole. *Physiol. Behav.* **4**, 625-8.
- GROSSMAN, S. P., and MOUNTFORD, H. (1964). Learning and extinction during chemically induced disturbance of hippocampal functions. *Am. J. Physiol.* **207**, 1387-93.
- GROVES, P. M., and LYNCH, G. S. (1972). Mechanisms of habituation in the brainstem. *Psychol. Rev.* **79**, 237-44.
- GROVES, P. M., and THOMPSON, R. F. (1970). Habituation: A dual-process theory. *Psychol. Rev.* **77**, 419-50.
- (1973). A dual-process theory of habituation: Neural mechanisms. In *Habituation*, Vol. 2, *Physiological substrates* (eds H.V.S. Peeke and M. J. Herz), pp. 175-205. Academic Press, New York.
- GROVES, P. M., WILSON, C. J., and BOYLE, R. D. (1974). Brainstem pathways, cortical modulation, and habituation of the acoustic startle response. *Behav. Biol.* **10**, 391-418.
- GRUBER, J. (1965). Studies in lexical relations. Unpublished doctoral dissertation, MIT, Cambridge, Mass.

- GRUNBAUM, A. (1964). *Philosophical problems of space and time*. Routledge and Kegan Paul, London.
- GUILLERY, R. W. (1956). Degeneration in the post-commisural fornix and the mamillary peduncle of the rat. *J. Anat.* **90**, 350-71.
- (1959). Afferent fibres to the dorsomedial thalamic nucleus in the cat. *J. Anat.* **93**, 403-19.
- GULBRANDSEN, G. B., KRISTIANSEN, K., and URSIN, H. (1972). Response habituation in unconscious patients. *Neuropsychologia* **10**, 313-20.
- GULLIVER, F. P. (1908). Orientation of maps. *J. Geogr.* **7**, 55-8.
- GUMULKA, W., SAMANIN, R., and VALZELLI, L. (1970). Effect of chlorpromazine on 5-hydroxytryptamine metabolism in hippocampal stimulated rats. *Eur. J. Pharmac.* **12**, 276-9.
- GUSTAFSON, J. W. (1975). Distractibility and reactivity under different response conditions following hippocampal lesions in rats. *Behav. Biol.* **15**, 479-84.
- GUSTAFSON, J. W., LIDSKY, T. I., and SCHWARTZBAUM, J. S. (1975). Effects of hippocampal stimulation on acquisition, extinction and generalization of conditioned suppression in the rat. *J. comp. physiol. Psychol.* **89**, 1136-48.
- GYR, J. W. (1972). Is a theory of direct visual perception adequate? *Psychol. Bull.* **77**, 246-261.
- (1975) A reply to Mace and Pittenger on 'Directly perceiving Gibson'. *Psychol. Bull.* **82**, 140-1.
- HABER, R. N., and HERSHENSON, M. (1973). *The psychology of visual perception*. Holt, Rinehart and Winston, New York.
- HADDAD, R. K., and RABE, A. (1967). Effect of selective hippocampal lesions in the rat on DRL-20 acquisition. *J. psychol. Stud.* **15**, 106-21.
- (1969). Modified temporal behaviour in rats after large hippocampal lesions. *Exp. Neurol.* **23**, 310-17.
- HAGGBLOOM, S. J., BRUNNER, R. L., and BAYER, S. A. (1974). Effects of hippocampal granule-cell agenesis on acquisition of escape from fear and one-way active-avoidance responses. *J. comp. physiol. Psychol.* **86**, 447-57.
- HAINES, L. J., and RANCK, J. B., JR. (1975). Firing of neurons in hippocampal formation in unrestrained rats during performance of DRL-20 with schedule induced polydipsia. Prepublication abstract, cited in Ranch 1975a.
- HALL, J. F. (1956). The relationship between external stimulation, food deprivation and activity. *J. comp. physiol. Psychol.* **49**, 339-41.
- HALLIDAY, M. S. (1966). The effect of previous exploratory activity on the exploration of a simple maze. *Nature (Lond.)* **209**, 432-3.
- (1967). Exploratory behaviour in elevated and enclosed mazes. *Q. J. exp. Psychol.* **19**, 254-63.
- (1968). Exploratory behaviour. In *Analysis of behavioural change* (ed. L. Weiskrantz), pp. 107-26. Harper and Row, New York.
- HAMILTON, G. V. (1911). A study of trial-and-error reactions in mammals. *J. Anim. Behav.* **1**, 33-66.
- HAMILTON, L. W. (1972). Intrabox and extrabox cues in avoidance responding: effect of septal lesions. *J. comp. physiol. Psychol.* **78**, 268-73.
- HAMLYN, L. H. (1961). Electron microscopy of mossy fibre endings in Ammon's horn. *Nature (Lond.)* **190**, 645-6.
- (1962). The fine structure of the mossy fibre endings in the hippocampus of the rabbit. *J. Anat.* **96**, 112-20.
- HANDYSIDE, J. (1928). *Kant's inaugural dissertation and early writings on space*. Open Court Publishing, Chicago.
- HARA, K., and MYERS, R. E. (1973). Role of forebrain structures in emotional expression in opossum. *Brain Res.* **52**, 131-44.

- HARLEY, C. W. (1972). Hippocampal lesions and two cue discrimination in the rat. *Physiol. Behav.* **9**, 343-8.
- HARPER, R. M. (1971). Frequency changes in hippocampal electrical activity during movement and tonic immobility. *Physiol. Behav.* **7**, 55-8.
- (1973). Relationship of neuronal activity to EEG waves during sleep and wakefulness. In *Brain unit activity during behaviour* (ed. M. I. Phillips), pp. 130-54. C. C. Thomas, Springfield, Ill.
- HARRIS, P. L., CASSEL, T. Z., and BAMBOROUGH, P. (1974). Tracking by young infants. *Br. J. Psychol.* **65**, 345-9.
- HATFIELD, C. Unpublished. Cited in A. H. Black 1975.
- HAUG, F.-M., BLACKSTAD, T. W., SIMONSEN, A. H., and ZIMMER, J. (1971). Timm's sulfide silver reaction for zinc during experimental anterograde degeneration of hippocampal mossy fibres. *J. comp. Neurol.* **142**, 23-32.
- HAYCOCK, J. W., DEADWYLER, S. A., SIDEROFF, S. L., and MCGAUGH, J. L. (1973). Retrograde amnesia and cholinergic systems in the caudate-putamen complex and dorsal hippocampus of the rat. *Exp. Neurol.* **41**, 201-13.
- HEARST, E., and JENKINS, H. M. (1974). Sign-tracking: The stimulus-reinforcer relation and directed action. *Psychon. Sci. Monograph*.
- HEATH, R. G., and HARPER, J. W. (1974). Ascending projections of the cerebellar fastigial nucleus to the hippocampus, amygdala, and other temporal lobe sites: Evoked potential and histological studies in monkeys and cats. *Exp. Neurol.* **45**, 268-87.
- HEBB, D. O. (1938a). Studies of the organization of behaviour. I. Behaviour of the rat in a field orientation. *J. Comp. Psychol.* **25**, 333-52
- (1938b). Studies of the organization of behaviour. II. Changes in the field orientation of the rat after cortical destruction. *J. comp. Psychol.* **26**, 427-41.
- (1949). *The organization of behaviour*. Wiley-Interscience, New York.
- (1961). Distinctive features of learning in the higher animal. In *Brain mechanisms in learning* (ed. J. F. Delafresnaye). Blackwells, Oxford.
- HEIER, P. (1948). Fundamental principles in the structure of the brain. A study of the brain of petromyzon fluviatilis. *Acta Anat. Suppl.* **8**, 1-213.
- HEIMER, L. (1968). Synaptic distribution of centripetal and centrifugal nerve fibres in the olfactory system of the rat. An experimental anatomical study. *J. Anat.* **103**, 413-432.
- HEIMER, L., and WILSON, R. D. (1975). The subcortical projections of the allocortex: similarities in the neural associations of the hippocampus, the pyriform cortex, and the neocortex. In *Golgi centennial Symp. Proc.* (ed. M. Santini), pp. 177-93. Raven Press, New York.
- HELMHOLTZ, H. V. (1925). *Handbook of physiological optics*, translated from 3rd German edn. 1910 by J. P. C. Southall (ed.), vol. 3. Optical Society of America.
- HENDERSON, J., HENDERSON, R., and GREENE, E. (1973). Impairment of memory with administration of KCl to the hippocampus. *Behav. Biol.* **9**, 655-70.
- HENDRICKSON, C. W., KIMBLE, R. J., and KIMBLE, D. P. (1969). Hippocampal lesions and the orienting response. *J. comp. physiol. Psychol.* **67**, 220-7.
- HENKE, P. G., and BUNNELL, B. N. (1971). Reinforcement and extinction interactions after limbic lesions in rats. *Commun. Behav. Biol.* **6**, 329-33.
- HERRNSTEIN, R. J. (1969). Method and theory in the study of avoidance. *Psychol. Rev.* **76**, 46-69.
- HERRNSTEIN, R. J., and BORING, E. G. (eds) (1966). *A source book in the history of psychology*. Harvard University Press, Cambridge, Mass.
- HERSHENSON, M. (1967). Development of the perception of form. *Psychol. Bull.* **67**, 326-336.
- HICKS, L. H. (1964). Effects of overtraining on acquisition and reversal of place and response learning. *Psychol. Rep.* **15**, 459-62.

- HILL, A. J. (1976). Neuronal activity in hippocampus during a spatial alternation task. *Neurosci. Abstr.* **2**, 388.
- HINDE, R. A. (1970). Behavioural habituation. In *Short-term changes in neural activity and behaviour* (eds G. Horn and R. A. Hinde), pp. 3-40. Cambridge University Press, Cambridge.
- HINE, R. J., and DAS, G. D. (1974). Neuroembryogenesis in the hippocampal formation of the rat. *Z. Anat. Entwicklungs gesch.* **144**, 173-86.
- HIRANO, T. (1966). Effects of hippocampal electrical stimulation on memory consolidation. *Psychologia* **9**, 63-75.
- HIRANO, T., BEST, P. J., and OLDS, J. (1970). Units during habituation, discrimination learning and extinction. *Electroencephalogr. clin. Neurophysiol.* **28**, 127-35.
- HIRSCH, H. V. B., and SPINELLI, D. N. (1971). Modification of the distribution of receptive field orientation in cats by selective visual exposure during development. *Exp. Brain Res.* **13**, 509-27.
- HIRSH, R. (1970). Lack of variability or perseveration: Describing the effect of hippocampal ablation. *Physiol. Behav.* **5**, 1249-54.
- (1973). The effect of septal input upon hippocampal unit response in normal conditions in rats. *Brain Res.* **58**, 234.
- HIRSH, R., and SEGAL, M. (1972). Complete transection of the fornix and reversal of position habit in the rat. *Physiol. Behav.* **8**, 1051-4.
- HJORTH-SIMONSEN, A. (1971). Hippocampal efferents to the ipsilateral entorhinal area: An experimental study in the rat. *J. Comp. Neurol.* **142**, 417-38.
- (1972). Projection of the lateral part of the entorhinal area to the hippocampus and fascia dentata. *J. Comp. Neurol.* **146**, 219-32.
- (1973). Some intrinsic connections of the hippocampus in the rat: An experimental analysis. *J. Comp. Neurol.* **147** 145-62.
- HJORTH-SIMONSEN, A., and JEUNE, B. (1972). Origin and termination of the hippocampal perforant path in the rat studied by silver impregnation. *J. Comp. Neurol.* **144**, 215-32.
- HJORTH-SIMONSEN, A., and ZIMMER, J. (1975). Crossed pathways from the entorhinal area to the fascia dentata. 1. Normal in rabbits. *J. Comp. Neurol.* **161**, 57-70.
- HOLDSTOCK, T. L. (1972). Dissociation of function within the hippocampus. *Physiol. Behav.* **8**, 659-67.
- HOLMES, J. E., and ADEY, W. R. (1960). Electrical activity of the entorhinal cortex during conditioned behaviour. *Am. J. Physiol.* **199**, 741-4.
- HOLMES, J. E., and BECKMAN, J. (1969). Hippocampal theta rhythm used in predicting feline behaviour. *Physiol. Behav.* **4**, 563-5.
- HOLST, E. VON (1954). Relations between the central nervous system and the peripheral organs. *Br. J. Anim. Behav.* **2**, 89-94.
- HONZIK, C. H. (1936). The sensory basis of maze learning in rats. *Comp. Psychol. Monogr.* **13**, 1-113.
- HOOKER, C. A. (1971). The relational doctrines of space and time. *Br. J. Phil. Sci.* **22**, 97-130.
- HORLINGTON, M. (1968). A method for measuring acoustic startle response latency and magnitude in rats: Detection of a single stimulus effect using latency measurements. *Physiol. Behav.* **3**, 839-44.
- HORN, G. (1967). Neuronal mechanisms of habituation. *Nature (Lond.)* **215**, 707-11.
- HOROWITZ, J. M. (1972). Evoked activity of single units and neural populations in the hippocampus of the cat. *Electroencephalogr. clin. Neurophysiol.* **32**, 227-40.
- HOROWITZ, J. M., FREEMAN, W. J., and STOLL, P. J. (1973). A neural network with a background level of excitation in the cat hippocampus. *Int. J. Neurosci.* **5**, 113-25.
- HOSTETTER, G. (1968). Hippocampal lesions in rats weaken the retrograde amnesia effect of ECS. *J. comp. physiol. Psychol.* **66**, 349-53.
- HOSTETTER, G., and THOMAS, G. J. (1967). Evaluation of enhanced thigmotaxis as a con-

- dition of impaired maze learning by rats with hippocampal lesions. *J. comp. physiol. Psychol.* **63**, 105-10.
- HSIAO, S., and ISAACSON, R. L. (1971). Learning of food and water positions by hippocampus damaged rats. *Physiol. Behav.* **6**, 81-3.
- HUBEL, D., and WIESEL, T. (1962). Receptive fields, binocular interaction, and functional architecture in the cat's visual cortex. *J. Physiol.* **160**, 106-54.
- HUGHES, K. R. (1965). Dorsal and ventral hippocampal lesions and maze learning: Influence of preoperative environment. *Can. J. Psychol.* **19**, 325-32.
- HUGHES, R. A. (1969). Retrograde amnesia in rats produced by hippocampal injections of potassium chloride. *J. comp. physiol. Psychol.* **68**, 637-44.
- HULL, C. L. (1932). The goal gradient hypothesis and maze learning. *Psychol. Rev.* **39**, 25-43.
- (1934a). The concept of the habit-family hierarchy and maze learning. I. *Psychol. Rev.* **41**, 33-54.
- (1934b). The concept of the habit-family hierarchy and maze learning. II. *Psychol. Rev.* **41**, 134-52.
- (1943). *Principles of behaviour*. Appleton-Century-Crofts, New York.
- (1952). A behaviour system. Yale University Press, Hartford, Conn.
- HUNTER, W. S. (1920). The temporal maze and kinaesthetic sensory processes in the white rat. *Psychobiology* **2**, 1-18.
- (1940). A kinaesthetically controlled maze habit in the rat. *Science* **91**, 267-9.
- HUPPERT, F. A., and PIERCY, M. (1976). Recognition memory in amnesic patients: Effects of temporal context and familiarity of material. *Cortex* **12**, 3-20.
- HURVICH, L. M., and JAMESON, D. (1964). *Hering's Outlines of a theory of the light sense* (transl.). Harvard University Press, Cambridge, Mass.
- HUSTON, J. P., and BROZEK, G. (1974). Spectral analysis of hippocampal slow wave activity during feeding and drinking in the rabbit. *Physiol. Behav.* **12**, 819-24.
- HUSTON, J. P., SIEGFRIED, B., ORNSTEIN, K., WASER, P. G., and BORBELY, A. A. (1974). Eating elicited by spreading depression or electrical stimulation of the hippocampus and neocortex: a common cause. *Brain Res.* **78**, 164-8.
- HUTOROWICZ, H. DE (1911). Maps of primitive peoples. *Bull. am. geogr. Soc.* **43**, 669-79.
- IBATA, Y., DFSIRAJU, T., and PAPPAS, G. D. (1971). Light and electron microscopic study of the projection of the medial septal nucleus to the hippocampus of the cat. *Exp. Neurol.* **33**, 103-122.
- IBUKA, N. (1971). The differential effects of methamphetamine upon visual exploratory behaviour and spontaneous motor activity in rhesus monkeys (Macaca mulatta). *Jap. Psychol. Res.* **13**, 26-33.
- IRELAND, L. C., HAYES, W. N., and SCHAUER, R. E. (1969). The effects of bilateral hippocampal lesions on two-way active avoidance in the guinea pig. *Psychon. Sci.* **14**, 249-50.
- IRELAND, L. C., and ISAACSON, R. L. (1968). Reactivity in the hippocampectomized gerbil. *Psychon. Sci.* **12**, 163-4.
- IRMIS, F., LAT, J., and RADIL-WEISS, T. (1971). Individual differences in hippocampal EEG during rhombencephalic sleep and arousal. *Physiol. Behav.* **7**, 117-19.
- IRMIS, F., MADLAFOUSEK, J., and HLINAK, Z. (1970). Hippocampal electrical activity in course of sexual behaviour of male rats. *Physiol. Bohemoslov.* **19**, 83-7.
- IRMIS, F., RADIL-WEISS, T., and LAT, J., and KREKULE, I. (1970). Inter-individual differences in hippocampal theta activity during habituation. *Electroencephalogr. clin. Neurophysiol.* **28**, 24-31.
- ISAACSON, R. L. (1972). Hippocampal destruction in man and other animals. *Neuropsychologia* **10**, 47-64.
- (1974). *The limbic system*. Plenum Press, New York.
- ISAACSON, R. L., DOUGLAS, R. J., and MOORE, R. Y. (1961). The effect of radical hippo-

- campal ablation on acquisition of an avoidance response. *J. comp. physiol. Psychol.* **54**, 625-8.
- ISAACSON, R. L., and KIMBLE, D. P. (1972). Lesions of the limbic system: Their effects upon hypotheses and frustration. *Behav. Biol.* **7**, 767-93.
- ISAACSON, R. L., NONNEMAN, A. J., and SCHMALTZ, L. W. (1968). Behavioural and anatomical sequelae of damage to the infant limbic system. In *The neuropsychology of development: A symposium* (ed. R. L. Isaacson), pp. 41-78. Wiley-Interscience, New York.
- ISAACSON, R. L., OLTON, D. S., BAUER, R., and SWART, P. (1966). The effect of training trains on passive avoidance deficits in the hippocampectomized rat. *Psychon. Sci.* **5**, 419-20.
- ISAACSON, R. L., and PRIBRAM, K. H. (eds) (1975). *The hippocampus*. Plenum Press, New York.
- ISAACSON, R. L., and SCHMALTZ, L. W. (1968). Failure to find savings from spaced two-stage destruction of hippocampus. *Commun. Behav. Biol. A* **1**, 353-9.
- ISAACSON, R. L., SCHMALTZ, L. W., and DOUGLAS, R. J. (1966). Retention of a successive discrimination problem by hippocampectomized and neocorticate rats. *Psychol. Rep.* **19**, 991-1002.
- ISAACSON, R. L., and WICKELGREN, W. O. (1962). Hippocampal ablation and passive avoidance. *Science* **138**, 1104-1.
- ISON, J. R., and BIRCH, D. (1961). T-maze reversal following differential end box placement. *J. exp. Psychol.* **62**, 200-2.
- ITO, M. (1966). Hippocampal electrical correlates of self-stimulation in the rat. *Electroencephalogr. clin. Neurophysiol.* **21**, 261-8.
- ITO, M., and OLDS, J. (1971). Unit activity during self-stimulation behaviour. *J. Neurophysiol.* **34**, 263-73.
- ITTELSON, W. H. (1960). *Visual space perception*. Springer, New York.
- ITTELSON, W. H. (ed.) (1973). *Environmental cognition*. Seminar Press, New York.
- IVOVONE, P. M., and VAN HARTEVELDT, C. (1976). Locomotor activity and plasma corticosterone in rats with hippocampal lesions. *Behav. Biol.* **16**, 515-20.
- IZQUIERDO, I. (1975). The hippocampus and learning. *Prog. Neurobiol.* **5**, 37-75.
- JACKENDOFF, R. (1976). Toward an explanatory semantic representation. *Linguistic Inquiry* **7**, 89-150.
- JACKSON, F. B., and GERGEN, J. A. (1970). Acquisition of operant schedules by squirrel monkeys lesioned in the hippocampal area. *Physiol. Behav.* **5**, 543-7.
- JACKSON, W. J. (1967). *The effect of hippocampal lesions upon activity and learning*. Ph.D. Thesis, Texas Technological College.
- (1968). A comment on 'The hippocampus and behaviour'. *Psychol. Bull.* **69**, 20-2.
- JACKSON, W. J., and GARDNER, E. L. (1974). Modulation of hypothalamic ICSS by concurrent limbic stimulation. *Physiol. Behav.* **12**, 177-82.
- JACKSON, W. J., and REGENSTEIN, Q. R. (1974). *Hippocampectomy in rhesus monkeys: Effects on plasma cortisol during two stressful conditions*. Neuroscience Society Meeting, St. Louis.
- JACKSON, W. J., and STRONG, P. N., JR. (1969). Differential effects of hippocampal lesions upon sequential tasks and maze learning by the rat. *J. comp. physiol. Psychol.* **68**, 442-450.
- JACOBS, B. L., TRIMBACH, C., EW BANKS, E. E., and TRULSON, M. (1975). Hippocampal mediation of raphe lesion- and PCPA-induced hyperactivity in the rat. *Brain Res.* **94**, 253-61.
- JAMES, W. (1890). *The principles of psychology*. Henry Holt, New York.
- JAMMER, M. (1969). *Concepts of space* (2nd edn). Harvard University Press, Cambridge, Mass.

- JARRARD, L. E. (1965). Hippocampal ablation and operant behaviour in the rat. *Psychon. Sci.* **2**, 115-16.
- (1967). *On the importance of different hippocampal regions for behavioural investigations*. Carnegie Institute of Technology Rep. No. 67-3.
- (1968). Behaviour of hippocampal lesioned rats in home cage and novel situations. *Physiol. Behav.* **3**, 65-70.
- (1973). The hippocampus and motivation. *Psychol. Bull.* **79**, 1-12.
- (1975). Role of interference in retention by rats with hippocampal lesions. *J. comp. physiol. Psychol.* **89**, 400-8.
- JARRARD, L. E., and BUNNELL, B. N. (1968). Open-field behaviour of hippocampal-lesioned rats and hamsters. *J. comp. physiol. Psychol.* **66**, 500-2.
- JARRARD, L. E., and ISAACSON, R. L. (1965). Hippocampal ablation in rats: Effects of intertrial interval. *Nature (Lond.)* **207**, 109-10.
- JARRARD, L. E., ISAACSON, R. L., and WICKELGREN, W. O. (1964). Effects of hippocampal ablation and intertrial interval on acquisition and extinction of a runway response. *J. comp. Physiol. Psychol.* **57**, 442-5.
- JARRARD, L. E., and KORN, J. H. (1969). Effects of hippocampal lesions on heart rate during habituation and passive avoidance. *Commun. Behav. Biol. A* **3**, 141-50.
- JARRARD, L. E., and LEWIS, T. C. (1967). Effects of hippocampal ablation and intertrial interval on acquisition and extinction in a complex maze. *Am. J. Psychol.* **80**, 66-72.
- JOHANSSON, G. (1964). Perception of motion and changing form. *Scand. J. Physiol.* **5**, 181-208.
- JOHNSON, T. N. (1959). Studies on the brain of the guinea pig. II. The olfactory tract and fornix. *J. comp. Neurol.* **112**, 121-40.
- (1965). An experimental study of the fornix and hypothalamus-tegmental tracts in the cat. *J. comp. Neurol.* **125**, 29-40.
- JOHNSON-LAIRD, P. N. (1970). The perception and memory of sentences. In *New horizons and linguistics* (ed. J. Lyons), pp. 261-70. Penguin, Harmondsworth, Middx.
- JONES, B. (1975). Spatial perception in the blind. *Br. J. Psychol.* **66**, 461-72.
- JONES, B., and MISHKIN, M. (1972). Limbic lesions and the problem of stimulus-reinforcement associations. *Exp. Neurol.* **36**, 362-77.
- JONES, B. P., MOSKOWITZ, H. R., BUTTERS, N., and GLOSSER, G. (1975). Psychophysical scaling of olfactory, visual, and auditory stimuli by alcoholic Korsakoff patients. *Neuropsychologia* **13**, 387-93.
- JONES, M. K. (1974). Imagery as a mnemonic aid after left temporal lobectomy: Contrast between material-specific and generalised memory disorders. *Neuropsychologia* **12**, 21-30.
- JOUVET, M., and MOUNIER, J. (1962). Neurophysiological mechanisms of dreaming. *Electroencephalogr. clin. Neurophysiol.* **14**, 419-30.
- JUNG, R., and KORNMDLLER, A. E. (1938). Eine methodik der ableitung lokalisierter Potentialschwankungen aus subcorticalen Hirngebieten. *Arch. Psychiat.* **109**, 1-30.
- KAADA, B. R. (1951). Somato-motor, autonomic and electrocortico-graphic responses to electrical stimulation of 'rhinencephalic' and other structures in primate, cat and dog. *Acta physiol. scand.* **24** (suppl. 83), 1-285.
- KAADA, B. R., FELDMAN, R. S., and LANGFELDT, T. (1971). Failure to modulate autonomic reflex discharge by hippocampal stimulation in rabbits. *Physiol. Behav.* **7**, 225-31.
- KAADA, B. R., JANSEN, J., and ANDERSEN, P. (1953). Stimulation of the hippocampus and medial cortical areas in unanesthetized cats. *Neurology* **3**, 844-57.
- KAADA, B. R., RASMUSSEN, E. W., and KVEIM, O. (1961). Effects of hippocampal lesions on maze learning and retention in rats. *Exp. Neurol.* **3**, 333-55.
- (1962). Impaired acquisition of passive avoidance behaviour by subcallosal, septal, hypothalamic and insular lesions in rats. *J. comp. physiol. Psychol.* **55**, 661-70.

- KALAT, J. W., and ROZIN, P. (1973). 'Learned safety' as a mechanism in long-delay taste-aversion learning in rats. *J. comp. physiol. Psychol.* **83**, 198-207.
- KAMBACK, M. (1967). Effect of hippocampal lesions and food deprivation on response for stimulus change. *J. comp. physiol. Psychol.* **63**, 231-35.
- KAMIN, L. J. (1957). Retention of an incompletely learned avoidance response. *J. comp. physiol. Psychol.* **50**, 457-60.
- KAMIN, L. J., BRIMER, C. J., and BLACK, A. H. (1963). Conditioned suppression as a monitor of fear of the CS in the course of avoidance training. *J. comp. physiol. Psychol.* **56**, 497-501.
- KAMP, A., LOPES DA SILVA, F. H., and STORM VAN LEEUWEN, W. (1971). Hippocampal frequency shifts in different behavioural situations. *Brain Res.* **31**, 287-94.
- KANDEL, E. R., and SPENCER, W. A. (1961a). Electrophysiology of hippocampal neurons. II. After-potentials and repetitive firing. *J. Neurophysiol.* **24**, 243-59.
- (1961b). Excitation and inhibition of single pyramidal cells during hippocampal seizure. *Exp. Neurol.* **4**, 162-79.
- KANDEL, E. R., SPENCER, W. A., and BRINLEY, F. J. (1961). Electrophysiology of hippocampal neurons. I. Sequential invasion and synaptic organization. *J. Neurophysiol.* **24**, 225-42.
- KANT, I. (1963). *Critique of pure reason*, transl. by N. Kemp Smith, 1929 (first published in German, 1787 (2nd edn)). MacMillan, London.
- KAPLAN, A. (1956). Sociology learns the language of mathematics. In *The world of mathematics* (ed. J. R. Newman), pp. 1294-313. Simon and Schuster, New York.
- KAPLAN, J. (1968). Approach and inhibition reactions in rats after bilateral hippocampal damage. *J. comp. physiol. Psychol.* **65**, 274-81.
- KAPLAN, S. (1973). Cognitive maps, human needs and the designed environment. In *Environmental design research*, vol. 1 (ed. W. F. E. Preiser), pp. 275-83. Dowden, Hutchinson, and Ross, Stroudsburg, Pa.
- KAPP, B. S., KAUFMAN, J. D., and REPOLE, D. A. (1974). Hippocampal stimulation and memory: Effects of stimulation parameters and reinforcement magnitude. *Physiol. Behav.* **13**, 47-55.
- KAPP, B. S., and SCHNEIDER, A. M. (1971). Selective recovery from retrograde amnesia produced by hippocampal spreading depression. *Science* **173**, 1149-51.
- KARMOS, G., and GRASTYAN, E. (1962). Influence of hippocampal lesions on simple and delayed conditioned reflexes. *Acta physiol. hung.* **21**, 215-24.
- KARMOS, G., GRASTYAN, E., LOSONCZY, H., VERECZKEY, L., and GROSZ, J. (1965). The possible role of the hippocampus in the organization of the orientation reaction. *Acta physiol. hung.* **26**, 131-41.
- KATZ, J. J. (1972). *Semantic theory*. Harper and Row, New York.
- KATZ, J. J., and FODOR, J. A. (1963). The structure of a semantic theory. *Language* **39**, 170-210.
- KATZ, J. J., and POSTAL, P. N. (1964). *An integrated theory of linguistic descriptions*. M.I.T. Press, Cambridge, Mass.
- KAWAKAMI, M., KIMURA, F., and SETO, K. (1973). Effects of electrical stimulation of the brain on serum and pituitary concentrations of gonadotropin in the estrogenized rat. *Endocrinol. Jap.* **20**, 59-66.
- KAWAKAMI, M., and KUBO, K. (1971). Neuro-correlate of limbic-hypothalamo-pituitary-gonadal axis in the rat: Change in limbic-hypothalamic unit activity induced by vaginal and electrical stimulation. *Neuroendocrinology* **7**, 65-89.
- KAWAKAMI, M., SETO, K., TERASAWA, E., YOSHIDA, K., MIYAMOTO, T., SEKIGUCHI, M., and HATTORI, Y. (1968). Influence of electrical stimulation and lesion in limbic structure upon biosynthesis of adrenocorticoid in the rabbit. *Neuroendocrinology* **3**, 337-48.
- KAWAKAMI, M., SETO, K., and YOSHIDA, K. (1968). Influence of corticosterone implantation

- in limbic structure upon biosynthesis of adrenocortical steroid. *Neuroendocrinology* **3**, 349-54.
- KAWAMURA, H., and DOMINO, E. F. (1968). Hippocampal slow ('arousal') wave activation in the rostral midbrain transected cat. *Electroencephalogr. clin. Neurophysiol.* **25**, 471-480.
- KAWAMURA, H., NAKAMURA, Y., and TOKIZANE, T. (1961). Effect of acute brainstem lesions on the electrical activities of the limbic system and neocortex. *Jap. J. Physiol.* **11**, 564-75.
- KEARLEY, R. C., VAN HARTESFELDT, C., and WOODRUFF, M. L. (1974). Behavioural and hormonal effects of hippocampal lesions on male and female rats. *Physiol. Psychol.* **2**, 187-96.
- KEETON, W. T. (1974). The orientational and navigational basis of homing in birds. In *Advances in the study of behaviour*, vol. 5, (eds D. S. Lehrman, J. S. Rosenblatt, R. A. Hinde, and E. Shaw), pp. 47-132. Academic Press, New York.
- KEMBLE, E. D., and ISON, J. R. (1971). Limbic lesions and the inhibition of startle reactions in the rat by conditions of preliminary stimulation. *Physiol. Behav.* **7**, 925-8.
- KEMP, I., and KAADA, B. (1975). The relation of hippocampal theta activity to arousal, attentive behaviour and somato-motor movements in unrestrained cats. *Brain Res.* **95**, 323-42.
- KENDRICK, D. C. (1958). Inhibition with reinforcement (conditioned inhibition). *J. exp. Psychol.* **56**, 313-18.
- KERR, D. I. B., and DENNIS, B. J. (1970). Olfactory bulb responses to hippocampal stimulation. *Brain Res.* **20**, 457-61.
- (1972). Collateral projection of the lateral olfactory tract to entorhinal cortical areas in the cat. *Brain Res.* **36**, 399-403.
- KESNER, R. P., and CONNER, H. S. (1972). Independence of short- and long-term memory: A neural system analysis. *Science* **176**, 432-4.
- (1974). Effects of electrical stimulation of rat limbic system and midbrain reticular formation upon short- and long-term memory. *Physiol. Behav.* **12**, 5-12.
- KESNER, R. P., DIXON, D. A., PICKETT, D., and BERMAN, R. F. (1975). Experimental animal model of transient global amnesia: role of the hippocampus. *Neuropsychologia* **13**, 465-80.
- KESNER, R. P., and DOTY, R. W. (1968). Amnesia produced in cats by local seizure activity initiated from the amygdala. *Exp. Neurol.* **21**, 58-68.
- KIM, C. (1960a). Nest building, general activity, and salt preference of rats following hippocampal ablation. *J. comp. physiol. Psychol.* **53**, 11-16.
- (1960b). Sexual activity of male rats following ablation of hippocampus. *J. comp. physiol. Psychol.* **53**, 553-7.
- (1972). Hippocampal influence upon sleep pattern and orienting reflex. *20th Int. Congr. of Psychology*, 1972, Tokyo.
- KIM, C., CHOI, H., KIM, J. K., CHANG, H. K., PARK, R. S., and KANG, I. Y. (1970). General behavioural activity and its component patterns in hippocampectomised rats. *Brain Res.* **19**, 379-94.
- KIM, C., CHOI, H., KIM, J. K., KIM, M. S., HUH, M. K., and MOON, Y. B. (1971a). Sleep pattern of hippocampectomized rat. *Brain Res.* **29**, 223-36.
- KIM, C., KIM, C. C., KIM, J. K., KIM, M. S., CHANG, H. K., KIM, J. Y., and LEE, I. G. (1971b). Fear response and aggressive behaviour of hippocampectomized house rats. *Brain Res.* **29**, 237-51.
- KIM, C., and KIM, C. U. (1961). Effect of partial hippocampal resection on stress mechanism in rats. *Am. J. Physiol.* **201**, 337-40.
- KIMBLE, D. P. (1963). The effects of bilateral hippocampal lesions in rats. *J. comp. physiol. Psychol.* **56**, 273-83.
- (1968). Hippocampus and internal inhibition. *Psychol. Bull.* **70**, 285-95.

- (1969). Possible inhibitory functions of the hippocampus. *Neuropsychologia* **7**, 235-244.
- (1975). Choice behaviour in rats with hippocampal lesions. In *The hippocampus*, Vol. 2 (eds R. L. Isaacson and K. H. Pribram), pp. 309-26. Plenum Press, New York.
- KIMBLE, D. P., and COOVER, G. D. (1966). Effects of hippocampal lesions on food and water consumption in rats. *Psychon. Sci.* **4**, 91-2.
- KIMBLE, D. P., and GREENE, E. G. (1968). Absence of latent learning in rats with hippocampal lesions. *Psychon. Sci.* **11**, 99-100.
- KIMBLE, D. P., and KIMBLE, R. J. (1965). Hippocampectomy and response perseveration in the rat. *J. comp. physiol. Psychol.* **60**, 472-6.
- (1970). The effect of hippocampal lesions on extinction and 'hypothesis' behaviour in rats. *Physiol. Behav.* **5**, 735-8.
- KIMBLE, D. P., KIRKBY, R. J., and STEIN, D. G. (1966). Response perseveration interpretation of passive avoidance deficits in hippocampectomized rats. *J. comp. physiol. Psychol.* **61**, 141-4.
- KIMBLE, D. P., and PRIBRAM, K. H. (1963). Hippocampectomy and behaviour sequences. *Science* **139**, 824-5.
- KIMBLE, D. P., and RAY, R. S. (1965). Reflex habituation and potentiation in *Rana pipiens*. *Anim. Behav.* **13**, 530-3.
- KIMBLE, D. P., ROGERS, L., and HENDRICKSON, C. (1967). Hippocampal lesions disrupt maternal, not sexual, behaviour in the albino rat. *J. comp. physiol. Psychol.* **63**, 401-7.
- KIMBLE, D. P., and ZACK, S. (1967). Olfactory discrimination in rats with hippocampal lesions. *Psychon. Sci.* **8**, 211-12.
- KIMBLE, G. A. (1955). Shock intensity and avoidance learning. *J. comp. physiol. Psychol.* **48**, 281-4.
- KIMSEY, R. A., DYER, R. S., and PETRI, H. L. (1974). Relationship between hippocampal EEG, novelty, and frustration in the rat. *Behav. Biol.* **11**, 561-8.
- KIMURA, D. (1958). Effects of selective hippocampal damage on avoidance behaviour in the rat. *Can. J. Physiol.* **12**, 213-18.
- KINSBOURNE, M., and WOOD, F. (1975). Short-term memory and the amnesia syndrome. In *Short-term memory* (eds D. Deutsch and J. A. Deutsch), pp. 257-91. Academic Press, New York.
- KIRKBY, R. J., and KIMBLE, D. P. (1968). Avoidance and escape behaviour following striatal lesions in the rat. *Exp. Neurol.* **20**, 215-27.
- KIRKBY, R. J., STEIN, D. G., KIMBLE, R. J., and KIMBLE, D. P. (1967). Effects of hippocampal lesions and duration of sensory input on spontaneous alternation. *J. comp. physiol. Psychol.* **64**, 342-5.
- KLEIN, S. B., MURPHY, A. L., and FREEMAN, F. (1975). The Kamin effect in hippocampal-lesioned animals. *Physiol. Psychol.* **3**, 5-8.
- KLEMM, W. R. (1970). Correlation of hippocampal theta rhythm, muscle activity and brainstem reticular formation activity. *Commun. Behav. Biol.* **5**, 147-51.
- (1971). EEG and multiple-unit activity in limbic and motor systems during movement and immobility. *Physiol. Behav.* **7**, 337-43.
- (1972). Effects of electrical stimulation of brainstem reticular formation on hippocampal theta rhythm and muscle activity in unanesthetized, cervical and midbrain-transected rats. *Brain Res.* **41**, 331-44.
- KLING, A. (1964). Effects of rhinencephalic lesions on endocrine and somatic development in the rat. *Am. J. Physiol.* **206**, 1395-400.
- KNAPP, R. K. (1965). Acquisition and extinction of avoidance with similar and different shock and escape situations. *J. comp. physiol. Psychol.* **60**, 272-3.
- KNIGGE, K. (1961). Adrenocortical response to stress in rats with lesions in hippocampus and amygdala. *Proc. Soc. exp. Biol. Med.* **108**, 18-21.

- KNIGGE, K., and HAYS, M. (1963). Evidence of inhibitory role of hippocampus in neural regulation of ACTH release. *Proc. Soc. exp. Biol. Med.* **114**, 67-9.
- KNIZLEY, H., JR. (1972). The hippocampus and septal area as primary target sites for corticosterone. *J. Neurochem.* **19**, 2737-45.
- KOFFKA, K. (1935). *Principles of gestalt psychology*. Harcourt, Bruce, New York.
- KOHLER, W. (1947). *Gestalt psychology*. New American Library, New York.
- KOLB, B., and NONNEMAN, A. J. (1974). Frontolimbic lesions and social behaviour in the rat. *Physiol. Behav.* **13**, 637-43.
- KOMISARUK, B. R. (1970). Synchrony between limbic system theta activity and rhythmical behaviours in rats. *J. comp. physiol. Psychol.* **70**, 482-92.
- (1971). *Limbic-hypothalamic control of rhythmic sniffing behaviour in rats*. Paper read at the Twelfth International Ethological Conference, Edinburgh.
- KONORSKI, J. (1948). *Conditioned reflexes and neuron organisation*. Cambridge University Press, Cambridge.
- KONORSKI, J., SANTIBANEZ-H. G., and BECK, J. (1968). Electrical hippocampal activity and heart rate in classical and instrumental conditioning. *Acta Biol. exp.* **28**, 169-85.
- KORSAKOFF, S. S. (1889). Psychic disorder in conjunction with multiple neuritis. *Med. Oboz.* **31** (English trans. *Neurology* 5, 394-406, 1955)
- KOSSLYN, S. M. (1973). Scanning visual images: Some structural implications. *Percept. Psychophys.* **14**, 90-4.
- (1975) Information representation in visual images. *Cogn. Psychol.* **7**, 341-70.
- KOSSLYN, S. M., and BOWER, G. H. (1974). The role of imagery in sentence memory: A developmental study. *Child Dev.* **45**, 30-8.
- KOSSLYN, S. M., PICK, H. L. JR., and FARIELLO, G. R. (1974). Cognitive maps in children and men. *Child Dev.* **45**, 707-16.
- KRAMARCY, N., MIKULKA, P., and FREEMAN, F. (1973). The effects of dorsal hippocampal lesions on reinforcement shifts. *Physiol. Psychol.* **1**, 248-50.
- KRAMER, G. (1953). Die sonnenorientierung der Vögeln. *Verh. dt. Zool. Ges.* 72-84.
- KRAMER, T. J., and RILLING, M. (1970). Differential reinforcement of low rates: A selective critique. *Psychol. Bull.* **74**, 225-54.
- KRAMIS, R. C., and ROUTTENBERG, A. (1969). Rewarding brain stimulation, hippocampal activity, and foot-stomping in the gerbil. *Physiol. Behav.* **11**, 7-11.
- KRAMIS, R. C., VANDERWOLF, C. H., and BLAND, B. H. (1975). Two types of hippocampal rhythmical slow activity in both the rabbit and the rat: Relations to behaviour and effects of atropine, diethylether, urethane and pentobarbital. *Exp. Neurol.* **49**, 58-85.
- KRECHEVSKY, I. (1932). 'Hypotheses' in rats. *Psychol. Rev.* **39**, 516-33.
- (1933). The docile nature of 'hypotheses'. *J. comp. Psychol.* **16**, 99-116.
- KRECHEVSKY, I., and HONZIK, G. H. (1932). Fixation in the rat. *Unit. Calif. Publ. Psychol.* **6**, 13-26.
- KRETTEK, J. E., and PRICE, J. L. (1974). Projections from the amygdala to the perirhinal and entorhinal cortices and to the subiculum. *Brain Res.* **71**, 150-4.
- KRIEGER, H. P., and KRIEGER, D. T. (1971). Pituitary-adrenal activation by implanted neurotransmitters and ineffectiveness of dexamethasone in blocking this activation. In *Influence of hormones on the nervous system* (ed. D. H. Ford), pp. 98-106. Karger, Basel.
- KUHAR, M. J., AGHAJANIAN, G. K., and ROTH, R. H. (1972). Tryptophan hydroxylase activity and synaptosomal uptake of serotonin in discrete brain regions after midbrain raphe lesions: correlations with serotonin levels and histochemical fluorescence. *Brain Res.* **44**, 165-76.
- KUMAR, R. (1969). Exploration and latent learning: Differential effects of dexamphetamine on components of exploratory behaviour in rats. *Psychopharmacologia* **16**, 54-72.
- KURTZ, R. G. (1975). Hippocampal and cortical activity during sexual behaviour in the

- female rat. *J. comp. physiol. Psychol.* **89**, 158-69.
- KURTZ, R. G., and ADLER, N. T. (1973). Electrophysiological correlates of copulatory behaviour in the male rat: evidence for a sexual inhibitory process. *J. comp. physiol. Psychol.* **84**, 225-39.
- KVEIM, O., SETEKLEIV, J., and KAADA, B. R. (1964). Differential effects of hippocampal lesions on maze and passive avoidance learning in rats. *Exp. Neurol.* **9**, 59-72.
- LAATSCH, R. H., and COWAN, W. M. (1966). Electron microscopic studies of the dentate gyrus of the rat. I. Normal structure with special reference to synaptic organisation. *J. comp. Neurol.* **128**, 359-96.
- (1967). Electron microscopic studies of the dentate gyrus of the Rat II. Degeneration of commissural afferents. *J. comp. Neurol.* **130**, 241-62.
- LACEY, H. M. (1970). The scientific intelligibility of absolute space: A study of Newtonian argument. *Br. J. Phil. Sci.* **21**, 317-42.
- LACKNER, J. R. (1974). Observations on the speech processing capabilities of an amnesic patient: Several aspects of H.M.'s language function. *Neuropsychologia* **12**, 199-207.
- LAKOFF, G. (1971). On generative semantics. In *Semantics* (eds D. D. Steinberg and L. A. Jakobovits), pp. 232-96. Cambridge University Press, Cambridge.
- LANDFIELD, P. W., TUSA, R. J., and MCGAUGH, J. L. (1973). Effects of post-trial hippocampal stimulation on memory storage and EEG activity. *Behav. Biol.* **8**, 485-505.
- LANDIS, C., and HUNT, W. (1939). *The startle pattern*. Farrar and Reinhart, New York.
- LANIER, L. P., and ISAACSON, R. L. (1975). Activity changes related to the location of lesions in the hippocampus. *Behav. Biol.* **13**, 59-69.
- LANIER, L. P., PETIT, T. L., and ISAACSON, R. L. (1974). Protection against effects of brain damage by catecholamine depletion is test dependent. *Brain Res.* **82**, 374-7.
- LANIER, L. P., PETIT, T. L., and ZORNETZER, S. F. (1975). Discrete anterior medial thalamic lesions in the mouse: the production of acute postoperative hyperactivity and death. *Brain Res.* **91**, 133-9.
- LANIER, L. P., VAN HARTESFELDT, C., WEIS, B., and ISAACSON, R. L. (1975). Effects of differential hippocampal damage upon rhythmic and stress-induced corticosterone secretion in the rat. *Neuroendocrinology* **18**, 154-60.
- LASH, L. (1964). Response discriminability and the hippocampus. *J. comp. physiol. Psychol.* **57**, 251-1.
- LASHLEY, K. S. (1929). *Brain mechanisms and intelligence*. University of Chicago Press, Chicago, Ill.
- (1951). The problem of serial order in behaviour. In *Cerebral mechanisms in behaviour* (ed. L. A. Jeffress), pp. 112-46. Wiley-Interscience, New York.
- LATIES, V. G., WEISS, B., and WEISS, A. B. (1969). Further observations on overt 'mediating' behaviour and the discrimination of time. *J. exp. anal. Behav.* **12**, 43-57.
- LAURENDEAU, M., and PINARD, A. (1970). *The development of the concept of space in the child*. International Universities Press, New York.
- LAVER, I. (1970). The production of speech. In *New horizons in linguistics* (ed. J. Lyons), pp. 53-75. Penguin, Harmondsworth, Middx.
- LEA, G. (1975). Chronometric analysis of the method of loci. *J. exp. Psychol. Human Percept. Perf.* **104**, 94-104.
- LEATON, R. N. (1965). Exploratory behaviour in rats with hippocampal lesions. *J. comp. physiol. Psychol.* **59**, 325-30.
- (1967). Patterns of behaviour of hippocampal lesioned rats in an exploratory motivated situation. *Psychol. Rep.* **21**, 153-9.
- (1968). Electrical stimulation of the hippocampus and perseveration in an exploratory maze. *Psychon. Sci.* **13**, 59-60.
- (1969). Effect of the introduction of blind alleys on maze performance of rats with hippocampal lesions. *J. comp. physiol. Psychol.* **67**, 104-9.

- LEBOVITZ, R. M., DICHTER, M., and SPENCER, W. A. (1971). Recurrent excitation in the CA3 region of cat hippocampus. *Int. J. Neurosci.* **2**, 99-108.
- LEE, T. (1970). Perceived distance as a function of direction in the city. *Environ. Behav.* **2**, 40-51.
- LEEPER, R. (1935). A study of a neglected portion of the field of learning—the development of sensory organization. *J. genet. Psychol.* **46**, 41-75.
- LEICHNETZ, G. R., and ASTRUC, J. (1975). Preliminary evidence for a direct projection of the prefrontal cortex to the hippocampus in the squirrel monkey. *Brain Behav. Evol.* **11**, 355-64.
- LEITH, N. J., and BARRETT, R. J. (1975). Effects of hippocampal microinjections of Damphetamine and scopolamine on active avoidance behaviour in rats. *J. comp. physiol. Psychol.* **88**, 285-9.
- LE MOAL, M., and CARDI, B. (1975). Rhythmic slow wave activity recorded in the ventral mesencephalic tegmentum in the rat. *Electroencephalogr. clin. Neurophysiol.* **38**, 139-47.
- LENGVARI, I., and HALASZ, B. (1973). Evidence for a diurnal fluctuation in plasma corticosteroid levels after fornix transection in the rat. *Neuroendocrinology* **11**, 191-6.
- LEVERE, T. E. (1975). Neural stability, sparing and behavioural recovery following brain damage. *Psychol. Rev.* **82**, 344-58.
- LEVERE, T. E., and WEISS, J. (1973). Failure of serialis dorsal hippocampal lesions to spare spatial reversal behaviour in rats. *J. comp. physiol. Psychol.* **82**, 205-10.
- LEVITT, R. A., and O'HEARN, J. Y. (1972). Drinking elicited by cholinergic stimulation of CNS fibres. *Physiol. Behav.* **8**, 641-4.
- LEWIN, K. (1936). *Principles of topological psychology* (trans. F. Heider and G. M. Heider). McGraw-Hill, New York.
- LEWIS, P. R., and SHUTE, C. C. D. (1967). The cholinergic limbic system: Projections to hippocampal formation, medial cortex, nuclei of the ascending cholinergic reticular system, and the subfornical organ and supra-optic crest. *Brain* **90**, 521-40.
- LEWIS, P. R., SHUTE, C. C. D., and SILVER, A. (1967). Confirmation from choline acetylase analyses of a massive cholinergic innervation of the rat hippocampus. *J. Physiol.* **191**, 215-24.
- LHERMITTE, F., and SIGNORET, J.-L. (1972). Analyse neuropsychologique et differentiation des syndromes amnésiques. *Rev. neurol.* **126**, 161-78.
- LICO, M. C., HOFFMAN, A., and COVIAN, M. R. (1974). Influence of some limbic structures upon somatic and autonomic manifestations of pain. *Physiol. Behav.* **12**, 805-11.
- LIDSKY, A., LEVINE, M. S., and MACGREGOR S., JR. (1974a). Tonic and phasic effects evoked concurrently by sensory stimuli in hippocampal units. *Exp. Neurol.* **44**, 130-4.
- (1974b). Hippocampal units during orienting and arousal in rabbits. *Exp. Neurol.* **44**, 171-86.
- LIDSKY, A., and SLOTNICK, B. M. (1970). Electrical stimulation of the hippocampus and electroconvulsive shock produce similar amnestic effects in mice. *Neuropsychologia* **8**, 363-9.
- LIDZ, T. (1942). The amnestic syndrome. *Arch. Neurol. Psychiat.* **47**, 588-605.
- LINDEN, D. (1969). Attenuation and re-establishment of the CER by discriminated avoidance conditioning in rats. *J. comp. physiol. Psychol.* **69**, 573-8.
- LINDQVIST, G., and NORLEN, G. (1966). Korsakoff's syndrome after operation on ruptured aneurysm of anterior communicating artery. *Acta Psychiat. scand.* **42**, 24-34.
- LINDSLEY, D. B., and WILSON, C. L. (1975). Brainstem-hypothalamic systems influencing hippocampal activity and behaviour. In *The hippocampus*, Vol. 2, *Neurophysiology and behaviour* (eds R. L. Isaacson and K. H. Pribram), pp. 247-78. Plenum Press, New York.
- LINDVALL, O., and BJORKLUND, A. (1974). The glyoxylic acid fluorescence histochemical method: A detailed account of the methodology for the visualization of central catecholamine neurons. *Histochemistry* **39**, 97-127.

- LISS, P. (1968). Avoidance and freezing behaviour following damage to the hippocampus or fornix. *J. comp. physiol. Psychol.* **66**, 193-7.
- LISSAK, K., and GRASTYAN, E. (1960). The changes of hippocampal electrical activity during conditioning. *Electroencephalogr. clin. Neurophysiol.* **13S**, 271-9.
- LIVESEY, P. J., and BAYLISS, J. (1975). The effects of electrical (blocking) stimulation to the dentate of the rat on learning of a simultaneous brightness discrimination and reversal. *Neuropsychologia* **13**, 395-407.
- LIVESEY, P. J., and MEYER, P. (1975). Functional differentiation in the dorsal hippocampus with local electrical stimulation during learning by rats. *Neuropsychologia* **13**, 431-8.
- LIVESEY, P. J., and WEARNE, G. (1973). The effects of electrical (blocking) stimulation to the dorsal hippocampus of the rat on learning of a stimulus brightness discrimination. *Neuropsychologia* **11**, 75-84.
- LIVINGSTON, R. B. (1959). Comments on a paper by Grastyan. In *The central nervous system and behaviour* (ed. M. A. B. Brazier), pp. 153-6. Josiah Macy Jr. Foundation, New York.
- LOHMAN, A. H. M., and MENTINK, G. M. (1972). Some cortical connections of the Tegu lizard (*Tupinambis teguixin*). *Brain Res.* **45**, 325-44.
- LOHMAN, A. H. M., and VAN WOERDEN-VERKLEY, I. (1976). Further studies on the cortical connections of the Tegu lizard. *Brain Res.* **103**, 9-28.
- LOMO, T. (1966). Frequency potentiation of excitatory synaptic activity in the dentate area of the hippocampal formation. *Acta physiol. scand.* **68** (suppl. 277), 128.
- (1971a). Patterns of activation in a monosynaptic cortical pathway: the perforant path input to the dentate area of the hippocampal formation. *Exp. Brain Res.* **12**, 18-45.
- (1971b). Potentiation of monosynaptic EPSP's in the perforant path-dentate granule cell synapse. *Exp. Brain Res.* **12**, 46-63.
- LOO, Y. T. (1931). The forebrain of the opossum, *Didelphis Virginiana*. Part II. Histology. *J. comp. Neurol.* **52**, 1-148.
- LOPES DA SILVA, F. H., and KAMP, A. (1969). Hippocampal theta frequency shifts and operant behaviour. *Electroencephalogr. clin. Neurophysiol.* **26**, 133-43.
- LORAYNE, H. (1968). *Memory isometrics course*. Information Inc., New York.
- LORD, F. E. (1941). A study of spatial orientation of children. *J. educ. Res.* **34**, 481-505.
- LORENS, S. A., and GULDBERG, H. C. (1974). Regional 5-hydroxytryptamine following selective midbrain raphe lesions in the rat. *Brain Res.* **78**, 45-56.
- LORENTE DE NO, R. (1934). Studies on the structure of the cerebral cortex. II. Continuation of the study of the ammonic system. *J. Psychol. Neurol.* **46**, 113-77.
- LORENZ, K. (1969). Innate bases of learning. In *On the biology of learning* (ed. K. Pribram), pp. 13-94. Harcourt, Brace, and World, New York.
- LOTZE, H. (1886). *Outlines of psychology: Dictated portions of the lectures of Hermann Lotze* (transl. G. T. Ladd). Ginn, Boston, Mass.
- LOVEJOY, E. (1968). *Attention in discrimination learning: A point of view and a theory*. Holden-Day, San Francisco, Calif.
- LOVELL, K. (1959). A follow-up study of some aspects of the work of Piaget and Inhelder on the child's conception of space. *Br. J. educ. Psychol.* **29**, 104-17.
- LOVELY, R. H. (1975). Hormonal dissociation of limbic lesion effects on shuttle box avoidance in rats. *J. comp. physiol. Psychol.* **89**, 224-30.
- LOVELY, R. H., GROSSEN, N. E., MOOT, S. A., BAUER, R. H., and PETERSON, J. J. (1971). Hippocampal lesions and inhibition of avoidance behaviour. *J. comp. physiol. Psychol.* **77**, 345-52.
- LUCAS, E. A., POWELL, E. W., and MURPHREE, O. D. (1974). Hippocampal theta in nervous pointer dogs. *Physiol. Behav.* **12**, 609-13.
- LUCE, A. A., and JESSOP, T. D. (eds) (1948). *The works of George Berkeley Bishop of Cloyne*. vol. 1. Thomas Nelson, London.

- LURIA, A. R. (1969). *The mind of a mnemonist*. Jonathan Cape, London.
- LUTTGE, W. G., CHRONISTER, R. B., and HALL, N. R. (1973). Accumulation of ³H-progestins in limbic, diencephalic and mesencephalic regions of mouse brain. *Life Sci.* **12**, 419-24.
- LUTTGE, W. G., WALLIS, C. J., and HALL, N. R. (1974). Effects of pre- and posttreatment with unlabeled steroids on the *in vivo* uptake of ³H-progestins in selected brain regions, uterus and plasma of the female mouse. *Brain Res.* **71**, 105-15.
- LYNCH, G., DEADWYLER, S. A., and COTMAN, C. (1973). Post-lesion axonal growth produces functional contacts. *Science* **180**, 1364-6.
- LYNCH, G., SMITH, R. L., MENSAH, P., and COTMAN, C. (1973). Tracing the dentate gyrus mossy fiber system with horseradish peroxidase histochemistry. *Exp. Neurol.* **40**, 516-24.
- LYNCH, G., STANFIELD, B., and COTMAN, C. W. (1973). Developmental differences in post-lesion axonal growth in the hippocampus. *Brain Res.* **59**, 155-68.
- LYNN, R. (1966). *Attention, arousal and the orientation reaction*. Pergamon Press, Oxford.
- MACADAR, A. W., CHALUPA, L. M., and LINDSLEY, D. B. (1974). Differentiation of brainstem loci which affect hippocampal and neocortical electrical activity. *Exp. Neurol.* **43**, 499-514.
- MACADAR, O., ROIG, J., MONTI, J. M., and BUDELLI, R. (1970). The functional relationship between septal and hippocampal unit activity and hippocampal theta rhythm. *Physiol. Behav.* **5**, 1443-9.
- McALLISTER, W. R., and McALLISTER, D. E. (1971). Behavioural measurement of conditioned fear. In *Aversive conditioning and learning* (ed. F. R. Brush), pp. 105-79. Academic Press, New York.
- McALLISTER, W. R., McALLISTER, D. E., and DOUGLASS, W. K. (1971). The inverse relationship between shock intensity and shuttle-box avoidance learning in rats: A reinforcement explanation. *J. comp. physiol. Psychol.* **74**, 426-33.
- McALLISTER, W. R., McALLISTER, D. E., WELDIN, G. H., and COHEN, J. M. (1974). Intertrial interval effects in classically conditioning fear to a discrete conditioned stimulus and to situational cues. *J. comp. physiol. Psychol.* **87**, 582-90.
- McCAWLEY, J. D. (1968). The role of semantics in a grammar. In *Universals in linguistic theory* (eds E. Bach and R. T. Harms), pp. 124-69. Holt, Rinehart and Winston, New York.
- (1971). Where do noun phrases come from? In *Semantics* (eds D. D. Steinberg and L. A. Jakobovits), pp. 217-31. Cambridge University Press, Cambridge.
- McDONOUGH, J. H., JR., and KESNER, R. P. (1971). Amnesia produced by brief electrical stimulation of amygdala or dorsal hippocampus in cats. *J. comp. physiol. Psychol.* **77**, 171-8.
- MACDOUGALL, J. M., VAN HOESEN, G. W., and MITCHELL, J. C. (1969). Anatomical organization of septal projections in maintenance of DRL behaviour in rats. *J. comp. physiol. Psychol.* **68**, 568-75.
- McDOUGALL, W. (1923). *An outline of psychology* (11th edn, 1969). Methuen, London.
- MACE, W. M., and PITTINGER, J. B. (1975). Directly perceiving Gibson: A further reply to Gyr. *Psychol. Bull.* **82**, 137-9.
- MC EWEN, B. S., GERLACH, J. L., and MICCO, D. J. (1975). Putative glucocorticoid receptors in hippocampus and other regions of the rat brain. In *The hippocampus*, vol. I (eds R. L. Isaacson and K. H. Pribram), pp. 285-322. Plenum Press, New York.
- MC EWEN, B. S., MAGNUS, C., and WALLACH, G. (1972). Soluble corticosterone-binding macromolecules extracted from rat brain. *Endocrinology* **90**, 217-26.
- MC EWEN, B. S., and PFAFF, D. W. (1970). Factors influencing sex hormone uptake by rat brain regions. I. Effects of neonatal treatment, hypophysectomy, and competing steroid on estradiol uptake. *Brain Res.* **21**, 1-16.
- MC EWEN, B. S., PFAFF, D. W., and ZIGMOND, R. E. (1970). Factors influencing sex hormone

- uptake by rat brain regions. II. Effects of neonatal treatment and hypophysectomy on testosterone uptake. *Brain Res.* **21**, 17-28.
- MC EWEN, B. S., and WALLACH, G. (1973). Corticosterone binding to hippocampus: Nuclear and cytosol binding in vitro. *Brain Res.* **57**, 373-86.
- MC EWEN, B. S., WALLACH, G., and MAGNUS, C. (1974). Corticosterone binding to hippocampus: Immediate and delayed influences of the absence of adrenal secretion. *Brain Res.* **70**, 321-34.
- MC EWEN, B. S., WEISS, J. M., and SCHWARTZ, L. S. (1969). Uptake of corticosterone by rat brain and its concentration by certain limbic structures. *Brain Res.* **16**, 227-41.
- (1970). Retention of corticosterone by cell nuclei from brain regions of adrenalectomized rats. *Brain Res.* **17**, 471-82.
- MCFARLAND, W. L., TEITELBAUM, H., and HEDGES, E. L. (1975). Relationship between hippocampal theta activity and running speed in the rat. *J. comp. physiol. Psychol.* **88**, 324-8.
- McGOWAN, B. K., HANKINS, W. G., and GARCIA, J. (1972). Limbic lesions and control of the internal and external environment. *Behav. Biol.* **7**, 841-52.
- McGOWAN-SASS, B. K. (1973). Differentiation of electrical rhythms and functional specificity of the hippocampus of the rat. *Physiol. Behav.* **11**, 187-94.
- McGOWAN-SASS, B. K., and TIMIRAS, P. S. (1975). The hippocampus and hormonal cyclicity. In *The hippocampus*, vol. I (eds R. L. Isaacson and K. Pribram), pp. 355-374. Plenum Press, New York.
- MACH, E. (1897). *Contributions to the analysis of the sensations* (Trans. C. M. Williams). Open Court, Chicago, Ill.
- McKENZIE, J. S., and GILBERT, D. M. (1972). Hippocampal and neostriatal inhibition of medial thalamic unit responses to somatic and brainstem stimulation. *Brain Res.* **38**, 202-5.
- McKENZIE, J. S., and SMITH, M. H. (1970). Hippocampal responses to neocortical stimulation in the chloralose-anaesthetized cat. *Electroencephalogr. clin. Neurophysiol.* **28**, 273-80.
- MACKINTOSH, N. J. (1965). Overtraining, transfer to proprioceptive control, and position reversal. *Q. J. exp. Psychol.* **17**, 26-36.
- MACKINTOSH, N. J. (1974). *The psychology of animal learning*. Academic Press, London.
- MC LARDY, T. (1955a). Observations on the fornix of the monkey. I. Cell studies. *comp. Neurol.* **103**, 305-25.
- (1955b). Observations on the fornix of the monkey. II. Fibre studies. *J. comp. Neurol.* **103**, 327-40.
- (1971). Anticipatory recall deficit after cingulotomy in rats. *Exp. Neurol.* **32**, 141-51.
- MACLEAN, P. D. (1957a). Chemical and electrical stimulation of hippocampus in unrestrained animals. I. Methods and EEG findings. *Arch. Neurol. Psychiat.* **78**, 113-27.
- (1957b). Chemical and electrical stimulation of hippocampus in unrestrained animals. II. Behavioural findings. *Arch. Neurol. Psychiat.* **78**, 128-42.
- MACLEAN, P. D., and CRESSWELL, G. (1970). Anatomical connections of visual system with limbic cortex of monkey. *J. comp. Neurol.* **138**, 265-78.
- MC LENNAN, H., and MILLER, J. J. (1974a). The hippocampal control of neuronal discharges in the septum of the rat. *J. Physiol.* **237**, 607-24.
- (1974b) a-aminobutyric acid and inhibition in the septal nuclei of the rat. *J. Physiol.* **237**, 625-33.
- (1976). Frequency-related inhibitory mechanisms controlling rhythmical activity in the septal area. *J. Physiol.* **254**, 827-41.
- McMICHAEL, J. S. (1966). Incubation of anxiety and instrumental behaviour. *J. comp. physiol. Psychol.* **61**, 208-11.
- MC NEW, J. J., and THOMPSON, R. (1966). Role of the limbic system in active and passive

- avoidance conditioning in the rat. *J. comp. physiol. Psychol.* **61**, 173-80.
- MACRAE, D., and TROLLS, E. (1957). The defect of function in visual agnosia. *Brain* **79**, 94-110.
- MACRIDES, F. (1975). Temporal relationship between hippocampal slow waves and exploratory sniffing in hamsters. *Behav. Biol.* **14**, 295-308.
- MADSEN, M. C., and KIMBLE, D. P. (1965). The maze behaviour of hippocampectomized rats under massed and distributed trials. *Psychon. Sci.* **3**, 193-4.
- MAHUT, H. (1971). Spatial and object reversal learning in monkeys with partial temporal lobe ablations. *Neuropsychologia* **9**, 409-24.
- (1972). A selective spatial deficit in monkeys after transection of the fornix. *Neuropsychologia* **10**, 65-74.
- MAHUT, H., and ZOLA, S. M. (1973). A non-modality specific impairment in spatial learning after fornix lesions in monkeys. *Neuropsychologia* **11**, 244-69.
- MAIER, N. R. F. (1949). *Frustration: The study of behaviour without a goal*. University of Michigan Press, Ann Arbor, Mich.
- MANDELL, A. J., CHAPMAN, L. F., RAND, R. W., and WALTER, R. D. (1963). Plasma corticosteroids: Changes in concentration after stimulation of hippocampus and amygdala. *Science* **139**, 1212.
- MANDLER, G. (1967). Organisation and memory. In *The psychology of learning and motivation*, vol. I (eds K. W. Spence and J. A. Spence), pp. 328-72. Academic Press, New York.
- MARGULES, D. L., and STEIN, L. (1968). Facilitation of Sidman avoidance behaviour by positive brain stimulation. *J. comp. physiol. Psychol.* **66**, 182-4.
- MARSLEN-WILSON, W. D., and TEUBER, H.-L. (1975). Memory for remote events in anterograde amnesia: Recognition of public figures from news photographs. *Neuropsychologia* **13**, 353-64.
- MARTIN, S. M., MOBERG, G. P., and HOROWITZ, J. M. (1975). Glucocorticoids and the hippocampal theta rhythm in loosely restrained unanaesthetised rabbits. *Brain Res.* **93**, 535-42.
- MASON, J. W. (1958). The central nervous system regulation of ACTH secretion. In *Reticular formation of the brain* (eds H. H. Jasper, L. D. Proctor, R. S. Knighton, W. C. Noshay, and R. T. Costello), pp. 645-62. Little, Brown, Boston, Mass.
- (1959). Psychological influences on the pituitary-adrenal cortical system. In *Recent progress in hormone research* (ed. G. Pincus), pp. 345-89. Academic Press, New York.
- (1971). A re-evaluation of the concept of non-specificity in stress theory. *J. Psychiat. Res.* **8**, 323-33.
- MATTHEWS, G. V. T. (1955). *Bird navigation*. Cambridge University Press, Cambridge.
- (1968). *Bird navigation* (2nd edn). Cambridge University Press, Cambridge.
- MATTINGLEY, I. G. (1972). Reading, the linguistic process, and linguistic awareness. In *Language by ear and by eye* (eds J. F. Kavanagh and I. G. Mattingley), pp. 133-48. M.I.T. Press, Cambridge, Mass.
- MAYER, CH., and STUMPF, CH. (1958). Die Physostigminwirkung auf die Hippocampustätigkeit nach Septumlasionen. *Arch exp. Path. Pharmak.* **234**, 490-500.
- MAYS, L. E., and BEST, P. J. (1975). Hippocampal unit activity to tonal stimuli during arousal from sleep and in awake rats. *Exp. Neurol.* **47**, 268-79.
- MEANS, L. W. (1969a). *Cue utilization and perseveration in the hippocampectomized rat*. Ph.D. Dissertation, Claremont Graduate School.
- (1969b). Latent learning in rats with hippocampal lesions. *Psychon. Sci.* **16**, 51-2.
- MEANS, L. W., and DOUGLAS, R. J. (1970). Effects of hippocampal lesions on cue utilization in spatial discrimination in rats. *J. comp. physiol. Psychol.* **73**, 254-60.
- MEANS, L. W., LEANDER, J. D. and ISAACSON, R. L. (1971). The effect of hippocampectomy on alteration behaviour and response to novelty. *Physiol. Behav.* **6**, 17-22.
- MEANS, L. W., WALKER, D. M., and ISAACSON, R. L. (1970). Facilitated single alternation

- go-no-go performance following hippocampeotomy. *J. comp. physiol. Psychol.* **72**, 278-286.
- MEANS, L. W., WOODRUFF, M. L., and ISAACSON, R. L. (1972). The effect of a twenty-four hour intertrial interval on the acquisition of spatial discrimination by hippocampally damaged rats. *Physiol. Behav.* **8**, 457-62.
- MEIBACH, R. C., and SIEGEL, A. (1975). The origin of fornix fibers which project to the mammillary bodies in the rat: a horseradish peroxidase study. *Brain Res.* **88**, 508-12.
- MEISSNER, W. W. (1966). Hippocampal functions in learning. *J. Psychiat. Res.* **4**, 235-304.
- MELDRUM, B. S., and BRIERLEY, J. B. (1972). Neuronal loss and gliosis in the hippocampus following repetitive epileptic seizures induced in adolescent baboons by allylglycine. *Brain Res.* **48**, 361-5.
- MELLGREN, S. I. (1973). *Enzyme histochemical studies in the hippocampal region of the rat*. Thesis, Institute of Anatomy, University of Bergen.
- MELLGREN, S. I., and BLACKSTAD, T. W. (1967). Oxidative enzymes (Tetrazolium Reductases) in the hippocampal region of the rat--distribution and relation to architectonics. *Z. Zellforsch. Mikrosk. Anat.* **78**, 167-207.
- MELLGREN, S. I., and SREBRO, B. (1973). Changes in acetylcholinesterase and distribution of degenerating fibres in the hippocampal region after septal lesions in the rat. *Brain Res.* **52**, 19-36.
- MELTON, A. W., and MARTIN, E. (1972). *Coding processes in human memory*. W. H. Winston, Washington, D.C.
- MENZEL, E. W. (1973). Chimpanzee spatial memory organization. *Science* **182**, 943-5.
- MERING, T. A., and MUKHIN, E. I. (1973). Functional significance of the hippocampus. *Physiol. Behav.* **10**, 185-91.
- MERRILL, E. G., and WALL, P. D. (1972). Factors forming the edge of a receptive field: The presence of relatively ineffective afferent terminals. *J. Physiol.* **226**, 825-46.
- MICCO, D. J., and SCHWARTZ, M. (1971). Effects of hippocampal lesions upon the development of Pavlovian internal inhibition in rats. *J. comp. physiol. Psychol.* **76**, 371-7.
- MICHAL, E. K. (1973). Effects of limbic lesions on behaviour sequences and courtship behaviour of male rats (*Rattus norvegicus*). *Behaviour* **44**, 264-85.
- (1974). Dexamethasone inhibits multi-unit activity in the rat hippocampus. *Brain Res.* **65**, 180-3.
- MIKULKA, P. J., and FREEMAN, F. G. (1975). The effects of reinforcement delay and hippocampal lesions on the acquisition of a choice response. *Behav. Biol.* **15**, 473-7.
- MILGRAM, N. W. (1969a). Effect of hippocampal stimulation on feeding in the rat. *Physiol. Behav.* **4**, 665-70.
- (1969b). Motivational specificity of the dorsolateral hippocampus. *Commun. Behav. Biol.* **4**, 1-5.
- MILGRAM, N. W., GRANT, D. P., and STOCKMAN, S. M. (1975). Situational control over electrically induced ingestive behaviour: A comparison of hippocampal and hypothalamic feeding. *Physiol. Psychol.* **3**, 337-9.
- MILLER, C. R., ELKINS, R. L., FRASER, J., PEACOCK, L. J., and HOBBS, S. H. (1975). Taste aversion and passive avoidance in rats with hippocampal lesions. *Physiol. Psychol.* **3**, 123-6.
- MILLER, C. R., ELKINS, R. L., and PEACOCK, L. J. (1971). Disruption of a radiation-induced preference shift by hippocampal lesions. *Physiol. Behav.* **6**, 283-5.
- MILLER, G. A., GALANTER, E. H., and PRIBRAM, K. H. (1960). *Plans and the structure of behaviour*. Rinehart and Winston, New York.
- MILLER, O. M., and VOSKUIL, R. J. (1964). Thematic-map generalisation. *Geogr. Rev.* **54**, 13-19.
- MILLER, R. E., and MURPHY, J. V. (1964). Influence of the spatial relationships between the cue, reward and response in discrimination learning. *J. exp. Psychol.* **67**, 120-3.
- MILNER, B. (1965). Visually-guided maze learning in man: Effects of bilateral hippocampal, bilateral frontal and unilateral cerebral lesions. *Neuropsychologia* **3**, 317-38.
- (1966). Amnesia following operation on the temporal lobes. In *Amnesia* (eds C. W. M. Whitty and O. L. Zangwill), pp. 109-33. Butterworths, London.
- (1968). Visual recognition and recall after right temporal-lobe excision in man. *Neuropsychologia* **6**, 191-209.
- (1971). Interhemispheric differences and psychological processes. *Br. med. Bull.* **27**, 272-7.
- MILNER, B., CORKIN, S., and TUEBER, H.-L. (1968). Further analysis of the hippocampal amnesia syndrome: 14 year follow-up study of H.M. *Neuropsychologia* **6**, 215-34.
- MILNER, P. M. (1971). *Physiological psychology*. Holt, Rinehart and Winston, New York.
- MINK, W. D., BEST, P. J., and OLDS, J. (1967). Neurons in paradoxical sleep and motivated behaviour. *Science* **158**, 1335-7.
- MISHKIN, M. (1954). Visual discrimination performance following partial ablation of the temporal lobe: II. Ventral surfaces vs. hippocampus. *J. comp. physiol. Psychol.* **47**, 187-93.
- MISHKIN, M., and PRIBRAM, K. H. (1954). Visual discrimination performance following partial ablations of the temporal lobe. I. Ventral vs. lateral. *J. comp. physiol. Psychol.* **47**, 14-20.
- MOBERG, G. P., SCAPAGNINI, U., DE GROOT, J., and GANONG, W. F. (1971). Effect of sectioning the fornix on diurnal fluctuation in plasma corticosterone levels in the rat. *Neuroendocrinology* **7**, 11-15.
- MOK, A. C. S., and MOGENSON, G. J. (1974). Effects of electrical stimulation of the lateral hypothalamus, hippocampus, amygdala and olfactory bulb on unit activity of the lateral habenular nucleus in the rat. *Brain Res.* **77**, 417-29.
- MOLINO, A. (1975). Sparing of function after infant lesions of selected limbic structures in the rat. *J. comp. physiol. Psychol.* **89**, 868-81.
- MOLNAR, P. (1973). The hippocampus and the neural organization of mesodiencephalic motivational functions. *Rec. Dev. Neurobiol. Hung.* **4**, 93-173.
- MOLNAR, P. and ARUTYUNOV, V. S. (1969). Hippocampal responses to peripheral stimuli in anaesthetized cats. *Bull. Acad. Sci. Georgian SSR* **56**, 661-4.
- MOLNAR, P., ARUTYUNOV, V. S., and NARIKASHVILI, S. P. (1971). Microphysiological analysis of pyramidal and a kind of inhibitory interneuronal (probably basket cell) activity in the dorsal hippocampus of the cat. *Acta physiol. hung.* **40**, 387-91.
- MONTGOMERY, K. C. (1953a). The effect of hunger and thirst drives upon exploratory behaviour. *J. comp. physiol. Psychol.* **46**, 315-19.
- (1953b). The effect of activity deprivation on exploratory behaviour. *J. comp. physiol. Psychol.* **46**, 438-41.
- (1955). The relation between fear induced by novel stimulation and exploratory behaviour. *J. comp. physiol. Psychol.* **48**, 254-60.
- MONTGOMERY, K. C., and MONKMAN, J. A. (1955). The relation between fear and exploratory behaviour. *J. comp. physiol. Psychol.* **48**, 132-6.
- MOORCROFT, W. H. (1971). Ontogeny of forebrain inhibition of behavioural arousal in the rat. *Brain Res.* **35**, 513-22.
- MOORE, G. T. (1973). Developmental differences in environmental cognition. In *Environmental design research*, Vol. 2 (ed. W. F. E. Preiser). Dowden, Hutchinson and Ross, Stroudsburg, Pa.
- MOORE, R. Y., and HALARIS, A. E. (1975). Hippocampal innervation by serotonin neurons of the midbrain raphe in the rat. *J. comp. Neurol.* **164**, 171-84.
- MORALES, F. R., ROIG, J. A., MONTI, J. M., MACADAR, O., and BUDELLI, R. (1971). Septal unit activity and hippocampal EEG during the sleep-wakefulness cycle of the rat. *Physiol. Behav.* **6**, 563-7.
- MOREY, T. M., and BROWN, T. S. (1972). *Hippocampal lesions and positive incentive motivation*. Paper presented at Eastern Psychological Association Meetings.
- MORRELL, F. (1961). Lasting changes in synaptic organisation produced by continuous

- neuronal bombardment. In *Brain mechanisms and learning* (ed. J. F. Delafresnaye), pp. 375-92. Blackwell, Oxford.
- MORRIS, R. G. M. (1973). The acquisition and maintenance of avoidance behaviour. Ph.D. Thesis, University of Sussex.
- MORRIS, R. G. M., BLACK, A. H., and O'KEEFE, J. (1976). Hippocampal EEG during a ballistic movement (abstract). *Neurosci. Lett.* **3**, 102.
- MOSKO, S., LYNCH, G., and COTMAN, C. W. (1973). Distribution of the septal projection to the hippocampal formation of the rat. *J. comp. Neurol.* **152**, 163-74.
- MOUNTFORD, D. (1969). Drinking following carbachol stimulation of hippocampal formation or lateral ventricles. *Psychon. Sci.* **16**, 124-5.
- MOWRER, O. H. (1939). A stimulus-response analysis of anxiety and its role as a reinforcing agent. *Psychol. Rev.* **46**, 553-65.
- (1947). On the dual nature of learning-A re-interpretation of 'conditioning' and 'problem-solving'. *Harvard educ. Rev.* **17**, 102-48.
- MOYER, K. E., and KORN, J. H. (1964). Effect of UCS intensity on the acquisition and extinction of an avoidance response. *J. exp. Psychol.* **67**, 352-9.
- MUENZINGER, K. F., and MIZE, R. H. (1933). The sensitivity of the white rat to electric shock: Threshold and skin resistance. *J. comp. Psychol.* **15**, 139-48.
- MUIR, M. E., and BLAUT, J. M. (1969-70). The use of aerial photographs in teaching mapping to children in the first grade: An experimental study. *Minn. Geogr.* **22**, No. 3.
- MUNN, N. L. (1950). Handbook of psychological research on the rat. Riverside Press, Cambridge.
- MURPHY, H. M., and BROWN, T. S. (1970). Effects of hippocampal lesions on simple and preferential consummatory behaviour in the rat. *J. comp. physiol. Psychol.* **72**, 404-15.
- MURPHY, H. M., WIDEMAN, C. H., and BROWN, T. S. (1972). Liver glycogen levels in rats with limbic lesions. *Physiol. Behav.* **8**, 1171-4.
- MURPHY, L. R., and BROWN, T. S. (1974). Hippocampal lesions and learned taste aversion. *Physiol. Psychol.* **2**, 60-4.
- MURPHY, L. K., RACE, K. E., and BROWN, T. S. (1975). Behaviours emitted by rats with limbic lesions during feeding. *Behav. Biol.* **15**, 231-7.
- MURRAY, D. J., and HITCHCOCK, C. H. (1973). The nature of the memory deficit in Korsakoff's psychosis. *Can. J. Psychol.* **27**, 414-21.
- MUSTY, R. E. (1970). Hippocampal lesions and visual learning with different parameters of shock. Paper read at Psychonomic Society Meetings, San Antonio.
- MUSTY, R. E., LEE, H. M., and MALMO, R. B. (1967). Some aspects of hippocampal stimulation on heart rate and behaviour. Paper presented at Psychonomic Society Meetings, Chicago.
- MYER, J. S. (1971). Some effects of noncontingent aversive stimulation. In *Aversive conditioning and learning* (ed. F. R. Brush), pp. 469-536. Academic Press, New York.
- MYHRER, T. (1975a). Locomotor, avoidance, and maze behaviour in rats with selective disruption of hippocampal output. *J. comp. physiol. Psychol.* **89**, 759-77.
- (1975b). Locomotor and avoidance behaviour in rats with partial or total hippocampal perforant paths sections. *Physiol. Behav.* **15**, 217-24.
- (1975c). Maze performance in rats with hippocampal perforant paths lesions: some aspects of functional recovery. *Physiol. Behav.* **15**, 433-7.
- (1975d). Normal jump avoidance performance in rats with the hippocampal theta rhythm selectively disrupted. *Behav. Biol.* **14**, 489-98.
- MYHRER, T., and KAADA, B. (1975). Locomotor avoidance and maze behaviour in rats with the dorsal fornix transected. *Physiol. Behav.* **14**, 847-53.
- NACHMAN, M., and ASHE, J. H. (1974). Effects of basolateral amygdala lesions on neophobia, learned taste aversions, and sodium appetite in rats. *J. comp. physiol. Psychol.* **87**, 622-43.

- NADEL, L. (1968). Dorsal and ventral hippocampal lesions and behaviour. *Physiol. Behav.* **3**, 891-900.
- NADEL, L., and O'KEEFE, J. (1974). The hippocampus in pieces and patches: An essay on modes of explanation in physiological psychology. In *Essays on the nervous system. A Festschrift for Prof J. Z. Young* (eds R. Bellairs and E. G. Gray), pp. 367-90. Clarendon Press, Oxford.
- NADEL, L., O'KEEFE, J., and BLACK, A. (1975). Slam on the brakes: A critique of Altman, Brunner and Bayer's response inhibition model of hippocampal function. *Behav. Biol.* **14**, 151-62.
- NAFSTAD, P. H. J. (1967). An electron microscope study on the termination of the perforant path fibres in the hippocampus and the fascia dentata. *Z. Zellforsch. mikrosk. Anal.* **76**, 532-42.
- NAGY, J., and DECSI, L. (1974). Simultaneous chemical stimulation of the hypothalamus and dorsal hippocampus in the waking cat. *Pharmac. Biochem. Behav.* **2**, 285-92.
- NAKADATE, G., and DE GROOT, J. (1963). Fornix transection and adrenocortical function in rats. *Anal. Rec.* **145**, 338.
- NAKAJIMA, S. (1969). Interference with re-learning in the rat after hippocampal injection of actinomycin D. *J. comp. physiol. Psychol.* **67**, 457-61.
- (1972). Proactive effect of actinomycin D on maze performance in the rat. *Physiol. Behav.* **8**, 1063-7.
- (1975). Hippocampal protein synthesis and spike discharges in relation to memory. In *The hippocampus*, vol. I (eds R. L. Isaacson, and K. H. Pribram), pp. 393-413. Plenum Press, New York.
- NAKAO, H. (1966). The spread of hippocampal after-discharge and the performance of switch-off behaviour motivated by hypothalamic stimulation in cats. *Folia Psychiat. neurol. Jap.* **16**, 168-80.
- NAUTA, W. J. H. (1956). An experimental study of the fornix system in the rat. *J. comp. Neurol.* **104**, 247-70.
- (1958). Hippocampal projections and related neuronal pathways to the midbrain in the cat. *Brain* **81**, 319-40.
- NEISSER, U. (1954). An experimental distinction between perceptual process and verbal response. *J. exp. Psychol.* **47**, 399-402.
- (1967). *Cognitive psychology*. Appleton-Century-Crofts, New York.
- (1972). Changing conceptions of imagery. In *The function and nature of imagery* (ed. P. W. Sheehan), pp. 234-51. Academic Press, New York.
- NEISSER, U., and KERR, N. (1973). Spatial and mnemonic properties of visual images. *Cogn. Psychol.* **5**, 138-50.
- NIELSEN, T. C. (1971). Visual and tactial exploration in rats reared in different degrees of visual and tactial stimulation. *Scand. J. Psychol.* **12**, 53-60.
- NIEMER, W. T., GOODFELLOW, E. F., and SPEAKER, J. (1963). Neocortico-limbic relations in the cat. *Electroencephalogr. clin. Neurophysiol.* **15**, 827-38.
- NIKI, H. (1962). The effects of hippocampal ablation on the behaviour in the rat. *Jap. psychol. Res.* **4**, 139-53.
- (1965). The effect of hippocampal ablation on the inhibitory control of operant behaviour in the rat. *Jap. psychol. Res.* **7**, 126-37.
- (1966). Response perseveration following the hippocampal ablation in the rat. *Jap. psychol. Res.* **8**, 1-9.
- NODA, H., MANOHAR, S., and ADEY, W. R. (1969a). Spontaneous activity of cat hippocampal neurons in sleep and wakefulness. *Exp. Neurol.* **24**, 217-31.
- (1969b). Correlated firing of hippocampal neurone pairs in sleep and wakefulness. *Exp. Neurol.* **24**, 232-47.
- NONNEMAN, A. J., and ISAACSON, R. L. (1973). Task dependent recovery after early brain damage. *Behav. Biol.* **8**, 143-72.

- NONNEMAN, A. J., and KOLB, B. E. (1974). Lesions of hippocampus or prefrontal cortex alter species-typical behaviours in the cat. *Behav. Biol.* **12**, 41-54.
- NONNEMAN, A. J., VOIGT, J., and KOLB, B. E. (1974). Comparisons of behavioural effects of hippocampal and prefrontal cortex lesions in the rat. *J. comp. physiol. Psychol.* **87**, 249-60.
- NORMAN, D. A. (1969). *Memory and attention*. Wiley-Interscience, New York. (ed.).
- (1970). *Models of human memory*. Academic Press, New York.
- NORMAN, D. A., and RUMELHART, D. E. (1975). *Explorations in cognition*. W. H. Freeman, San Francisco, Calif.
- NYAKAS, C., and ENDROCZI, E. (1970). Effect of hippocampal stimulation on the establishment of conditioned fear response in the rat: An electrophysiological, behavioural and endocrine study. *Acta physiol. hung.* **37**, 281-9.
- OBRIST, P. A., SUTTERER, J. R., and HOWARD, J. L. (1972). Preparatory cardiac changes: A psychobiological approach. In *Classical conditioning. II: Current research and theory* (eds A. H. Black and W. F. Prokasy), pp. 312-40. Appleton-Century-Crofts, New York.
- ODERFELD-NOWAK, B., NARKIEWICZ, O., BIALOWAS, J., DABROWSKA, J., WIERASZKO, A., and GRADKOWSKA, M. (1974). The influence of septal nuclei lesions on activity of acetylcholinesterase and choline acetyltransferase in the hippocampus of the rat. *Acta neurobiol. exp.* **34**, 593-601.
- OETLIKER, B. A. (1972). The hippocampus: Place learning in one-way active avoidance. B.Sc. Thesis, University College, London.
- OGATA, N. (1975). Ionic mechanisms of the depolarisation shift in thin hippocampal slices. *Exp. Neurol.* **46**, 147-55.
- O'KEEFE, J. (1976). Place units in the hippocampus of the freely moving rat. *Exp. Neurol.* **51**, 78-109.
- O'KEEFE, J., and CONWAY, D. (1976). Sensory inputs to the hippocampal place units (abstract). *Neurosc. Lett.* **3**, 103-4.
- O'KEEFE, J., and DOSTROVSKY, J. (1971). The hippocampus as a spatial map. Preliminary evidence from unit activity in the freely-moving rat. *Brain Res.* **34**, 171-5.
- O'KEEFE, J., NADEL, L., KEIGHTLEY, S., and KILL, D. (1975). Fornix lesions selectively abolish place learning in the rat. *Exp. Neurol.* **48**, 152-66.
- OLDS, J. (1954). A neural model for sign-gestalt theory. *Psychol. Rev.* **61**, 59-72.
- (1965). Operant conditioning of single unit responses. *Proc. 23rd Congr. Physiological Sciences. Excerpta Med. Int. Congr. Ser.* no. **87**, pp. 372-80.
- (1967). The limbic system and behavioural reinforcement. *Prog. Brain Res.* **27**, 144-64.
- (1969). The central nervous system and the reinforcement of behaviour. *Am. Psychol.* **24**, 114-32.
- OLDS, J., DISTERTHOFT, J. F., SEGAL, M., KORNBLITH, C. L., and HIRSH, R. (1972). Learning centres of rat brain mapped by measuring latencies of conditioned unit responses. *J. Neurophysiol.* **35**, 202-19.
- OLDS, J., and HIRANO, T. (1969). Conditioned responses of hippocampal and other neurons. *Electroencephalogr. clin. Neurophysiol.* **2**, 159-66.
- OLDS, J., and BEST, P. J. (1969). Single unit patterns during anticipatory behaviour. *Electroencephalogr. clin. Neurophysiol.* **26**, 144-58.
- OLDS, J., and OLDS, M. E. (1961). Interference and learning in paleocortical systems. In *Brain mechanisms and learning* (ed. J. F. Delafresnaye), pp. 153-88. Blackwell, Oxford.
- OLIVER, D. L., FIRESTONE, M. I., and GOODMAN, E. D. (1973). Hippocampal stimulation rebound effects in hamsters. *Physiol. Behav.* **10**, 23-7.
- OLMSTEAD, C. E., BEST, P. J., and MAYS, L. E. (1973). Neural activity in the dorsal hippocampus during paradoxical sleep, slow wave sleep and waking. *Brain Res.* **60**, 381-91.

- OLTON, D. S. (1972a). Discrimination reversal performance after hippocampal lesions: An enduring failure of reinforcement and non-reinforcement to direct behaviour. *Physiol. Behav.* **9**, 353-6.
- (1972b). Behavioural and neuroanatomical differentiation of response suppression and response shift mechanisms in the rat. *J. comp. physiol. Psychol.* **78**, 450-6.
- (1973). Shock-motivated avoidance and the analysis of behaviour. *Psychol. Bull.* **79**, 243-51.
- (1977). Characteristics of spatial memory. In *Cognitive aspects of animal behaviour* (eds S. H. Hulse, H. F. Fowler, and W. K. Honig). Erlbaum, New Jersey. In the press.
- OLTON, D. S., COLLISON, C., and WERZ, M. A. (1977). Spatial memory and radial arm maze performance in rats. *Learn. Motiv.* In the press.
- (1972b). Behavioural and neuroanatomical differentiation of response suppression and response shift mechanisms in the rat. *J. comp. physiol. Psychol.* **78**, 450-6.
- (1973). Shock-motivated avoidance and the analysis of behaviour. *Psychol. Bull.* **79**, 243-51.
- OLTON, D. S., and GAGE, F. H., III. (1974). Role of the fornix in the septal syndrome. *Physiol. Behav.* **13**, 269-79.
- OLTON, D. S., and ISAACSON, R. L. (1968a). Hippocampal lesions and active avoidance. *Physiol. Behav.* **3**, 719-24.
- (1968b). Importance of spatial location in active avoidance. *J. comp. physiol. Psychol.* **65**, 535-9.
- (1969). Fear, Hippocampal lesions and avoidance behaviour. *Commun. Behav. Biol. A* **3**, 259-62.
- OLTON, D. S. and SAMUELSON, R. J. (1976). Remembrance of places passed: spatial memory in rats. *J. exp. Psychol. Anim. Behav. Proc.* **2**, 97-116.
- OLTON, D. S., WALKER, J. A., and GAGE, F. H. (1977). Hippocampal connections and spatial discrimination. *Brain Res.* In the press.
- ORBACH, J., MILNER, B., and RASMUSSEN, T. (1960). Learning and retention in monkeys after amygdala-hippocampus resection. *Arch. Neurol.* **3**, 230-51.
- OSCAR-BERMAN, M. O. (1973). Hypothesis testing and focusing behaviour during concept formation by amnesic Korsakoff patients. *Neuropsychologia* **11**, 191-8.
- OSCAR-BERMAN, M. O., GOODLASS, H., and CHERLOW, D. G. (1973). Perceptual laterality and iconic recognition of visual materials by Korsakoff patients and normal adults. *J. comp. physiol. Psychol.* **82**, 316-21.
- OSGOOD, C. E. (1971). Where do sentences come from? In *Semantics* (eds D. D. Steinberg and L. A. Jakobovits), pp. 497-529. Cambridge University Press, Cambridge.
- OTT, T., and MATTHIES, H. (1973). Some effects of RNA precursors on development and maintenance of long-term memory: hippocampal and cortical pre- and post-training application of RNA precursors. *Psychopharmacologia* **28**, 195-204.
- OVERSTREET, D. H., VASQUEZ, B. J., and RUSSELL, R. W. (1974). Reduced behavioural effects of intrahippocampally administered carbachol in rats with low cholinesterase activity. *Neuropharmacologia* **13**, 911-17.
- PAIVA, T., LOPEZ DA SILVA, F. H., and MOLLEVANGER, W. (1976). Modulating systems of hippocampal EEG. *Electroencephalogr. clin. Neurophysiol.* **40**, 470-80.
- PAIVIO, A. (1971). *Imagery and verbal processes*. Holt, Rinehart and Winston, New York.
- PAKULA, A., and SOKOLOV, E. N. (1973). Habituation in Gastropoda: Behavioural interneuronal, and endoneuronal aspects. In *Habituation*, vol. II, *Physiological substrates* (eds H. V. S. Peeke and M. J. Herz), pp. 35-107. Academic Press, New York.
- PALMER, S. E. (1975). Visual perception and world knowledge: notes on a model of sensory-cognitive interaction. In *Explorations in cognition* (eds D. A. Norman and D. E. Rumelhart), pp. 279-307. W. H. Freeman, San Francisco, Calif.

- PANDYA, D. N., and KUPYERS, H. G. J. M. (1969). Cortico-cortical connections in the rhesus monkey. *Brain Res.* **13**, 13-36.
- PANDYA, D. N., and VIGNOLO, A. A. (1969). Interhemispheric projections of the parietal lobe in the rhesus monkey. *Brain Res.* **15**, 49.
- PAPEZ, J. W. (1937). A proposed mechanism of emotion. *Arch. Neurol. Psychiat.* **38**, 725-43.
- PAPSDORF, J. D., and WOODRUFF, M. (1970). Effects of bilateral hippocampectomy on the rabbit's acquisition of shuttle-box and passive-avoidance responses. *J. comp. physiol. Psychol.* **73**, 486-9.
- PARKINSON, G. H. R. (ed.) (1973). *Leibniz - Philosophical writings*. J. M. Dent, London.
- PARMEGGIANI, P. L. (1962). Hippocampal theta rhythm and neocortical responses to photic stimuli. *Helv. physiol. pharmacol. Acta* **20**, C71-3.
- (1967). On the functional significance of the hippocampal theta rhythm. In *Progress in brain research*, Vol. 27 (eds W. R. Adey and T. Tokizane). Elsevier, Amsterdam.
- PARMEGGIANI, P. L., AZZARONI, A., and LENZI, P. (1971). On the functional significance of the circuit of Papez. *Brain Res.* **30**, 357-74.
- PARMEGGIANI, P. L., and RAPISARDA, C. (1969). Hippocampal output and sensory mechanisms. *Brain Res.* **14**, 387-400.
- PASTORE, N. (1960). Perceiving as innately determined. *J. genet. Psychol.* **96**, 93-9.
- (1974). Re-evaluation of Boring on Kantian influence, Nineteenth century nativism, Gestalt psychology and Helmholtz. *J. Hist. behav. Sci.* **10**, 375-90.
- PATTEN, B. M. (1972a). The ancient art of memory: Usefulness in treatment. *Arch. Neurol.* **26**, 25-31.
- (1972b). Modality specific memory disorders in man. *Acta neurol. scand.* **48**, 69-86.
- PAXINOS, G., and BINDRA, D. (1970). Rewarding intracranial stimulation, movement, and the hippocampal theta rhythm. *Physiol. Behav.* **5**, 227-31.
- PEARL, J., and FITZGERALD, G. (1966). Better discriminated bar-press avoidance at short inter-trial intervals. *Psychon. Sci.* **4**, 41-2.
- PEARSON, J. A., and WENKSTERN, B. (1971). Sensitization of flexor-withdrawal reflex in conscious spinal rats. *Physiol. Behav.* **6**, 625-6.
- PEEKE, H. V. S., and VENO, A. (1973). Stimulus specificity of habituated aggression in three-spined sticklebacks (*Gasterosteus aculeatus*). *Behav. Biol.* **8**, 427-32.
- PELLEGRINO, L. J., and CLAPP, D. F. (1971). Limbic lesions and externally cued DRL performance. *Physiol. Behav.* **7**, 863-8.
- PENFIELD, W. (1958). The excitable cortex in conscious man. Liverpool University Press, Liverpool.
- PEPEU, G., MULAS, A., MULAS, M. C. (1973). Changes in the acetylcholine content in the rat brain after lesions of the septum, fimbria and hippocampus. *Brain Res.* **57**, 153-64.
- PERETZ, E. (1965). Extinction of a food-reinforced response in hippocampectomized cats. *J. comp. physiol. Psychol.* **60**, 182-5.
- (1967). Effects of limbic cortex ablation on estrous response strength in cats. *J. comp. physiol. Psychol.* **63**, 220-2.
- PETERS, P. J., and BRUNNER, R. L. (1976). Increased running wheel activity and dyadic behaviour of rats with hippocampal granule cell deficits. *Behav. Biol.* **16**, 91-7.
- PETERS, R. (1973). Cognitive maps in wolves and men. In *Environmental design research*, Vol. 2 (ed. W. F. E. Preiser), pp. 247-53.
- PETRAS, J. M. (1971). Connections of the parietal lobe. *J. Psychiatr. Res.* **8**, 189-201.
- PETSCHÉ, H., GOGOLAK, G., and STUMPF, CH. (1966). Die Projektion der Zellen des Schrittmachers für den theta rhythmus auf den Kaninchenhippocampus. *J. Hirnforsch.* **8**, 129-36.
- PETSCHÉ, H., GOGOLAK, G., and VAN ZWEITEN, P. A. (1965). Rhythmicity of septal cell discharges at various levels of reticular excitation. *Electroencephalogr. clin. Neurophysiol.* **19**, 25-33.

- PETSCHÉ, H., and STUMPF, CH. (1960). Topographic and toposcopic study of origin and spread of the regular synchronised arousal pattern in the rabbit. *Electroencephalogr. clin. Neurophysiol.* **12**, 589-600.
- PETSCHÉ, H., and STUMPF, CH. (1962). Hippocampal arousal and seizure activity in rabbits; toposcopic and microelectrode aspects. In *Physiologie de l'hippocampe* (ed. P. Passouant). Editions du Centre National de la Recherche Scientifique, Paris.
- PETSCHÉ, H., STUMPF, and GOGOLAK, G. (1962). The significance of the rabbit's septum as a relay station between the midbrain and hippocampus. I. The control of hippocampal arousal activity by the septum cells. *Electroencephalogr. clin. Neurophysiol.* **14**, 202-11.
- PFAFF, D., and KEINER, M. (1973). Atlas of estradiol-concentrating cells in the central nervous system of the female rat. *J. comp. Neurol.* **151**, 121-58.
- PFAFF, D., SILVA, M. T. A., and WEISS, J. M. (1971). Telemetered recording of hormone effects on hippocampal neurons. *Science* **172**, 394-5.
- PHILLIPS, W. A. and BADDELEY, A. D. (1971). Reaction time and short-term visual memory. *Psychon. Sci.* **22**, 73-4.
- PIAGET, J. (1955) *The child's construction of reality* (transl. M. Cook). Routledge and Kegan Paul, London.
- (1971a). *Structuralism* (Transl. C. Maschler). Routledge and Kegan Paul, London.
- (1971b). *Biology and knowledge*. Edinburgh University Press, Edinburgh.
- PIAGET, J., and INHELDER, B. (1956). *The child's conception of space*. Routledge and Kegan Paul, London.
- PIAGET, J., INHELDER, B., and SZEMINSKA, A. (1960). *The child's conception of geometry*. Routledge and Kegan Paul, London.
- PICKENHAIN, L., and KLINGBERG, F. (1967). Hippocampal slow wave activity as a correlate of basic behavioural mechanisms in the rat. In *Progress in brain research*, Vol. 27 (eds W. R. Adey and T. Tokizane), pp. 218-27. Elsevier, Amsterdam.
- PIERCY, M., and HUPPERT, F. A. (1972). Efficient recognition of pictures in organic amnesia. *Nature (Lond.)* **240**, 564.
- PIGAREVA, M. L. (1974). Elaboration of conditioned alimentary reflexes having different probabilities of reinforcement in rats with hippocampal lesions. *Acta neurobiol. exp.* **34** 423-33.
- PINEL, J. P., and MUCHA, R. F. (1973a). Incubation and Kamin effects in the rat: Changes in activity and reactivity after footshock. *J. comp. physiol. Psychol.* **84**, 661-8.
- (1973b). Incubation effect in the cockroach (*Perriplaneta americana*). *J. comp. physiol. Psychol.* **85**, 132-8.
- PLATT, J. (1964). Strong inference. *Science* **146**, 347-53.
- PLUNKETT, R. P., FAULDS, B. D., and ALBINO, R. C. (1973). Place learning in hippocampectomized rats. *Bull. Psychon. Soc.* **2**, 79-80.
- POHL, W. (1973). Dissociation of spatial discrimination deficits following frontal and parietal lesions in monkeys. *J. comp. physiol. Psychol.* **82**, 227-39.
- POINCARE, H. (1913). *The foundations of science* (transl. by G. B. Halsted). Science Press, Lancaster, Pa.
- POLC, P., and MONNIER, M. (1970). An activating mechanism in the ponto-bulbar raphe system of the rabbit. *Brain Res.* **22**, 47-61.
- POLETTI, C., KINNARD, M., and MACLEAN, P. (1970). Analysis of hippocampal influence of units of mammillary region in awake, sitting squirrel monkeys. *Electroencephalogr. clin. Neurophysiol.* **29**, 322.
- (1973) Hippocampal influence on unit activity of hypothalamus, preoptic region, and basal forebrain in awake, sitting squirrel monkeys. *J. Neurophysiol.* **36**, 308-24.
- POND, F. J., LIDSKY, T. I., LEVINE, M. S., and SCHWARTZBAUM, J. S. (1970). Hippocampal electrical activity during hypothalamic-evoked consummatory behaviour in rats. *Psychon. Sci.* **21**, 21-3.
- POND, F. J., SCHWARTZBAUM, J. S. (1970). Hippocampal electrical activity evoked by

- rewarding and aversive brain stimulation in rats. *Commun. Behav. Biol.* **5**, 89-105.
- (1972). Inter-relationships of hippocampal EEG and visual evoked responses during appetitive behaviour in rats. *Brain Res.* **43**, 119-37.
- POPPER, K. (1959). *The logic of scientific discovery*. Hutchinson, London.
- PORTER, R. W. (1954). The central nervous system and stress-induced eosinopenia. *Rec. Prog. hormone Res.* **10**, 1-27.
- POSEY, T. B. (1972). The hippocampal inhibition deficit in positively reinforced discrete trial learning. *Psychon. Sci.* **26**, 246-8.
- POSNER, M. I., and WARREN, E. (1972). Traces, concepts and conscious constructions. In *Coding processes in human memory* (eds A. W. Melton and E. Martin), pp. 25-43. Winston, Washington, D.C.
- POWELL, D. A., and JOSEPH, J. A. (1974). Autonomic-somatic interaction and hippocampal theta activity. *J. comp. physiol. Psychol.* **87**, 978-86.
- POWELL, E. W. (1963). Septal efferents revealed by axonal degeneration in the rat. *Exp. Neurol.* **8**, 406-22.
- POWELL, T. P. S., and COWAN, W. M. (1955). An experimental study of the efferent connexions of the hippocampus. *Brain* **78**, 115-32.
- POWELL, T. P. S., COWAN, W. M., and RAISMAN, G. (1965). The central olfactory connections. *J. Anat.* **99**, 791-813.
- POWELL, T. P. S., GUILLERY, R. W., and COWAN, W. M. (1957). A quantitative study of the fornix-mamillo-thalamic system. *J. Anat.* **91**, 419-37.
- PREOBRAZHENSKAYA, L. A. (1974). Hippocampal electrical activity and different types of conditioned reflexes in dogs. *Acta neurobiol. exp.* **34**, 409-22.
- PRIBRAM, K. H., WILSON, W. A., JR., and CONNORS, J. (1962). Effects of lesions of the medial forebrain on alteration behaviour of rhesus monkeys. *Exp. Neurol.* **6**, 36-47.
- PRICE, J. L., and POWELL, T. P. S. (1971). Certain observations on the olfactory pathway. *J. Anat.* **110**, 105-26.
- PRYTULAK, L. S. (1971). Natural language mediation. *Cogn. Psychol.* **2**, 1-56.
- PSATTA, D., SIRIAN, S., and UNGHER, J. (1968). Effects of hippocampal stimulation and localized limbic after discharges on the orienting reflex and sensory vs. motor conditioning. *Electroencephalogr. clin. Neurophysiol.* **25**, 298.
- PSATTA, D., UNGHER, J., and SIRIAN, S. (1968). Conditioned sensory motor and sensorysensorial responses interfered with by hippocampal stimulation in cats. *Electroencephalogr. clin. Neurophysiol.* **25**, 298.
- (1970). Effects of hippocampal stimulations on sensory versus motor conditioning. *Rev. roum. Neurol.* **7**, 301-12.
- PURPURA, D. P. (1967). Comparative physiology of dendrites. In *The neurosciences: a study programme* (eds C. Quarton, T. Melnechuck, and F. O. Schmitt), pp. 372-93. Rockefeller University Press, New York.
- PURPURA, D. P., McMURTRY, J. G., LEONARD, C. F., and MALLIANI, A. (1966). Evidence for dendritic origin of spikes without depolarizing prepotentials in hippocampal neurons during and after seizures. *J. Neurophysiol.* **29**, 954-79.
- PYLYSHYN, Z. W. (1973). What the mind's eye tells the mind's brain: A critique of mental imagery. *Psychol. Bull.* **80**, 1-24.
- RABE, A. (1963). Discrimination reversal deficit from hippocampal stimulation in the rat. *J. psychol. Stud.* **14**, 139-50.
- (1968). Dependence of response persistence on frustrative non-reward in rats with hippocampal lesions. Paper presented at Western Conference of Experimental Psychology, Tahoe City.
- RABE, A., and HADDAD, R. K. (1968). Effect of selective hippocampal lesions in the rat on acquisition, performance and extinction of bar pressing on a fixed ratio schedule. *Exp. Brain Res.* **5**, 259-66.

- (1969a). Acquisition of two-way shuttle-box avoidance after selective hippocampal lesions. *Physiol. Behav.* **4**, 319-23.
- (1969b). Integrative deficit after hippocampal lesions? *Proc. Am. Psychol. Assoc.* **4**, 213-14.
- RABINOVITCH, M. S., and ROSVOLD, H. E. (1951). A closed-field intelligence test for rats. *Can. J. Psychol.* **5**, 122-8.
- RACINE, R. J., and KIMBLE, D. P. (1965). Hippocampal lesions and delayed alternation in the rat. *Psychon. Sci.* **3**, 285-6.
- RADUOVACKI, M., and ADEY, W. R. (1965). The hippocampus and the orienting reflex. *Exp. Neurol.* **12**, 68-83.
- RAISMAN, G. (1966). The connexions of the septum. *Brain* **89**, 317-48.
- (1969). A comparison of the mode of termination of the hippocampal and hypothalamic afferents to the septal nuclei as revealed by electron microscopy of degeneration. *Exp. Brain Res.* **7**, 317-43.
- RAISMAN, G., COWAN, W. M., and POWELL, T. P. S. (1965). The extrinsic afferent, commissural and association fibres of the hippocampus. *Brain* **88**, 963-95.
- (1966). An experimental analysis of the efferent projections of the hippocampus. *Brain* **89**, 83-108.
- RANCK, J. B., JR. (1972). A strategy for studying the relation of the firing of single neurons to behaviour. Unpublished paper.
- (1973). Studies on single neurons in dorsal hippocampal formation and septum in unrestrained rats. *Exp. Neurol.* **41**, 461-555.
- (1975). Behavioural correlates and fixing repertoires of neurons in the dorsal hippocampal formation and septum of unrestrained cats. In *The hippocampus* vol. 2 (eds R. L. Isaacson and K. H. Pribram), pp. 207-44. Plenum Press, New York.
- (1976). Behavioural correlates and firing repertoires of neurons in septal nuclei in unrestrained rats. In *The septal nuclei* (ed. J. De France), pp. 423-62. Plenum Press, New York.
- RAPHELSON, A. C., ISAACSON, R. L., and DOUGLAS, R. J. (1965). The effect of distracting stimuli on the runway performance of limbic damaged rats. *Psychon. Sci.* **3**, 483-4.
- (1966). The effect of limbic damage on the retention and performance of a runway response. *Neuropsychologia* **4**, 253-64.
- RATCLIFF, G., and NEWCOMBE, F. (1973). Spatial orientation in man: Effects of left, right and bilateral posterior cerebral lesions. *J. Neurol. Neurosurg. Psychiat.* **36**, 448-54.
- REDDING, F. K. (1967). Modification of sensory cortical evoked potentials by hippocampal stimulation. *Electroencephalogr. clin. Neurophysiol.* **22**, 74-83.
- (1969). Anatomical substrates of descending hippocampal influences. *Electroencephalogr. clin. Neurophysiol.* **27**, 546.
- REED, S. K. (1972). Pattern recognition and categorization. *Cogn. Psychol.* **3**, 382-407.
- REID, T. (1969). *Essays on the intellectual powers of man* (1785). M.I.T. Press, Cambridge, Mass.
- RENSHAW, B., FORBES, A., and MORISON, B. R. (1940). Activity of isocortex and hippocampus: electrical studies with microelectrodes. *J. Neurophysiol.* **3**, 74-105.
- RESCHER, N. (1967). *The philosophy of Leibniz*. Prentice-Hall, Englewood Cliffs, N.J.
- RESCORLA, R. A., and SOLOMON, R. L. (1967). Two-process learning theory: Relationships between Pavlovian conditioning and instrumental learning. *Psychol. Rev.* **74**, 151-182.
- RESTLE, F. (1957). Discrimination of cues in mazes: A resolution of the 'place-vs-response' question. *Psychol. Rev.* **64**, 217-28.
- REYNIERSE, J. H., and RIZLEY, R. C. (1970). Relaxation and fear as determinants of maintained avoidance in rats. *J. comp. physiol. Psychol.* **72**, 223, 32.
- RICHARDS, P. (1974). Kant's geography and mental maps. *Trans. Inst. Br. Geogr.* **61**, 1-16.
- RICHARDS, W. (1973). Time reproductions by H. M. *Acta Psychol.* **37**, 279-82.

- RICHES, V. (1972). The effect of hippocampal lesions on spatial learning. B.Sc. Thesis, University College London.
- RICHTER, C. P. (1922). A behaviouristic study on the activity of the rat. *Comp. Psychol. Monogr.* **1**, 1-55.
- RICKERT, E. J., and BENNETT, T. L. (1972). Performance of hippocampectomized rats on discontinuous negatively correlated reward. *Behav. Biol.* **7**, 375-82.
- RICKERT, E. J., BENNETT, T. L., ANDERSON, G. J., CORBETT, J., and SMITH, L. (1973). Differential performance of hippocampally ablated rats on nondiscriminated and discriminated DRL schedules. *Behav. Biol.* **8**, 597-609.
- RIDDELL, W. I. (1968). An examination of the task and trial parameters in passive avoidance learning by hippocampectomized rats. *Physiol. Behav.* **3**, 883-6.
- (1972). Consolidation time of hippocampectomized rats in a one-trial learning situation. *Psychon. Sci.* **29**, 285-7.
- RIDDELL, W. I., MALINCHOC, M., and REIMERS, R. O. (1973). Shift and retention deficits in hippocampectomised and neocorticate rats. *Physiol. Behav.* **10**, 869-78.
- RIDDELL, W. I., ROTHBLAT, L. A., and WILSON, W. A., JR. (1969). Auditory and visual distraction in hippocampectomized rats. *J. comp. physiol. Psychol.* **67**, 216-19.
- ROBERTS, J. A. (1962). The topographic map in a world of computers. *Prof. Geogr.* **14**, 12-13.
- ROBERTS, W. W., DEMBER, W. N., and BRODWICK, M. (1962). Alternation and exploration in rats with hippocampal lesions. *J. comp. physiol. Psychol.* **55**, 695-700.
- ROBINSON, T. E., PAPPAS, B. A., and VANDERWOLF, C. H. (1975). Noradrenaline and behaviour-related EEG activation of the hippocampus and neocortex. *Neurosci. abstr.* **5**, no. 517, 333.
- ROBINSON, T. E., and WHISHAW, I. Q. (1974). Effects of posterior hypothalamic lesions on voluntary behaviour and hippocampal electroencephalograms in the rat. *J. comp. physiol. Psychol.* **86**, 768-86.
- ROGOZEA, R., and UNGHER, J. (1968). Changes in orienting activity of cat induced by chronic hippocampal lesions. *Exp. Neurol.* **21**, 176-86.
- ROGOZEA, R., UNGHER, J., and FLOREA-CIDCOIU, V. (1969). The influence of intrahippocampal gamma-amino-butyric acid on the orienting reflex. *Electroencephalogr. clin. Neurophysiol.* **27**, 162-8.
- (1971). The effect of intra-hippocampal acetylcholine on the orienting reflex. *Rev. roum. Neurol.* **8**, 237-53.
- ROSCH, E. (1973). On the internal structure of perceptual and semantic categories. In *Cognitive development and acquisition of language* (ed. T. E. Moore). Academic Press, New York.
- (1975). Cognitive representations of semantic categories. *J. exp. Psychol.* **104**, 192-233.
- ROSE, F. C., and SYMONDS, C. P. (1960). Persistent memory defect following encephalitis. *Brain* **83**, 195-212.
- ROSE, J. D., and FROMMER, G. P. (1971). Changes in trigeminal nucleus evoked potentials and behavioural responses elicited by trigeminal stimulation following septal lesions. *Brain Res.* **26**, 433-8.
- ROSE, M. (1926). Über das histogenetische Prinzip der Einteilung der Grosshirnrinde. *J. Psychol. Neurol. (Lpz.)* **32**, 97-160.
- ROSNER, B. S. (1970). Brain functions in *Ann. Rev. Psychol.* (eds D. Mussen and M. Rosenzweig) **21**, 555-94.
- (1974). Recovery of function and localization of function in historical perspective. In *Plasticity and recovery of Junction in the central nervous system* (eds D. G. Stein, J. J. Rosen, and N. Butters), pp. 1-29. Academic Press, New York.
- ROSS, J., and LAWRENCE, K. A. (1968). Some observations on memory artifice. *Psychon. Sci.* **13**, 107-8.
- ROSS, J. F., GROSSMAN, L., and GROSSMAN, S. P. (1975). Some behavioural effects of transect-

- ing ventral or dorsal fibre connections of the septum in the rat. , *J. comp. physiol. Psychol.* **89**, 5-18.
- ROSS, J. F., and GROSSMAN, S. P. (1974). Intrahippocampal application of cholinergic agents and blockers: Effects on rats in differential reinforcement of low rates and Sidman avoidance paradigms. *J. comp. physiol. Psychol.* **86**, 590-600.
- (1975). Septal influences on operant responding in the rat. *J. comp. physiol. Psychol.* **89**, 523-36.
- ROSS, R. A., and REIS, D. J. (1974). Effects of lesions of locus coeruleus on regional distribution of dopamine- β -hydroxylase activity in rat brain. *Brain Res.* **73**, 161-6.
- ROSVOLD, H. E., MISHKIN, M., and SZWARCBART, M. K. (1964). The effect of hippocampal lesions on delayed alternation performance in monkeys. Unpublished report cited by Rosvold and Szwarcbart (1964).
- ROSVOLD, H. E., and SZWARCBART, M. K. (1964). Neural structures involved in delayed-response performance. In *The frontal granular cortex and behaviour* (eds J. M. Warren and K. Akert), pp. 1-15. McGraw-Hill, New York.
- ROUTTENBERG, A. (1967). Drinking induced by carbachol: thirst circuit or ventricular modification. *Science* **157**, 838-9.
- (1968). Hippocampal correlates of comsummatory and observed behaviour. *Physiol. Behav.* **3**, 533-5.
- (1970). Hippocampal activity and brainstem reward-aversion loci. *J. comp. physiol. Psychol.* **72**, 161-70.
- ROUTTENBERG, A., and KRAMIS, R.C. (1968). Hippocampal correlates of aversive midbrain stimulation. *Science* **160**, 1363-5.
- ROUTTENBERG, A., ZECHMEISTER, E. B., and BENTON, C. (1970). Hippocampal activity during memory disruption of passive avoidance by electroconvulsive shock. *Life Sci.* **9**, 909-18.
- RUBIN, R., MANDEL, A., and CRANDALL, P. (1966). Corticosteroid response to limbic stimulation in man: Localisation of stimulus sites. *Science* **154**, 767-8.
- RUMELHART, D. E. (1975). Notes on a schema for stories. In *Representation and understanding: Studies in cognitive science* (eds D. G. Bobrow and A. M. Collins). Academic Press, New York.
- RUSSELL, B. (1901). I. Is position in time and space absolute or relative? *Mind* **39** (NS.), 293-317
- (1937). *A critical exposition of the philosophy of Leibniz*. (2nd ed.). George Allen and Unwin, London.
- RUSSELL, P. A. (1973). Relationships between exploratory behaviour and fear: A review. *Br. J. Psychol.* **64**, 417-33.
- RYAN, T. A., and RYAN, M. S. (1940). Geographical orientation. *Am. J. Psychol.* **53**, 204-15.
- RYLE, G. (1949). *The concept of mind*. Barnes and Noble, New York.
- SADOWSKI, B., and LONGO, V. G. (1962). Electroencephalographic and behavioural correlates of an instrumental reward conditioned response in rabbits; a physiological and pharmacological study. *Electroencephalogr. clin. Neurophysiol.* **14**, 465-76.
- SAGER, O., NESTIANU, V., and FLOREA-CIOCOIU, V. (1967). EGG studies on the transmission of visual stimuli to the hippocampus. *Electroencephalogr. clin. Neurophysiol.* **22**, 576P.
- SAINSBURY, R. S. (1970). Hippocampal activity during natural behaviour in the guinea pig. *Physiol. Behav.* **5**, 317-24.
- SAKAI, K., SANG, K., and IWAHARA, S. (1973). Eye movements and hippocampal theta activity in cats. *Electroencephalogr. clin. Neurophysiol.* **34**, 547-9
- SAMUELS, I. (1972). Hippocampal lesions in the rat: Effects on spatial and visual habits. *Physiol. Behav.* **8**, 1093-8.
- SAMUELS, I., BUTTERS, N., and FEDIO, P. (1972). Short term memory disorders following temporal lobe removals in humans. *Cortex* **8**, 283-98.

- SAMUELS, I., BUTTERS, N., GOODGLASS, H., and BRODY, B. (1971). A comparison of subcortical and cortical damage on short-term visual and auditory memory. *Neuropsychologia* **9**, 293-306.
- SAMUELS, I., and VALIAN, V. (1968). Hippocampal lesions and redundant visual cues: Effects on spatial reversal learning and subsequent visual discriminations. *Proc. am. psychol. Assoc.* **3**, 321-2.
- SANDERS, H. I., and WARRINGTON, E. K. (1971). Memory for remote events in amnesic patients. *Brain* **94**, 661-8.
- (1975). Retrograde amnesia in organic amnesic patients. *Cortex* **11**, 397-400.
- SANO, K., IWAHARA, S., SENBA, K., SANO, A. and YAMAZAKI, S. (1973). Eye movements and hippocampal theta activity in rats. *Electroencephalogr. clin. Neurophysiol.* **35**, 621-5.
- SANWALD, J. C., PORZIO, N. R., DEANE, G. E., and DONOVICK, P. G. (1970). The effects of septal and dorsal hippocampal lesions on the cardiac component of the orienting response. *Physiol. Behav.* **5**, 883-8.
- SAPORTA, S., and GREENE, E. (1972). Orienting bias in the rat produced by hippocampal lesion. Paper presented at Western Psychological Association meeting, Portland, Oregon.
- SATINOFF, E., DRUCKER-COLIN, R. R., and HERNANDEZ-PEON, R. (1971). Paleocortical excitability and sensory filtering during REM sleep deprivation. *Physiol. Behav.* **7**, 103-6.
- SAVIN, H. B., and BEVER, T. G. (1970). The non-perceptual reality of the phoneme. *J. verbal Learn. verbal Behav.* **9**, 295-302.
- SAWA, M., UEKI, Y., ARITA, M., and HARADA, T. (1954). Preliminary report on the amygdaloideotomy on the psychotic patients, with interpretation of oral-emotional manifestation in schizophrenics. *Folia Psychiat. Neurol. Jap.* **7**, 309-29.
- SCHANK, R. C. (1972). Conceptual dependency: A theory of natural language understanding. *Cogn. Psychol.* **3**, 552-631.
- (1975). The structure of episodes in memory. In *Representation and understanding* (eds D. G. Bobrow and A. Collins), pp. 237-72. Academic Press, New York.
- SCHLESSINGER, A. R., COWAN, W. M., and GOTTLIEB, D. I. (1975). An autoradiographic study of the time of origin and the pattern of granule cell migration in the dentate gyrus of the rat. *J. comp. Neurol.* **159**, 149-76.
- SCHLOSBERG, A. J., JOHNSON, C. N., and LASH, L. (1969). Responses to shock by hippocampectomized rats. Paper presented at Experimental Psychology Association.
- SCHMALTZ, L. W. (1971). Deficit in active avoidance learning in rats following penicillin injection into hippocampus. *Physiol. Behav.* **6**, 667-74.
- SCHMALTZ, L. W., and GIULIAN, D. (1972). Faster acquisition of discriminated lever-press avoidance by hippocampectomized rats. *J. comp. physiol. Psychol.* **81**, 149-54.
- SCHMALTZ, L. W., and ISAACSON, R. L. (1966a). Retention of DRL-20 schedule by hippocampectomized and partially neocorticate rats. *J. comp. physiol. Psychol.* **62**, 128-32.
- (1966b). Effects of preliminary training conditions upon DRL-20 performance in hippocampectomized rats. *Physiol. Behav.* **1**, 175-82.
- (1967). Effect of bilateral hippocampal destruction on the acquisition and extinction of an operant response. *Physiol. Behav.* **2**, 291-8.
- (1968). The effect of blindness on DRL-20 performances exhibited by animals with hippocampal destruction. *Psychon. Sci.* **11**, 241-2.
- SCHMALTZ, L. W., and THEIOS, J. (1972). Acquisition and extinction of a classically conditioned response in hippocampectomized rabbits (*Oryctolagus cuniculus*). *J. comp. Physiol. Psychol.* **79**, 328-33.

- SCHMALTZ, L. W., WOLF, B. P., and TREJO, W. R. (1973). FR, DRL and discrimination learning in rats following aspiration lesions and penicillin injection into hippocampus. *Physiol. Behav.* **11**, 17-22.
- SCHWARTZBAUM, J. S. (1975). Interrelationship among multiunit activity of the midbrain reticular formation and lateral geniculate nucleus, thalamocortical arousal and behaviour in rats. *J. comp. physiol. Psychol.* **89**, 131-57.
- SCHWARTZBAUM, J. S., and KREINICK, C. J. (1973). Inter-relationships of hippocampal electroencephalogram, visually evoked response, and behavioural reactivity to photic stimuli in rats. *J. comp. physiol. Psychol.* **85**, 479-90.
- SCHWARTZBAUM, J. S., THOMPSON, J. B., and KELLICUTT, M. H. (1964). Auditory frequency discrimination and generalization following lesions of the amygdaloid area in rats. *J. comp. physiol. Psychol.* **57**, 257-66.
- SCHWARTZKROIN, P. A., and WESTER, K. (1975). Long-lasting facilitation of a synaptic potential following tetanization in the *in vitro* hippocampal slice. *Brain Res.* **89**, 107-19.
- SCOVILLE, W. B. (1954). The limbic lobe in man. *J. Neurosurg.* **11**, 64-6.
- (1968). Amnesia after bilateral mesial temporal lobe excision: Introduction to case H.M. *Neuropsychologia* **6**, 211-13.
- SCOVILLE, W. B., and MILNER, B. (1957). Loss of recent memory after bilateral hippocampal lesion. *J. neurol. neurosurg. Psychiat.* **20**, 11-21.
- SEGAL, M. (1972). Hippocampal unit responses to perforant path stimulation. *Exp. Neurol.* **35**, 541-6
- (1973a). Flow of conditioned responses in limbic telencephalic system of the rat. *J. Neurophysiol.* **36**, 840-54.
- (1973b). Dissecting a short-term memory circuit in the rat. I. Changes in entorhinal unit activity and responsiveness of hippocampal units in the process of classical conditioning. *Brain Res.* **64**, 281-92.
- (1974). Convergence of sensory input on units in the hippocampal system of the rat. *J. comp. physiol. Psychol.* **87**, 91-9.
- (1975). Physiological and pharmacological evidence for a serotonergic projection to the hippocampus. *Brain Res.* **94**, 115-32.
- SEGAL, M., and BLOOM, F. E. (1974a). The action of norepinephrine in the rat hippocampus. I. Iontophoretic studies. *Brain Res.* **72**, 79-97.
- (1974b). The action of norepinephrine in the rat hippocampus. II. Activation of the input pathway. *Brain Res.* **72**, 99-114.
- SEGAL, M., DISTERHOLT, J. F., and OLDS, J. (1972). Hippocampal unit activity during classical aversive and appetitive conditioning. *Science* **175**, 792-4.
- SEGAL, M., and LANDIS, S. (1974). Afferents to the hippocampus of the rat studied with the method of retrograde transport of horseradish peroxidase. *Brain Res.* **78**, 1-15.
- SEGAL, M., and OLDS, J. (1972). Behaviour of units in hippocampal circuit of the rat during learning. *J. Neurophysiol.* **35**, 680-90.
- (1973). Activity of units in the hippocampal circuit of the rat during differential classical conditioning. *J. comp. physiol. Psychol.* **82**, 195-204.
- SEIDENSTADT, R., and HAGSTROM, E. C. (1970). Hippocampal lesions in rats and increased stimulus exposure. Paper presented at Experimental Psychology Association, New York.
- SELIGMAN, M. E. P., and JOHNSTON, M. C. (1973). A cognitive theory of avoidance learning. In *Contemporary approaches to conditioning* (eds F. J. McGuigan and D. B. Lumsden). Wiley-Interscience, New York.
- SELYE, H. (1950). *Stress. The physiology and pathology of exposure to stress*. Acta Medica Publications, Montreal.

- SEMMES, J., WEINSTEIN, S., GHENT, L., and TEUBER, H.-L. (1955). Spatial orientation in man after cerebral injury. I. Analyses by locus of lesion. *J. Psychol.* **39**, 227-44.
- (1963). Correlates of impaired orientation in personal and extrapersonal space. *Brain* **86**, 747-72.
- SENDEN, M. VON (1960). *Space and sight* (1932) (transl. P. Heath). Methuen, London.
- SENGSTAKE, C. B. (1968). Habituation and activity patterns of rats with large hippocampal lesions under various drive conditions. *J. comp. physiol. Psychol.* **65**, 504-6.
- SEROTA, R. G. (1971). Acetoxycycloheximide and transient amnesia in the rat. *Proc. Nat. Acad. USA* **68**, 1249-50.
- SETHY, V. H., KUHAR, M. J., ROTH, R. H., VAN WOERT, M. H., and AGHAJANIAN, G. K. (1973). Cholinergic neurons: effect of acute septal lesions on acetylcholine and choline content of rat hippocampus. *Brain Res.* **55**, 481-4.
- SEWARD, J. P., and LEVY, N. (1949). Sign learning as a factor in extinction. *J. exp. Psychol.* **39**, 660-8.
- SHABAN, V. M. (1970). Effect of transection of afferent pathways on evoked potentials, theta rhythm and neuronal activity in the hippocampus (English summary). *Neurofiziologiya* **2**, 439-44.
- SHALLICE, T., and WARRINGTON, E. K. (1970). Independent functioning of verbal memory stores: a neuropsychological study. *Q. J. exp. Psychol.* **22**, 261-73.
- SHALTER, M. D. (1975). Lack of spatial generalization in habituation tests of fowl. *J. comp. physiol. Psychol.* **89**, 258-62.
- SHANTZ, C. U., and WATSON, J. S. (1971). Spatial abilities and spatial egocentrism in the young child. *Child Dev.* **42**, 171-81.
- SHARPLESS, S. K. (1964). Reorganization of function in the nervous system-use and disuse. *Ann. Rev. Physiol.* **26**, 357-88.
- SHINKMAN, P. G., and KAUFMAN, K. P. (1970). Time-dependent disruption of CER formation by post-trial hippocampal seizure. Proc. 78th Annual Conv. of the American Psychology Association 1970, vol. 5, pp. 217-18.
- (1972a). Post-trial hippocampal stimulation and CER acquisition in the rat. *J. comp. physiol. Psychol.* **80**, 283-92.
- (1972b). Time course of retroactive effects of hippocampal stimulations on learning. *Exp. Neurol.* **34**, 476-83.
- SHIPLEY, M. T. (1974). Presubiculum afferents to the entorhinal area and the Papez circuit. *Brain Res.* **67**, 162-8.
- (1975). The topographical and laminar organization of the presubiculum's projection to the ipsi- and contralateral extorhinal cortex in the guinea pig. *J. comp. Neurol.* **160**, 127-46.
- SHIPLEY, M. T., and SORENSEN, K. E. (1975). On the laminar organisation of the anterior thalamus projections to the presubiculum in the guinea pig. *Brain Res.* **86**, 473-7.
- SIDEROFF, S., and BINDRA, D. (1976). Neural correlates of discriminative conditioning: separation of associative and motivational processes. *Brain Res.* **101**, 376-82.
- SIDEROFF, S., BUENO, O., HIRSCH, A., WEYAND, T., and MCGAUGH, J. (1974). Retrograde amnesia initiated by low-level stimulation of hippocampal cytoarchitectonic areas. *Exp. Neurol.* **43**, 285-97.
- SIDMAN, M., STODDARD, L., and MOHR, J. (1968). Some additional quantitative observations of immediate memory in a patient with bilateral hippocampal lesions. *Neuropsychologia* **6**, 245-54.
- SIEGEL, A., EDINGER, H., and OHGAMI, S. (1974). The topographical organization of the hippocampal projection to the septal area: A comparative neuroanatomical analysis in the gerbil, rat, rabbit and cat. *J. comp. Neurol.* **157**, 359-78.
- SIEGEL, A., and FLYNN, J. P. (1968). Differential effects of electrical stimulation and lesions of the hippocampus and adjacent regions upon attack behaviour in cats. *Brain Res.* **7**, 252-67.

- SIEGEL, A., and TASSONI, J. P. (1971a). Differential efferent projections from the ventral and dorsal hippocampus of the cat. *Brain Behav. Evol.* **4**, 185-200.
- (1971b). Differential efferent projections of the lateral and medial septal nuclei to the hippocampus in the cat. *Brain Behav. Evol.* **4**, 201-19.
- SIEGFRIED, B., WASER, P. G., BORBELY, A. A., and HUSTON, J. P. (1975). Pavlovian conditioning of eating induced by spreading depression in cortex, striatum and hippocampus of rats. *Physiol. Behav.* **15**, 71-8.
- SIERRA, G., and FUSTER, J. M. (1968). Facilitation of secondary visual evoked responses by stimulation of limbic structures. *Electroencephalogr. clin. Neurophysiol.* **25**, 274-8.
- SILVEIRA, J. C., and KIMBLE, D. P. (1968). Brightness discrimination reversal in hippocampally-lesioned rats. *Physiol. Behav.* **3**, 625-30.
- SIMPSON, D. A. (1952). The efferent fibres of the hippocampus in the monkey. *J. Neurol. Neurosurg. Psychiat.* **15**, 79-92.
- SIMPSON, J. B., and ROUTTENBERG, A. (1972). The subfornical organ and carbacholinduced drinking. *Brain Res.* **45**, 135-52.
- SINGH, H. K., OTT, T., and MATTHIES, H. (1974). Effect of intrahippocampal injection of atropine on different phases of a learning experiment. *Psychopharmacologia* **38**, 247-58.
- SINNAMON, H. M., and SCHWARTZBAUM, J. S. (1973). Dorsal hippocampal unit and EEG responses to rewarding and aversive brain stimulation in rats. *Brain Res.* **56**, 183-202.
- SKINNER, B. F. (1959). A case history in scientific method. In *Psychology: A study of science*, Vol. 2 (ed. S. Koch), pp. 359-79. McGraw-Hill, New York.
- SLUSHER, M. A. (1966). Effects of cortisol implants in the brainstem and ventral hippocampus on diurnal corticosteroid levels. *Exp. Brain Res.* **1**, 184-94.
- SLUSHER, M. A., and HYDE, J. F. (1961). Effects of limbic stimulation on release of corticosteroids into the adrenal venous effluent of the cat. *Endocrinology* **69**, 1080-4.
- SMALL, W. S. (1901). Experimental study of the mental processes of the rat. II. *Amr. J. Psychol.* **12**, 206-39.
- SMITH, C. M. (1972). The release of acetylcholine from rabbit hippocampus. *Br. J. Pharm.* **45**, 172P.
- SMITH, E. E., SHOBEN, E. J., and RIPS, L. J. (1974). Structure and process in semantic memory: A featural model for semantic decisions. *Psychol. Rev.* **81**, 214-41.
- SNYDER, D. R., and ISAACSON, R. L. (1965). The effects of large and small bilateral hippocampal lesions on two types of passive avoidance responses. *Psychol. Rep.* **16**, 1277-90.
- SOKOLOV, E. N. (1960). Neuronal models and the orienting reflex. In *The central nervous system and behaviour* (ed. M. A. B. Brazier), pp. 187-276. Josiah Macy Jr. Foundation, New York.
- (1963a). *Perception and the conditioned reflex* (transl. S. W. Waydenfield). Pergamon Press, Oxford.
- (1963b). Higher nervous functions: the orienting reflex. *Ann. Rev. Physiol.* **25**, 545-80.
- SOUMIREU-MOURAT, B., DESTRADE, C., and CARDI, B. (1975). Effects of seizure and subseizure post-trial hippocampal stimulation on appetitive operant behaviour in mice. *Behav. Biol.* **15**, 303-16.
- SPENCE, K. W. (1932). The order of eliminating blinds in maze learning by the rat. *J. comp. Psychol.* **14**, 9-27.
- SPENCE, K. W., and SHIPLEY, W. C. (1934). The factors determining the difficulty of blind alleys in maze learning by the white rat. *J. comp. Psychol.* **17**, 423-36.
- SPENCER, H. (1885). *The principles of psychology*. Longman, Brown, Green and Longmans, London.
- SPENCER, W. A., and KANDEL, E. R. (1961a). Electrophysiology of hippocampal neurons. III. Firing level and time constant. *J. Neurophysiol.* **24**, 260-71.
- (1961b). Electrophysiology of hippocampal neurons. IV. Fast prepotentials. *J. Neurophysiol.* **24**, 272-85.

- (1961c). Hippocampal neuron responses to selective activation of recurrent collaterals of hippocampofugal axons. *Exp. Neurol.* **4**, 149-61.
- SPIEGEL, T. A., HOSTETTER, G., and THOMAS, G. J. (1966). Effects of bilateral lesions in the hippocampus on acquisition of two maze problems. *Psychon. Sci.* **6**, 205-6.
- SPRAGG, S. D. S. (1933). Anticipation as a factor in maze errors. *J. comp. Psychol.* **15**, 313-29.
- SPRAGUE, J. M., and MEYER, M. (1950). An experimental study of the fornix in the rabbit. *J. Anat.* **84**, 354-68.
- SPROFKIN, B. E., and SCIARRA, D. (1952). Korsakoff's psychosis associated with cerebral tumours. *Neurology* **2**, 427-34.
- SQUIRE, L. R. (1975). A stable impairment in remote memory following electroconvulsive therapy. *Neuropsychologia* **13**, 51-8.
- SREBRO, B., and MELLGREN, S. I. (1974). Changes in postnatal development of acetylcholinesterase in the hippocampal region after early septal lesions in the rat. *Brain Res.* **79**, 119-31.
- SREBRO, B., ODERFELD-NOWAK, B., KLUDOS, I., DABROWSKA, J., and NARKIEWICZ, O. (1973). Changes in acetylcholinesterase activity in hippocampus produced by septal lesions in the rat. *Life Sci.* **12**, 261-70.
- STAVRAKY, G. W. (1961). *Supersensitivity following lesions of the nervous system*. University Press, Toronto.
- STEA, D. (1969). The measurement of mental maps: An experimental model for studying conceptual spaces. In *Behavioural problems in geography: a symposium* (eds K. R. Cox and R. G. Golledge), pp. 228-53. Northwestern University Press, Evanston, Ill.
- STEFANIS, C. (1964). Hippocampal neurons: their responsiveness to microelectrophoretically administered endogenous amines. *Pharmacologist* **6**, 171.
- STEIN, D. G., and CHOROVER, S. L. (1968). Effects of post-trial electrical stimulation of hippocampus and caudate nucleus on maze learning in the rat. *Physiol. Behav.* **3**, 787-91.
- STEIN, D. G., and KIMBLE, D. P. (1966). Effects of hippocampal lesions and post-trial strychnine administration on maze behaviour in the rat. *J. comp. physiol. Psychol.* **62**, 243-9.
- STEIN, D. G., and KIRKBY, R. J. (1967). The effects of training on passive avoidance deficits in rats with hippocampal lesions: a reply to Isaacson, Olton, Bauer and Swart. *Psychon. Sci.* **7**, 7-8.
- STEIN, D. G., ROSEN, J. J., GRAZIADEI, V., MISHKIN, D., and BRINK, J. J. (1969). Central nervous system: recovery of function. *Science* **166**, 528-30.
- STEIN, L. (1965). Facilitation of avoidance behaviour by positive brain stimulation. *J. comp. physiol. Psychol.* **60**, 9-19.
- (1971). Neurochemistry of reward and punishment: Some implications for the etiology of schizophrenia. *J. Psychiatr. Res.* **8**, 345-61.
- STEINBERG, D. D., and JAKOBOWITS, L. A. (1971). *Semantics*. Cambridge University Press, Cambridge.
- STENSAAS, L. T. (1967a). The development of hippocampal and dorsolateral pallial regions of the cerebral hemisphere in fetal rabbits. I. Fifteen millimeter stage, spongioblast morphology. *J. comp. Neurol.* **129**, 59-70.
- (1967b). The development of hippocampal and dorsolateral pallial regions of the cerebral hemisphere in fetal rabbits. II. Twenty millimeter stage, neuroblast morphology. *J. comp. Neurol.* **129**, 71-84.
- (1967c). The development of hippocampal and dorsolateral pallial regions of the cerebral hemisphere in fetal rabbits. III. Twenty-nine millimeter stage, marginal lamina. *J. comp. Neurol.* **130**, 149-62.
- (1967d). The development of hippocampal and dorsolateral pallial regions of the

- cerebral hemisphere in fetal rabbits. IV. Forty-one millimeter stage, intermediate lamina. *J. comp. Neurol.* **131**, 409-22.
- (1967e). The development of hippocampal and dorsolateral pallial region of the cerebral hemisphere in fetal rabbits. V. Sixty millimeter stage, glial cell morphology. *J. comp. Neurol.* **131**, 423-36.
- (1968). The development of hippocampal and dorsolateral pallial regions of the cerebral hemisphere in fetal rabbits. VI. Ninety millimeter stage, cortical differentiation. *J. comp. Neurol.* **132**, 93-108.
- STEPHAN, H. (1966). Grossenanderungen im olfaktorischen und limbischen system während der phylogenetischen Entwicklung der Primaten. In *Evolution of the forebrain* (eds R. Hassler and H. Stephan), pp. 377-88. Georg Thieme, Stuttgart.
- (1975). *Allocortex. Vol. IV / 9 of Mollendorff's Handbuch der Mikroskopischen Anatomie des Menschen* (ed. W. Bargmann). Springer-Verlag, Berlin.
- STERN, J. A., and WORD, T. J. (1961). Changes in cardiac response of the albino rat as a function of electroconvulsive seizures. *J. comp. physiol. Psychol.* **54**, 389-94.
- STEVENS, R. (1971). *The role of the hippocampus in attention and memory in the rat*. Ph.D. dissertation, University of Oxford.
- (1973a). Effects of duration of sensory input and intertrial interval on spontaneous alternation in rats with hippocampal lesions. *Physiol. Psychol.* **1**, 41-4.
- (1973b). Effects of amount of training on reversal learning in hippocampectomized rats. *Physiol. Psychol.* **1**, 377-19.
- (1973c). Probability discrimination learning in hippocampectomized rats. *Physiol. Behav.* **10**, 1023-7.
- STEVENS, R., and COWEY, A. (1972). Enhanced alternation learning in hippocampectomized rats by means of added light cues. *Brain Res.* **46**, 1-22.
- (1973). Effects of dorsal and ventral hippocampal lesions on spontaneous alternation, learned alternation and probability learning in rats. *Brain Res.* **52**, 203-24.
- (1974). Visual discrimination and transfer in rats with hippocampal lesions. *Q. J. exp. Psychol.* **26**, 582-93.
- STEVENS, W., REED, D. J., ERICKSON, S., and GROSSER, B. I. (1973). The binding of corticosterone to brain proteins: Diurnal variations. *Endocrinology* **93**, 1152-6.
- STEWART, D. (1818). *Elements of the philosophy of the human mind*. Cadell and Davies, London.
- STORM-MATHISEN, J. (1970). Quantitative neurochemistry of anticholinesterase in rat hippocampal region correlated to histochemical staining. *J. Neurochem.* **17**, 739-50.
- (1972). Glutamate decarboxylase in the rat hippocampal region after lesion of the afferent fibre systems. Evidence that the enzyme is localized in intrinsic neurons. *Brain Res.* **40**, 215-35.
- (1976). Distribution of the components of the GABA system in neuronal tissue: Cerebellum and hippocampus-effects of axotomy. In *GABA in nervous system function* (eds E. Roberts, T. N. Chase, and D. B. Tower), pp. 149-68. Raven Press, New York.
- STORM-MATHISEN, J., and BLACKSTAD, T. W. (1964). Cholinesterase in the hippocampal region. *Acta Anat.* **56**, 216-53.
- STORM-MATHISEN, J., and FONNUM, F. (1972). Localisation of transmitter candidates in the hippocampal region. In *Progress in Brain Research. vol. 36. Biochemical and pharmacological mechanisms underlying behaviour* (eds P. B. Bradley and R. W. Brimblecombe), pp. 41-58. Elsevier, Amsterdam.
- STORM-MATHISEN, J., and GULDBERG, H. C. (1974). 5-hydroxytryptamine and noradrenaline in the hippocampal region: Effect of transection of afferent pathways on endogenous levels, high affinity uptake and some transmitter-related enzymes. *J. Neurochem.* **22**, 793-803.
- STRATTON, G. M. (1897). Vision without inversion of the retinal image. *Psychol. Rev.* **4**, 341-81.

- STRAWSON, P. F. (1959). *Individuals: An essay in descriptive metaphysics*. Methuen, London.
- STRONG, P. N., JR. (1957). Activity in the white rat as a function of apparatus and hunger. *J. comp. physiol. Psychol.* **50**, 596-600.
- STRONG, P. N., and JACKSON, W. J. (1970). Effects of hippocampal lesions in rats on three measures of activity. *J. comp. physiol. Psychol.* **70**, 60-5.
- STUMPF, CH. (1965a). The fast component in the electrical activity of the rabbits' hippocampus. *Electroencephalogr. clin. Neurophysiol.* **18**, 477-86.
- (1965b). Drug action on the electrical activity of the hippocampus. *Int. Rev. Neurobiol.* **8**, 77-138.
- STUMPF, CH., PETSCHE, H., and GoGoLAK, G. (1962). The significance of the rabbit's septum as a relay station between the midbrain and hippocampus. II. The differential influence of drugs upon the septal cell firing and the hippocampal theta activity. *Electroencephalogr. clin. Neurophysiol.* **14**, 212-19.
- STUMPF, W. E., and SAR, M. (1971). Localisation of steroid hormones in the brain by dry-autoradiography. In *Hormonal steroids* (eds V. H. T. James and L. Martini), pp. 759-63. Excerpta Medica, Amsterdam.
- SUTHERLAND, N. S. (1957). Spontaneous alternation and stimulus avoidance. *J. comp. physiol. Psychol.* **50**, 358-62.
- SUTHERLAND, N. S., and MACKINTOSH, N. J. (1971). *Mechanisms of animal discrimination learning*. Academic Press, New York.
- SWANSON, A. M., and ISAACSON, R. L. (1967). Hippocampal ablation and performance during withdrawal of reinforcement. *J. comp. physiol. Psychol.* **64**, 30-5.
- (1969). Hippocampal lesions and the frustration effect in rats. *J. comp. physiol. Psychol.* **68**, 562-7.
- SWANSON, L. W., and COWAN, W. M. (1975a). Hippocampo-hypothalamic connections: Origin in subiculum cortex, not Ammon's horn. *Science* **189**, 303-4.
- (1975b). A note on the connections and development of the nucleus accumbens. *Brain Res.* **92**, 324-30.
- SWANSON, L. W., and HARTMAN, B. K. (1975). The central adrenergic system. An immuno-fluorescence study of the location of cell bodies and their efferent connections in the rat utilizing dopamine- β -hydroxylase as a marker. *J. comp. Neurol.* **163**, 467-506.
- SWEET, W. H., TALLAND, G. A., and ERVIN, F. R. (1959). Loss of recent memory following section of fornix. *Trans. am. neurol. Ass.* **84**, 76-82.
- SZABO, I., and KOLTA, P. (1967). Transitory increase of the acoustic startle reaction during its habituation. *Acta physiol. hung.* **31**, 51-6.
- SZEKELY, J. I., BARGAR, I., DENES, R., KISS, I., and LITTMAN, J. (1968a). The effect of hippocampal and reticular stimulation on conditioned reflex activity in rats. *Acta Physiol hung.* **33**, 395-403.
- (1968b). The effect of hippocampal and reticular stimulation on conditioned-reflex activity of rats in experimental 'neurotic State'. *Acta physiol. hung.* **33**, 405-12.
- TALLAND, G. (1965). *Deranged memory*. Academic Press, New York.
- TEITELBAUM, H. (1964). A comparison of effects of orbito-frontal and hippocampal lesions upon discrimination learning and reversal in the cat. *Exp. Neurol.* **9**, 452-62.
- TEITELBAUM, H., and MCFARLAND, W. L. (1971). Power spectral shifts in hippocampal EEG associated with conditioned locomotion in the rat. *Physiol. Behav.* **7**, 545-9.
- TEITELBAUM, H., and MILNER, P. (1963). Activity changes following partial hippocampal lesions in rats. *J. comp. physiol. Psychol.* **56**, 284-9.
- TERZIAN, H., and DALLE ORE, G. (1955). Syndrome of Kluver and Bucy reproduced in man by bilateral removal of the temporal lobes. *Neurology* **5**, 373-80.
- TESTA, T. J. (1974). Causal relationships and the acquisition of avoidance responses. *Psychol. Rev.* **81**, 491-505.

- TEUBER, H.L. (1963). Space perception and its disturbances after brain-injury in man. *Neuropsychologia* **1**, 47-57.
- THEIOS, J., and DUNAWAY, J. E. (1964). One-way versus shuttle avoidance conditioning. *Psychon. Sci.* **1**, 251-2.
- THOMAS, G. J. (1971). Maze retention by rats with hippocampal lesions and with fornictomies. *J. comp. physiol. Psychol.* **75**, 41-9.
- THOMAS, G. J., and OTIS, L. S. (1958a). Effects of rhinencephalic lesions on conditioning and avoidance responses in the rat. *J. comp. physiol. Psychol.* **51**, 130-4.
- (1958b). Effect of rhinencephalic lesions on maze learning in rats. *J. comp. physiol. Psychol.* **51**, 161-6.
- THOMAS, J. B., and McCLEARY, R. A. (1974). Fornical lesions and aversively-motivated behaviour in the rat. *Physiol. Behav.* **12**, 345-50.
- THOMKA, M. L., and BROWN, T. S. (1975). The effect of hippocampal lesions on the development and extinction of a learned taste aversion for a novel food. *Physiol. Psychol.* **3**, 281-4.
- THOMKA, M. L., and BROWN, T. S. (1975). Limbic lesions and consummatory behaviour in the rat. *Bull. psychon. Sci.* **6**, 53-4.
- THOMSON, M. A. (1975). Maturation de la response interhippocampique. Mise en evidence et localisation des synapses inhibitrices et excitation dans la corn d'Ammon du jeune lapin. *Electroencephalogr. clin. Neurophysiol.* **39**, 599-608.
- THOMPSON, R. (1974). Localization of the 'maze memory system' in the white rat. *Physiol. Psychol.* **2**, 1-17.
- THOMPSON, R., and LANGER, S. K. (1963). Deficits in position reversal learning following lesions of the limbic system. *J. comp. physiol. Psychol.* **56**, 987-95.
- THOMPSON, R., LANGER, S. K., and RICH, I. (1964). Lesions of the limbic system and short-term memory in albino rats. *Brain* **87**, 537-42.
- THOMPSON, R. F. (1976). The search for the engram. *Am. Psychol.* **31**, 209-27.
- THOMPSON, R. F., GROVES, P. M., TEYLER, T. J., and ROEMER, R. A. (1973). A dual-process theory of habituation: Theory and behaviour. In *Habituation*, vol. I, *Behavioural studies* (eds H. V. S. Peeke and M. J. Herz), pp. 239-71. Academic Press, New York.
- THOMPSON, R. F., and SPENCER, W. A. (1966). Habituation: A model phenomenon for the study of neuronal substrates of behaviour. *Psychol. Rev.* **73**, 16-43.
- TOLMAN, E. C. (1932). Purposive behaviour in animals and men. Century, New York.
- (1948). Cognitive maps in rats and men. *Psychol. Rev.* **55**, 189-208.
- TOLMAN, E. C. and KRECHEVSKY, I. (1933). Means-end-readiness and hypothesis-A contribution to comparative psychology. *Psychol. Rev.* **40**, 60-70.
- TOLMAN, E. C., RITCHIE, B. F., and KALISH, D. (1946). Studies in spatial learning. I. Orientation and the short-cut. *J. exp. Psychol.* **36**, 13-24.
- TORDA, C. (1969). Dreams of subjects with bilateral hippocampal lesions. *Acta Psychiat. scand.* **45**, 277-88.
- TORII, S. (1961). Two types of pattern of hippocampal electrical activity induced by stimulation of hypothalamus and surrounding areas of rabbit's brain. *Jap. J. Psychol.* **11**, 147-57.
- TORII, S., and SUGI, S. (1960). Electrical activity of hippocampus in unrestrained rabbits. *Folia Psychiat. Neurol. Jap.* **14**, 95.
- TOULMIN, S. (1953). *The philosophy of science*. Hutchinson, London.
- TRABASSO, T. R., and THOMPSON, R. W. (1962). Shock intensity and unconditioned responding in a shuttle box. *J. exp. Psychol.* **63**, 215-16.
- TREVARTHEN, C. B. (1968). Two mechanisms of vision in primates. *Psychol. Forsch.* **31**, 291-337
- TROWBRIDGE, C. C. (1913). On fundamental methods of orientation and 'imaginary maps'. *Science* **38**, 888-97.

- TRUAX, T., and THOMPSON, R. (1969). Role of the hippocampus in performance of easy and difficult visual discrimination tasks. *J. comp. physiol. Psychol.* **67**, 228-34.
- TRYON, R. C. (1939). Studies in individual differences in maze ability. VI. Disproof of sensory components. Experimental effects of stimulus variation. *J. comp. Psychol.* **28**, 361-415.
- TULVING, E. (1966). Subjective organization and effects of repetition in multitrial free-recall learning. *J. verb. Learn. verb. Behav.* **5**, 193-7.
- (1972). Episodic and semantic memory. In *Organisation and memory* (eds E. Tulving and W. Donaldson), pp. 382-403. Academic Press, New York.
- TULVING, E., and DONALDSON, W. (eds) (1972). *Organisation and memory*. Academic Press, New York.
- TULVING, E., and MADIGAN, S. A. (1970). Memory and verbal learning. *Ann. Rev. Psychol.* **21**, 437-84.
- TULVING, E., and PEARLSTONE, Z. (1966). Availability versus accessibility of information in memory for words. *J. verbal Learn. verbal Behav.* **5**, 381-91.
- TURBAYNE, C. M. (ed.) (1957). *G. Berkeley's A Treatise concerning the principles of human knowledge* (1710). Bobbs-Merrill, New York.
- UNDERWOOD, B. J. (1969). Attributes of memory. *Psychol. Rev.* **76**, 559-73.
- UNGERSTEDT, U. (1971). Stereotaxic mapping of the monoamine pathways in the rat brain. *Acta physiol. scand. Suppl.* **367**, 1-48.
- UNGHER, J., ROGOZEA, R., and SIRIAN, S. (1971). The influence of partial bilateral fornictomy on the orienting-investigating reaction in cat. Behavioural and EEG correlates. *Rev. roum. Neurol.* **18**, 35-45.
- UNGHER, J., and SIRIAN, S. (1970). Short-term memory loss induced by partial fornictomy in cat. *Rev. roum. Neurol.* **7**, 173-82.
- URBAN, I., and DE WIED, D. (1975). The influence of ACTH₄₋₁₀ on hippocampal and thalamic synchronised activity in rats. *Brain Res.* **85**, 195.
- URBAN, I., LOPES DA SILVA, F. H., STORM VAN LEEUWEN, W., and DE WIED, D. (1974). A frequency shift in the hippocampal theta activity: an electrical correlate of central action of ACTH analogues in the dog? *Brain Res.* **69**, 361-5.
- URETSKY, E., and MCCLEARY, R. A. (1969). Effect of hippocampal isolation on retention. *J. comp. physiol. Psychol.* **68**, 1-8.
- URSIN, R., URSIN, H., and OLDS, J. (1966). Self-stimulation of hippocampus in rats. *J. comp. physiol. Psychol.* **61**, 353-9.
- VALENSTEIN, E. S., and NAUTA, W. J. H. (1959). A comparison of the distribution of the fornix system in the rat, guinea-pig and monkey. *J. comp. Neurol.* **113**, 337-63.
- VAN ABEELEN, J., GILISSEN, L., HANSSEN, TH., and LENDERS, A. (1972). Effects of intrahippocampal injections with methylscopolamine and neostigmine upon exploratory behaviour in two inbred mouse strains. *Psychopharmacologia* **24**, 470-5.
- VAN BUREN, J. M., and BORKE, R. C. (1970). Hippocampal projections to the nucleus dorsalis superficialis (lateralis dorsalis) in man. *Anat. Rec.* **166**, 392.
- (1972). The mesial temporal substratum of memory. *Brain* **95**, 599-632.
- VANDERWOLF, C. H. (1969). Hippocampal electrical activity and voluntary movement in the rat. *Electroencephalogr. clin. Neurophysiol.* **26**, 407-18.
- (1971). Limbic-diencephalic mechanisms of voluntary movement. *Psychol. Rev.* **78**, 83-113.
- (1975). Neocortical and hippocampal activation in relation to behaviour: Effects of atropine, eserine, phenothiazines and amphetamine. *J. comp. physiol. Psychol.* **88**, 300-23.
- (1976). The role of the cerebral cortex and ascending activating systems in the control of behaviour. In *Handbook of neurobiology 'motivation'* (eds P. Teitelbaum and E. Satinoff). In the press.

- VANDERWOLF, C. H., BLAND, B. H., and WHISHAW, I. Q (1973). Diencephalic hippocampal and neocortical mechanisms in voluntary movement. In *Efferent organization and the integration of behaviour* (ed. J. D. Maser), pp. 229-62. Academic Press, New York.
- VANDERWOLF, C. H., and COOLEY, R. K. (1974). Hippocampal electrical activity during long-continued avoidance performance: Effects of fatigue. *Physiol. Behav.* **13**, 819-23.
- VANDERWOLF, C. H., and HERON, W. (1964). Electroencephalographic waves with voluntary movement: Study in the rat. *Arch. Neurol.* **11**, 379-84.
- VANDERWOLF, C. H., KRAMIS, R., GILLESPIE, L. A., and BLAND, B. H. (1975). Hippocampal slow activity and neocortical low voltage fast activity: Relations to behaviour. In *The Hippocampus* Vol. 2 (eds R. L. Isaacson and K. Pribram), pp. 101-28. Plenum Press, New York.
- VANEGAS, H., and FLYNN, J. P. (1968). Inhibition of cortically-elicited movement by electrical stimulation of the hippocampus. *Brain Res.* **11**, 489-506.
- VAN HARTESVELDT, C. (1973). Size of reinforcement and operant responding in hippocampectomized rats. *Behav. Biol.* **8**, 347-56.
- (1975). The hippocampus and regulation of the hypothalamic-hypophyseal-adrenal cortical axis. In *The hippocampus*, vol. 1, (eds R. L. Isaacson and K. H. Pribram), pp. 375-91. Plenum Press, New York.
- VAN HOESEN, G. W. MACDOUGALL, J. M., and MITCHELL, J. C. (1969). Anatomical specificity of septal projections in active and passive avoidance behaviour in rats. *J. comp. physiol. Psychol.* **68**, 80-9.
- VAN HOESEN, G. W., and PANDYA, D. N. (1975a). Some connections of the entorhinal (area 28) and perirhinal (area 35) cortices of the rhesus monkey. I. Temporal lobe afferents. *Brain Res.* **95**, 1-24.
- (1975b). Some connections of the entorhinal (area 28) and perirhinal (area 35) cortices of the rhesus monkey III. Efferent connections. *Brain Res.* **95**, 39-59.
- VAN HOESEN, G. W., PANDYA, D. N., and BUTTERS, N. (1972). Cortical afferents to the entorhinal cortex of the rhesus monkey. *Science* **175**, 1471-3.
- (1975). Some connections of the entorhinal (area 28) and perirhinal (area 35) cortices of the rhesus monkey. II. Frontal lobe afferents. *Brain Res.* **95**, 25-38.
- VAN HOESEN, G. W., WILSON, L. M., MACDOUGALL, J. M., and MITCHELL, J. C. (1972). Selective hippocampal complex de-afferentation and de-efferentation and avoidance behaviour in rats. *Physiol. Behav.* **8**, 873-9.
- VAN WIMERSMA GRIEDANUS, TI. B., and DE WIED, D. (1969). Effects of intracerebral implantation of corticosteroids on extinction of an avoidance response in rats. *Physiol. Behav.* **4**, 365-70.
- VARDARIS, R. M., and SCHWARTZ, K. E. (1971). Retrograde amnesia for passive avoidance produced by stimulation of dorsal hippocampus. *Physiol. Behav.* **6**, 131-5.
- VERGNES, M., and KARLI, P. (1969). Effets de la stimulation de l'hypothalamus lateral, de l'amygdale et de l'hippocampe sur le comportement d'agression interspecifique rat-souris. *Physiol. Behav.* **4**, 889-94.
- VICTOR, M. (1964). Observations on the amnesic syndrome in man and its anatomical basis. In *Brain function*, Vol. 2, RNA and brain function, memory and learning (ed. M. A. B. Brazier), pp. 311-40. University of California Press, Berkeley, Calif.
- VICTOR, M., ADAMS, R. D., and COLLINS, G. H. (1971). *The Wernicke-Korsakof syndrome. A clinical and pathological study of 245 patients, 82 with postmortem examination*. Blackwell, Oxford.
- VICTOR, M., ANGEVINE, J. B., MANCALL, G. L., and FISHER, C. M. (1961). Memory loss with lesions of hippocampal formation. *Arch. Neurol.* **5**, 244-13.
- VINCENT, J. D., DUFY, B., and FAURE, J. M. (1968). Unit activities received in the hippocampus during waking and sleeping in free chronic rats. *J. Physiol. (Paris)* **60** (Suppl. 2), 568.
- VINOGRADOVA, O. (1970). Registration of information and the limbic system. In *Short-*

- term changes in neural activity and behaviour (eds G. Horn and R. A. Hinde), pp. 95-140. Cambridge University Press, Cambridge.
- VINOGRADOVA, O., SEMYONOVA, T. P., and KONOVALOV, V. PH. (1970). Trace phenomena in single neurons of hippocampus and mammillary bodies. In *Biology of memory* (eds K. H. Pribram and D. E. Broadbent), pp. 191-222. Academic Press, New York.
- VOTAW, C. L. (1960a). Certain functional and anatomical relations of the cornu ammonis of the macaque monkey. *J. comp. Neurol.* **114**, 283-93.
- (1960b). Study of septal stimulation and ablation in the macaque monkey. *Neurology* **10**, 202-9.
- VOTAW, C. L., and LAUER, E. W. (1963a). An afferent hippocampal fibre system in the fornix of the monkey. *J. comp. Neurol.* **112**, 195-206.
- (1963b). Blood pressure, pulse and respiratory changes produced by stimulation of the hippocampus of the monkey. *Exp. Neurol.* **7**, 502-14.
- WALKER, A. E. (1957). Recent memory impairment in unilateral temporal lesions. *Arch. Neurol. Psychiat.* **78**, 543-52.
- WALKER, D. W., and MEANS, L. W. (1973). Single-alternation performance in rats with hippocampal lesions: Disruption by an irrelevant task interposed during the intertrial interval. *Behav. Biol.* **9**, 93-104.
- WALKER, D. W., MEANS, L. W., and ISAACSON, R. L. (1970). The effects of hippocampal and cortical lesions on single-alternation go/no-go acquisition in rats. *Psychon. Sci.* **21**, 29-31.
- WALKER, D. W., MESSER, L. G., FREUND, G., and MEANS, L. W. (1972). Effect of hippocampal lesions and intertrial interval in single-alternation performance in the rat. *J. comp. physiol. Psychol.* **80**, 469-77.
- WALKER, D. W., MESSER, L. G., and MEANS, L. W. (1970). Effect of ITI on go/no-go performance after hippocampal lesions in rats. *Psychon. Sci.* **21**, 285.
- WALKER, E. L., DEMBER, W. N., EARL, R. W., and KAROLY, A. J. (1955). Choice alternation: I. Stimulus vs. place vs. response. *J. comp. physiol. Psychol.* **48**, 19-23.
- WALL, P. D. (1970). Habituation and post-tetanic potentiation in the spinal cord. In *Short-term changes in neural activity and behaviour* (eds G. Horn and R. A. Hinde), pp. 181-210. Cambridge University Press, Cambridge.
- WALL, P. D., and EGGER, M. D. (1971). Formation of new connections in adult rat brains after partial deafferentation. *Nature (Lond.)* **232**, 542-5.
- WALLACE, R. B., KAPLAN, R. F., and WERBOFF, J. (1976). Behavioural correlates of focal hippocampal X-irradiation in rats. *Exp. Brain Res.* **24**, 343-9.
- WALLACE, R. J., and TIGNER, J. C. (1972). Effect of cortical and hippocampal lesions on hoarding behaviour in the albino rat. *Physiol. Behav.* **8**, 937-42.
- WAPNER, S., CIRILLO, L., and BAKER, A. H. (1971). Some aspects of the development of space perception. In *Minnesota Symposia on child psychology* vol. 5 (eds J. P. Hill), pp. 162-203. University of Minnesota Press, Minneapolis, Minn.
- WARBURTON, D. M. (1969). Effects of atropine sulfate on single alternation in hippocampectomized rats. *Physiol. Behav.* **4**, 641-4.
- (1972). Effects of atropine sulphate on repeated extinction performance in hippocampectomized rats. *Psychopharmacologia* **23**, 348-58.
- WAREMBOURG, M. (1975). Radioautoradiographic study of the rat brain after injection of [1,2 -³H] corticosterone. *Brain Res.* **89**, 61-70.
- WARREN, R. M., and WARREN, R. P. (1968). *Helmholtz on perception: Its physiology and development*. Wiley -Interscience, New York.
- WARRINGTON, E. K., and BADDELEY, A. D. (1974). Amnesia and memory for visual location. *Neuropsychologia* **12**, 257-63.
- WARRINGTON, E. K., and SHALLICE, T. (1969). The selective impairment of auditory verbal short-term memory. *Brain* **92**, 885-96.

- WARRINGTON, E. K., and WEISKRANTZ, L. (1968). A study of learning and retention in amnesic patients. *Neuropsychologia* **6**, 283-91.
- (1970). Amnesic syndrome: consolidation or retrieval? *Nature (Lond.)* **228**, 628-30.
- (1971). Organizational aspects of memory in amnesic patients. *Neuropsychologia* **9**, 67-73.
- WATSON, J. B. (1907). Kinaesthetic and organic sensations: Their role in the reactions of the white rat. *Psychol. Rev. Monogr.* **8** (2), 1-100.
- WATSON, J. B., and LASHLEY, K. S. (1915). *Homing and related activities of birds*, pp. 9-60. Carnegie Institute, Washington, D.C.
- WAXLER, M., and ROSVOLD, H. E. (1970). Delayed alternation in monkeys after removal of the hippocampus. *Neuropsychologia* **8**, 137-46.
- WEBSTER, D. B., and VONEIDA, T. J. (1964). Learning deficits following hippocampal lesions in split-brain cats. *Exp. Neurol.* **10**, 170-82.
- WEIMER, W. B., and PALERMO, D. S. (eds) (1974). *Cognition and the symbolic process*. Lawrence Erlbaum, Hillsdale, N.J.
- WEISBARD, C., and GRAHAM, F. K. (1971). Heart-rate change as a component of the orienting response in monkeys. *J. comp. physiol. Psychol.* **76**, 74-83.
- WEISKRANTZ, L., MIHAJOVIC, L. I., and GROSS, C. G. (1962). Effects of stimulation of frontal cortex and hippocampus on behaviour in the monkey. *Brain* **85**, 487-504.
- WEISKRANTZ, L., and WARRINGTON, E. K. (1975). The problem of the amnesic syndrome in man and animals. In *The hippocampus*, Vol. 2 (eds R. L. Isaacson and K. H. Pribram), pp. 411-28. Plenum Press, New York.
- WEISMAN, R. G., DENNY, M. R., and ZERBOLIO, D. J., JR. (1967). Discrimination based on differential non-shock confinement in a shuttle box. *J. comp. physiol. Psychol.* **63**, 34-8.
- WEISMAN, R. G., and LITNER, J. S. (1969a). Positive conditioned reinforcement of Sidman avoidance behaviour in rats. *J. comp. physiol. Psychol.* **68**, 597-603
- (1969b). The course of Pavlovian excitation and inhibition of fear in rats. *J. comp. physiol. Psychol.* **69**, 667-72.
- (1971). Role of the intertrial interval in Pavlovian differential conditioning of fear in rats. *J. comp. physiol. Psychol.* **74**, 211-18.
- (1972). The role of Pavlovian events in avoidance training. In *Inhibition and learning* (eds R. A. Boakes and M. S. Halliday), pp. 253-70. Academic Press, New York.
- WEISS, C. S., and HERTZLER, D. R. (1973). Facilitation of two-way avoidance of the guinea pig following intrahippocampal injections of procaine hydrochloride. *Physiol. Psychol.* **1**, 305-7.
- WEISS, J. M., McEWEN, B. S., SILVA, M. T. A., and KALKUT, M. F. (1969). Pituitary adrenal influences on fear responding. *Science* **163**, 197-9.
- (1970). Pituitary-adrenal alterations and fear responding. *Am. J. Physiol.* **218**, 864-8.
- WEISSTEIN, N. (1969). What the frog's eye tells the human brain: Single cell analysis in the human visual system. *Psychol. Rev.* **72**, 157-76.
- WELKER, W. I. (1964). Analysis of sniffing of the albino rat. *Behaviour* **22**, 223-44.
- WETZEL, M. C., ATWATER, A. E., WAIT, J. V., and STUART, D. G. (1975). Neural implications of different profiles between treadmill and overground locomotion timings in cats. *J. Neurophysiol.* **38**, 492-501.
- WHISHAW, I. Q. (1972). Hippocampal electroencephalographic activity in the Mongolian gerbil during natural behaviours and in wheel running and conditioned immobility. *Can. J. Psychol.* **26**, 219-239.
- WHISHAW, I. Q., BLAND, B. J., and VANDERWOLF, C. H. (1972). Hippocampal activity, behaviour, self-stimulation and heart rate during electrical stimulation of the lateral hypothalamus. *J. comp. physiol. Psychol.* **79**, 115-27.
- WHISHAW, I. Q. and DEATHERAGE, G. (1971). The effects of hippocampal electrographic

- seizures on one-way active avoidance and visual discrimination in rats: state dependent effects. *Psychon. Sci.* **25**, 129-33.
- WHISHAW, I. Q., and VANDERWOLF, C. H. (1971). Hippocampal EEG and behaviour: Effects of variation in body temperature and relation of EEG to vibrissae movement, swimming and shivering. *Physiol. Behav.* **6**, 391-7.
- (1973). Hippocampal EEG and behaviour: changes in amplitude and frequency of RSA (Theta rhythm) associated with spontaneous and learned movement patterns in rats and cats. *Behav. Biol.* **8**, 461-84.
- WHITE, L. E. (1959). Ipsilateral afferents to the hippocampal formation in the albino rat. I. Cingulum projections. *J. comp. Neurol.* **113**, 1-41.
- (1965). Olfactory bulb projections of the rat. *Anat. Rec.* **152**, 465-80.
- WHITE, M. J. (1969). Laterality differences in perception: A review. *Psychol. Bull.* **72**, 387-405.
- WHITE, S. R. (1974). Atropine, scopolamine and hippocampal lesion effects on alternation performance of rats. *Pharmac. Biochem. Behav.* **2**, 297-307.
- WHITTY, C. W. M., and LEWIN, W. (1960). A Korsakoff syndrome in the post-cingulectomy confusional state. *Brain* **83**, 648-53.
- WHITTY, C. W. M., and LISHMAN, W. A. (1966). Amnesia in cerebral disease. In *Amnesia* (eds C. W. M. Whitty and O. L. Zangwill), pp. 36-76. Butterworths, London.
- WHORF, B. L. (1956). *Language, thought and reality: Selected writings of Benjamin Lee Whorf* (ed. J. B. Carroll). M.I.T. Press, Cambridge, Mass.
- WICKELGREN, B. G. (1969a). Habituation of spinal motoneurons. *J. Neurophysiol.* **30**, 1404-23.
- (1969b). Habituation of spinal interneurons. *J. Neurophysiol.* **30**, 1424-38.
- WICKELGREN, W. A. (1968). Sparing of short-term memory in an amnesic patient: Implications for strength of memory. *Neuropsychologia* **6**, 235-44.
- WICKELGREN, W. O., and ISAACSON, R. L. (1963). Effect of the introduction of an irrelevant stimulus on runway performance of the hippocampectomized rat. *Nature (Lond.)* **200**, 48-50.
- WIED, D. DE, and WIEJNEN, J. A. W. M. (1970). *Progress in Brain Research*, vol. 32. Elsevier, Amsterdam.
- WIED, D. DE, VAN DELFT, A. M. L., GISPEN, W. H., WIEJNEN, J. A. W. M., and VAN WIMERSMA GRIEDANUS, T. J. B. (1972). The role of pituitary-adrenal system hormones in active avoidance conditioning. In *Hormones and behaviour* (eds S. Levine), pp. 135-71. Academic Press, New York.
- WIENER, N. I., and DEUTSCH, J. A. (1968). Temporal aspects of anticholinergic and antieholinesterase-induced amnesia for an appetitive habit. *J. comp. physiol. Psychol.* **66**, 613-17.
- WIENER, J. I., and MESSER, J. (1973). Scopolamine-induced impairment of long-term retention in rats. *Behav. Biol.* **9**, 227-34.
- WILD, J. M., and BLAMPIED, N. M. (1972). Hippocampal lesions and stimulus generalization in rats. *Physiol. Behav.* **9**, 505-11.
- WILLIAMS, J. M., HAMILTON, L. W., and CARLTON, P. L. (1974). Pharmacological and anatomical dissociation of two types of habituation. *J. comp. physiol. Psychol.* **87**, 724-32.
- (1975). Ontogenetic dissociation of two classes of habituation. *J. comp. physiol. Psychol.* **89**, 733-7.
- WILLIAMS, K. E. (1971). The effects of cingulate and hippocampal lesions on partial reinforcement phenomena. M.A. Thesis, Connecticut College.
- WILSON, C. L., MOTTER, B. C., and LINDSLEY, D. B. (1975). Effects of cryogenic blockade of dorsal fornix and fimbria upon hippocampal theta rhythm and septal cellular activity. *Neurosci. Abstr.* **5**, no. 847, 544.
- WILSON, J. R., and VARDARIS, R. M. (1972). Posterior decortication potentiates retrograde

- amnesia from hippocampal stimulation. *Physiol. Behav.* **9**, 809-15.
- WILSON, M., and CRITCHLOW, V. (1973/1974). Effect of fornix transection or hippocampectomy on rhythmic pituitary-adrenal function in the rat. *Neuroendocrinology* **13**, 29-40.
- WILZ, K. J., and BOLTON, R. L. (1971). Exploratory behaviour in response to the spatial rearrangement of familiar stimuli. *Psychon. Sci.* **24**, 117-18.
- WIMER, R. E., NORMAN, R., and ELEFTHERIOU, B. E. (1973). Serotonin levels in hippocampus: striking variations associated with mouse strain and treatment. *Brain Res.* **63**, 397-401.
- WINOCUR, G., and BRECKENRIDGE, C. B. (1973). Cue-dependent behaviour of hippocampally damaged rats in a complex maze. *J. comp. physiol. Psychol.* **82**, 512-22.
- WINOCUR, G., and MILLS, J. A. (1969). Hippocampus and septum in response inhibition. *J. comp. physiol. Psychol.* **67**, 352-7.
- (1970a). Transfer between related and unrelated problems following hippocampal lesions in rats. *J. comp. physiol. Psychol.* **73**, 162-9.
- (1970b). Spontaneous activity in septal and hippocampal-lesioned rats. *Percept. Motor Skills* **30**, 483-92.
- WINOCUR, G., and SALZEN, E. A. (1968). Hippocampal lesions and transfer behaviour in the rat. *J. comp. physiol. Psychol.* **65**, 303-10.
- WINOCUR, G., and WEISKRANTZ, L. (1976). An investigation of paired-associate learning in amnesic patients. *Neuropsychologia* **14**, 97-110.
- WINSON, J. (1972). Inter-species differences in the occurrence of theta. *Behav. Biol.* **7**, 479-87.
- (1974). Patterns of hippocampal theta rhythm in the freely moving rat. *Electroencephalogr. clin. Neurophysiol.* **36**, 291-301.
- (1976a). Hippocampal theta rhythm. I. Depth profiles in the curarized rat. *Brain Res.* **103**, 57-70.
- (1976b). Hippocampal theta rhythm. II. Depth profiles in the freely moving rabbit. *Brain Res.* **103**, 71-80.
- (1976c). Topographic patterns of hippocampal theta rhythm in freely moving rat and rabbit. In *The septal nuclei* (ed. J. F. De France), pp. 463-80. Plenum Press, New York.
- WISHART, T., BROHMAN, L., and MOGENSON, G. (1969). Effects of lesions of the hippocampus and septum on hoarding behaviour. *Anim. Behav.* **17**, 781-4.
- WISHART, T., and MOGENSON, G. (1970). Effects of lesions of the hippocampus and septum before and after passive avoidance training. *Physiol. Behav.* **5**, 31-4.
- WOHLWILL, J. F. (1970). The emerging discipline of environmental psychology. *Am. Psychol.* **25**, 303-12.
- WOODRUFF, M. L., HATTON, D. C., and MEYER, M. E. (1975). Hippocampal ablation prolongs immobility response in rabbits (*Oryctolagus Cuniculus*). *J. comp. physiol. Psychol.* **88**, 329-34.
- WOODRUFF, M. L., and ISAACSON, R. L. (1972). Discrimination learning in animals with lesions of hippocampus. *Behav. Biol.* **7**, 489-501.
- WOODRUFF, M. L., MEANS, L. W., and ISAACSON, R. L. (1973). Deficient go, no-go brightness discrimination in rats following hippocampal lesions. *Physiol. Psychol.* **1**, 85-8.
- WOODRUFF, M. L., SCHNEIDERMAN, B., and ISAACSON, R. L. (1972). Impaired acquisition of a simultaneous brightness discrimination by cortically and hippocampally lesioned rats. *Psychon. Sci.* **27**, 269-71.
- WOODS, J. W. (1964). Behaviour of chronic decerebrate rats. *J. Neurophysiol.* **27**, 635-44.
- WOODWORTH, R. S. (1938). *Experimental psychology*. Henry Holt, New York.
- WOOLSEY, R. M., and NELSON, J. S. (1975). Asymptomatic destruction of the fornix in man. *Arch. Neurol.* **32**, 566-8.
- WORCHEL, P. (1951). Space perception and orientation in the blind. *Psychol. Monogr.* **65**, No. 332.

- WUNDT, W. (1894). *Lectures on human and animal psychology* (2nd German edn) (transl. J. E. Creighton and E. B. Titchener). Swan Sonnenschein, London.
- WYERS, E. J., PEEKE, H. V. S., WILLISTON, J. S., and HERZ, M. J. (1968). Retroactive impairment of passive avoidance learning by stimulation of the caudate nucleus. *Exp. Neurol.* **22**, 350-66.
- YAMAGUCHI, Y., YOSHII, N., MIYAMOTO, Y., and ITOIGAWA, N. (1967). A study on the invasive hippocampal theta waves to the cortex. In *Progress in brain research*, vol. 27 (eds W. R. Adey and T. Tokizane), pp. 281-92. Elsevier Amsterdam.
- YAMAMOTO, C. (1972). Intracellular study of seizure-like after-discharges elicited in thin hippocampal sections *in vitro*. *Exp. Neurol.* **35**, 154-64.
- YAMAMURA, H. L., and SNYDER, S. H. (1974). Post-synaptic localisation of muscarinic cholinergic receptor binding in rat hippocampus. *Brain Res.* **78**, 320-6.
- YARNELL, P. R. and LYNCH, S. (1973). The 'ding': amnestic states in football trauma. *Neurol.* **23**, 196-7.
- YATES, F. A. (1966). *The art of memory*. Routledge and Kegan Paul, London.
- YOKOTA, T., AND FUJIMORI, B. (1964). Effects of brainstem stimulation upon hippocampal electrical activity, somatomotor reflexes and autonomic functions. *Electroencephalogr. clin. Neurophysiol.* **16**, 375-82.
- YOKOTA, T., and MACLEAN, P. D. (1968). Fornix and fifth nerve interaction on thalamic units in awake, sitting squirrel monkeys. *J. Neurophysiol.* **31**, 358-70.
- YOKOTA, T., REEVES, A. G., and MACLEAN, P. D. (1970). Differential effects of septal and olfactory volleys on intracellular responses of hippocampal neurons in awake, sitting monkeys. *J. Neurophysiol.* **33**, 96-107.
- YONAS, A. and PICK, H. L., JR. (1975). An approach to the study of infant space perception. In *Infant perception: From sensation to cognition*, Vol. 2, *Perception of space, speech and sound* (eds L. B. Cohen and P. Salapatek), pp. 3-31. Academic Press, New York.
- YOSHII, N., SHIMOKOCHI, M., MIYAMOTO, K., and ITO, M. (1967). Studies on the neural basis of behaviour by continuous frequency analysis of EEG. In *Progress in brain research*, Vol. 21A (eds T. Tokizane and J. P. Schade), pp. 217-50. Elsevier, Amsterdam.
- ZACK, S. (1968). The effects of hippocampal lesions on spontaneous alternation, olfactory discrimination and direction orientation in the rat. M.S. Thesis, University of Oregon.
- ZANFORLIN, M., and POLL G. (1970). *The burrowing rat: A new technique to study place learning and orientation*. Padova.
- ZANGWILL, O. L. (1966). The amnesic syndrome. In *Amnesia* (eds C. W. M. Whitty and O. L. Zangwill), pp. 77-91. Butterworths, London.
- ZENER, K. (1937). The significance of behaviour accompanying conditioned salivary secretion for theories of the conditioned response. *Am. J. Psychol.* **50**, 384-403.
- ZIGMOND, R. E., and MCEWEN, B. S. (1970). Selective retention of oestradiol by cell nuclei in specific brain regions of the ovariectomized rat. *J. Neurochem.* **17**, 889-99.
- ZIMBARDO, P. G., and MONTGOMERY, K. C. (1957). The relative strengths of consummatory responses in hunger, thirst and exploratory drive. *J. comp. physiol. Psychol.* **50**, 504-8.
- ZIMMER, J. (1971). Ipsilateral afferents to the commissural zone of the fascia dentata, demonstrated in decommisurated rats by silver impregnation. *J. comp. Neurol.* **142**, 393-416.
- (1973). Extended commissural and ipsilateral projections in postnatally de-entorhinal hippocampus and fascia dentata demonstrated in rats by silver impregnation. *Brain Res.* **64**, 293-311.
- (1974). Proximity as a factor in the regulation of aberrant axonal growth in postnatally deafferented fascia dentata. *Brain Res.* **72**, 137-42.

- ZIMMER, J., and HJORTH-SIMONSEN, A. (1975). Crossed pathways from the entorhinal area to the fascia dentata. II. Provocable in rats. *J. comp. Neurol.* **161**, 71-102.
- ZIPPEL, U., KOLLE, U., and GABRIEL, H.J. (1973). Veranderungen der hippocampalen Einzelzellaktivitat durch emotionell-motivationell wirksame Reize. *Acta Biol. Med. Germ.* **31**, 841-51.
- ZOLA, S. M., and MAHUT, H. (1973). Paradoxical facilitation of object reversal learning after transection of the fornix in monkeys. *Neuropsychologia* **11**, 271-84.
- ZORNETZER, S. F., BOAST, C., and HAMRICK, M. (1974). Neuroanatomic localization and memory processing in mice: The role of the dentate gyrus of the hippocampus. *Physiol. Behav.* **13**, 569-75.
- ZORNETZER, S. F., and CHRONISTER, R. B. (1973). Neuroanatomical localisation of memory disruption: Relationship between brain structure and learning task. *Physiol. Behav.* **10**, 747-50.
- ZORNETZER, S. F., CHRONISTER, R. B., and ROSS, B. (1973). The hippocampus and retrograde amnesia: Localisation of some positive and negative memory disruptive sites. *Behav. Biol.* **8**, 507-18.
- ZUCKERMAN, C. B., and ROCK, I. (1957). A re-appraisal of the roles of past experience and innate organising processes in visual perception. *Psychol. Bull.* **54**, 269-96.

© John O'Keefe & Lynn Nadel

You may copy or reproduce any part of this file for teaching purposes or personal use. The original text and figures should not be altered in any way. Permission should be obtained in writing from one of the authors if all or part of any of the figures or text is to be used in a publication and the source should be acknowledged:

John O'Keefe & Lynn Nadel (1978) *The Hippocampus as a Cognitive Map*, Oxford University Press.

You may redistribute the file electronically providing you do not modify it in any way.